State of California

THE RESOURCES AGENCY

Department of Water Resources

BULLETIN No. 77-62



# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA 1961-62



AUGUST 1964

HUGO FISHER
*Administrator*
The Resources Agency

EDMUND G. BROWN
Governor
State of California

WILLIAM E. WARNE
*Director*
Department of Water Resources

State of California

THE RESOURCES AGENCY

Department of Water Resources

# BULLETIN No. 77-62

# GROUND WATER CONDITIONS IN CENTRAL AND NORTHERN CALIFORNIA 1961-62

AUGUST 1964


HUGO FISHER
*Administrator*
The Resources Agency

EDMUND G. BROWN
*Governor*
State of California

WILLIAM E. WARNE
*Director*
Department of Water Resources

TABLE OF CONTENTS

TABLES

## APPENDIXES



## PLATES

(Plates are bound at end of bulletin)

## PLATES

(Plates are bound at end of bulletin)

E OF CALIFORNIA—RESOURCES AGENCY

WILLIAM E. WARNE, *Director*

PARTMENT OF WATER RESOURCES
BOX 388
AMENTO

June 4, 1964

Honorable Edmund G. Brown, Governor
and members of the Legislature of
the State of California

Gentlemen:

I have the honor to transmit herewith Bulletin No. 77-62 entitled, "Ground Water Conditions in Central and Northern California, 1961-1962." This report is the fifth of an annual series of bulletins presenting information on ground water conditions and records of water levels in wells in Central and Northern California. In this respect, the report is similar to the annual reports of Bulletin No. 30 series titled, "Water Supply Conditions in Southern California," which, beginning in 1932, have presented each year's record of ground water levels at wells and information on water supply conditions in Southern California. This activity is conducted under authority of Sections 226 and 12616 of the California Water Code.

Ground water levels in the North Coastal Region remained about the same as in 1961. The changes were less than 1.2 feet in 12 of the basins or areas. In Ukiah Valley, Sanel Valley, and Alexander Valley rises of more than 2.4 feet occurred with the largest rise of water levels in the North Coastal Region with 5.8 feet occurring in the Lower Russian River Valley.

The San Francisco Bay Region generally showed a reversal of the declining water levels of the past two years with rises up to 6.5 feet which occurred in San Gregorio Valley. Declines occurred in only two basins, Livermore Valley and North Santa Clara County. In North Santa Clara County water levels went down 20 feet in 1961-62 and had gone down 18.2 feet in the previous year.

In the Central Coastal Region, ground water levels were generally higher in 1962 than 1961 with the exception of the Gilroy-Hollister Valley which continued the downward trend of the previous two years. The minor rises in the Salinas Valley are significant because they indicate a reversal of the downward trends previously recorded.

Honorable Edmund G. Brown, Governor
and members of the Legislature of
the State of California

In the northern portion of the Central Valley Region, ground water levels rose slightly or showed no significant change in 26 areas. The largest rise was 3.4 feet in Lower Lake Valley. Small declines occurred in three areas. In the southern portion of the region, water levels went down in the majority of the areas with 27 areas showing a decline of more than 5 feet. The largest decline was 14.2 feet in the deep zone of the Semitropic Water Storage District. Of the eight areas showing a rise, the largest rise, 10.2 feet was in the deep zone of the Corcoran Irrigation District. Plate 11 shows fluctuations in the ground water profile from Chowchilla River south to Wheeler Ridge.

Sincerely yours,

William E. Warne

Director

Attach.

# ACKNOWLEDGMENTS

In the preparation of this report, valuable assistance and contributions were received from many public and private agencies and individuals. The sources of data presented in Appendix B are noted herein.

Special mention is made of the following agencies whose cooperation is gratefully acknowledged:

Alameda County Flood Control and Water Conservation District
Alameda County Water District
Alta Irrigation District
Arcade County Water District
Buena Vista Water Storage District
Butte County
California Water Service Company
Colusa County
Consolidated Irrigation District
East Bay Municipal Utility District
El Nido Irrigation District
Fortuna, City of
Fresno, City of
Fresno Irrigation District
Glenn County
Kern County
Kern County Land Company
Lake County
Merced Irrigation District
Modesto Irrigation District
Monterey County Flood Control and Water Conservation District
Napa County
Oakdale Irrigation District
Placer County
Porterville Irrigation District
Poso Soil Conservation District
Sacramento Municipal Utility District
San Benito County
San Joaquin County
Santa Clara Valley Water Conservation District
Santa Cruz County
Saucelito Irrigation District
Solano County
South San Joaquin Irrigation District
South Santa Clara Valley Water Conservation District
Sutter County
Tehama County
Turlock Irrigation District
United States Bureau of Reclamation
United States Geological Survey--Ground Water Branch
Vandalia Irrigation District
Yolo County
Yuba County

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES

EDMUND G. BROWN, Governor
HUGO FISHER, Administrator, The Resources Agency of California
WILLIAM E. WARNE, Director, Department of Water Resources

----------o----------

DIVISION OF RESOURCES PLANNING

William L. Berry . . . . . Division Engineer
Albert J. Dolcini . . . . . Chief, Planning Management Branch
Arthur L. Winslow, Jr. . . . . Acting Chief, Data Coordination Section
Hal C. Hanson . . . . . Ground Water Coordination Unit Chief

This report was assembled from material
supplied by the four area branches

NORTHERN BRANCH

John M. Haley . . . . . Chief, Northern Branch
Robert E. Whiting . . . . . Operations Section Chief
Thomas I. Rausch . . . . . Assistant Civil Engineer

DELTA BRANCH

Carl A. Werner . . . . . Chief, Delta Branch
Jacob Angel . . . . . Hydrology Unit Chief
Grant C. Ardell . . . . . Water Resources Engineering Associate

SAN JOAQUIN VALLEY BRANCH

Carl L. Stetson . . . . . Chief, San Joaquin Valley Branch
Cledith L. Chastain . . . . . Hydraulic Unit Chief
Laurence O. Grossnickle . . . . . Water Resources Engineering Associate

BAY AREA BRANCH

Charles A. McCullough . . . . . Chief, Bay Area Branch
Glenn R. Peterson . . . . . Water Supply Unit Chief
John S. Bartok . . . . . Water Resources Technician I

# CHAPTER I. INTRODUCTION

The ground water resource of California has long been recognized as one of the major natural resources of the State. The ever increasing rate of draft on the ground water reservoirs makes the problems more numerous and complex, and the solution of these problems more urgent.

All studies of ground water problems and plans for solution of these problems have one factor in common: they must be founded upon accurate records of ground water elevations obtained over a period of many years. This is true whether the problem is a determination of safe yield of a ground water basin, an operation of a basin for cyclic storage in conjunction with surface water supplies, the control of sea water intrusion, or any of the many problems that must be solved to maintain the benefits California derives from its ground water storage basins.

The State, through the Division of Water Resources, began the collection of ground water data in 1930 in connection with special investigations of water resources of specific areas, and gradually developed a continuing program of basic data collection. Through cooperative activities of federal and local agencies, coordinated and augmented by the department, the program of annual, semiannual, and monthly measurement of ground water levels has gradually expanded to include better coverage of ground water basins in California.

## Authorization

Authorization for the continuing program of ground water measurement and collection, and publication of ground water level data is included in Sections 226 and 12616 of the California Water Code. Section 226 provides that:

> "The department, either independently or in cooperation with any person or any county, state, federal, or other agency, may do any of the following:
>
> (a) Conduct investigations of all or any portion of any stream, stream system, lake or other body of water;
>
> (b) Investigate either or both surface and underground water conditions;
>
> (c) Collect records of diversion and use of water;
>
> (d) Supervise distribution of water in accordance with agreements and court orders therefor."

Section 12616 provides that:

> "The department may conduct investigations of the water resources of the State, formulate plans for the control, conservation, protection, and utilization of such water resources, including solutions for the water problems of each portion of the State as deemed expedient and economically feasible, and may render reports thereon. In conducting such investigations and formulating such plans, the department may conduct investigations and surveys to determine the availability, usability, extents, and boundaries of underground basins."

## Prior Reports

Department of Water Resources Bulletins No. 77-58, October 1959; 77-59, January 1962; 77-60, January 1963; and 77-61, June 1964; reported ground water level measurements in major ground water basins of Central and Northern California. These bulletins also describe basin boundaries and characteristics of geology and hydrology. Reports of special investigations of many of these basins have covered various aspects of the hydrology of the

basins and have included tabulations of the well data and water level measurements obtained during the investigations. Such reports, issued by the department or its predecessors, and by the U. S. Geological Survey, are listed in Appendix C. Contemporary reports of basic hydrologic data issued annually by the Department of Water Resources are listed in Appendix D.

## Scope of Report

The aerial scope of this bulletin is depicted on Plate I showing basins, subbasins, or areas in Central and Northern California for which ground water level data is reported. During the year covered by this report, the Department of Water Resources obtained records of fall 1961 and spring 1962 water levels in approximately 11,000 wells in ground water basins of Central and Northern California. The period of record for these wells ranges from over 40 years to less than one year.

### Basic Data

A selection was made of approximately 1,000 wells because significant trends in water level fluctuations can be indicated by a representative sample. The records of these selected wells are presented in this report. These wells were chosen on the basis of a number of factors such as areal distribution; period of water level records; frequency of measurements; conformity with respect to water level fluctuations in the ground water basin; and availability of a log, mineral analyses, and/or production records. The descriptive data for the selected wells are given in Appendix A. The water level measurements made from July 1, 1961 to June 30, 1962, are given in Appendix B which continues the record for those wells published in Bulletins No. 77-58 through 77-61 with a few wells added or removed.

The descriptive data for the selected wells, and the water level records for each, were placed on punch cards for machine processing of Appendixes A and B. In addition, the well descriptions and water level measurements for the period of record for all of the 11,000 wells are being placed on punch cards. When this is accomplished, these records, by machine selection or sorting, will be available for any ground water basin, area, or unit, or for any combination that may be desired.

Processed Data

Water level fluctuations are depicted graphically on hydrographs of 78 wells distributed among significant basins of Central and Northern California. These wells were selected insofar as possible as representative of their respective areas. The hydrographs are presented in Plates 2 through 9 by region, basin, and well number.

Unit hydrographs depicting the fluctuation of average water levels in 19 ground water areas in San Joaquin Valley are presented on Plate 11. A map of the 19 ground water areas and profiles along a section showing water levels in 1921, 1951, 1961, and 1962 are presented on Plate 10.

Summaries of ground water level data collected, and average changes in ground water levels in basins and areas as well as maximum and minimum depths to water in each basin or areas are presented in Table 1 through 11 listed by region, basin, and area. The average changes shown in these plates were determined by planimetering ground water contour maps or by numerical computations of well measurements of the selected wells reported in this bulletin. Areas of significant rise or drop of ground water levels are shown on Plate 1.

## Related Information

Ground water maps are prepared for basins in which knowledge of the water level is sufficient. These maps are drawn to show lines of equal elevation of water in wells. For some basins, maps showing lines of equal depth to water are also prepared. At appropriate intervals, commonly five years, maps are prepared to show lines of equal change in the water level in wells during the time interval.

During 1961-62, elevation maps for the fall of 1961 and the spring of 1962 were drawn for Sacramento Valley, Lower Sacramento Valley and San Joaquin County, Lake County, and Pajaro Valley. Elevation maps for the spring of 1962 were completed for Southern San Joaquin Valley, Lake County, Gilroy-Hollister area, Santa Clara Valley, Salinas Valley, Pajaro Valley, Napa Valley, and Livermore Valley. Depth to water maps for the fall of 1961 were made for Sacramento Valley, Lower Sacramento Valley and San Joaquin County, Kern County, and Poso Soil Conservation District. Also depth to water maps for the spring of 1962 were made for Sacramento Valley, Lower Sacramento Valley and San Joaquin County, Kern County, and Poso Soil Conservation District. These maps are on file with the department.

In addition to the records of water levels and ground water contour maps prepared by the department, monthly water level observations are currently made or received by the department in approximately 1,200 wells in Central and Northern California. This monthly well observation program is carried out in cooperation with federal and local agencies. Additional monthly measurements which are not on file with this department are made by these agencies. Data for approximately 250 wells were published by the department in monthly summary tabulations.

## Numbering System

The numbering systems used by the department were developed to facilitate machine data processing of water level measurement data.

### Region and Basin Designation

The regions used in this report and shown on Plate 1, "Ground Water Basins or Areas in Central and Northern California," are geographic areas defined in Section 13040 of the Water Code. Of the nine regions defined, the portion of Central and Northern California covered by this report comprises all of North Coastal Region No. 1, San Francisco Region No. 2, Central Valley Region No. 5, a portion of Central Coastal Region No. 3, and the northern portion of Lahontan Region No. 6.

Geographic regions, their hydrographic units and subareas, are listed by a numbering system as follows:




### Well Numbering System

The state well numbering system used in this report, is based on township, range, and section subdivision of the Public Land Survey. It is the system used in all ground water investigations and for numbering all wells for which data are published or filed by the Department of Water Resources. In this report, the number of a well, assigned in accordance with this system is referred to as the State Well Number.

Under the system, each section is divided into 40-acre tracts lettered as follows:

| | | | |
|---|---|---|---|
| D | C | B | A |
| E | F | G | H |
| M | L | K | J |
| N | P | Q | R |

Wells are numbered within each 40-acre tract according to the chronological sequence in which they have been assigned State Well Numbers. For example, a well which has the number 16N/1W-17K1, H would be in Township 16 North, Range 1 West, Section 17, Humboldt Base and Meridian, and would be further designated as the first well assigned a State Well Number in tract K. In this report, well numbers are referenced to the Humboldt Base and Meridian (H), the Mount Diablo Base and Meridian (M), or the San Bernardino Base and Meridian (S).

## Chapter II

Ground water conditions in Central and Northern California are described by the individual region. For each region is first a short narrative summary, next a table showing the average change of ground water levels in the ground water basin or area, and a summary table of agencies measuring ground water and frequency of measurements.

### NORTH COASTAL REGION

Sixteen ground water basins or areas in the North Coastal Region are listed and delineated on Plate 1. Ground water level measurements at selected wells in these basins or areas are presented in Appendix B. The average changes in water levels from 1961 to 1962, and the maximum and minimum depths to water in each reported basin or area are given in Table 1. A summary of ground water level data collected in the region is presented in Table 2. Hydrographs, showing the fluctuation in water levels during the period of record at nine selected wells, are presented on Plate 2.

In contrast to other regions in Central and Northern California, changes in ground water levels in the North Coastal Region were small. There were rises or no appreciable changes in ground water levels in 11 of the 16 basins or areas since the previous year.

Declines in the five areas were small, the largest amount being 1.1 feet. Rises of more than one foot occurred in Ukiah Valley, Sanel Valley, Alexander Valley, and the Healdsburg area with the maximum rise of 5.8 feet in the Lower Russian River Valley.

TABLE 1
AVERAGE CHANGE IN GROUND WATER LEVELS
IN BASINS OR AREAS IN NORTH COASTAL REGION
Spring 1961 - Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1962, in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Smith River Plain | 1-1.00 | 5 | +0.3 | 18N/1W-26P1<br>18.1 | 16N/1W-22Q2<br>10.6 |
| Butte Valley | 1-3.00 | 5 | +0.5 | 46N/2W-25R2<br>28.2 | 47N/1W-27B1<br>9.2 |
| Shasta Valley | 1-4.00 | 6 | +0.4 | 44N/5W-34H1<br>29.6 | 43N/6W-22A1<br>1.0 |
| Scott River Valley | 1-5.00 | 4 | -1.0 | 42N/9W-8C3<br>41.2 | 42N/9W-27N1<br>3.1 |
| Mad River Valley | 1-8.00 | 2 | -1.1 | 6N/1E-29P1<br>9.2 | 6N/1E-6H1<br>1.9 |
| Eel River Valley | 1-10.00 | 3 | -1.1 | 3N/1W-34J1<br>32.4 | 3N/1W-18D1<br>2.1 |
| Round Valley | 1-11.00 | 2 | -1.1 | 22N/12W-4B1<br>6.4 | 23N/12W-31N1<br>Flowing |
| Laytonville Valley | 1-12.00 | 3 | +0.6 | 21N/14W-30M1<br>4.8 | 21N/15W-12M1<br>1.4 |
| Little Lake Valley | 1-13.00 | 3 | +0.5 | 18N/13W-18E1<br>23.0 | 18N/13W-8L1<br>0.2 |
| Potter Valley | 1-14.00 | 2 | -0.4 | 17N/11W-32J1<br>0.8 | 17N/11W-18J1<br>Flowing |
| Ukiah Valley | 1-15.00 | 3 | +2.4 | 15N/12W-8L1<br>10.1 | 15N/12W-21M1<br>0.5 |
| Sanel Valley | 1-16.00 | 3 | +3.0 | 13N/11W-18E1<br>5.4 | 13N/11W-19P1<br>4.9 |
| Alexander Valley | 1-17.00 | 6 | +3.4 | 9N/9W-1A2<br>12.8 | 10N/9W-26L2<br>1.0 |
| Santa Rosa Valley | 1-18.00 | | | | |
| Santa Rosa Area | 1-18.01 | 14 | +0.7 | 8N/9W-36P1<br>51.5 | 7N/8W-20L1<br>1.5 |
| Healdsburg Area | 1-18.02 | 4 | +1.2 | 8N/9W-22L1<br>19.8 | 10N/10W-35Q1<br>1.0 1/ |
| Lower Russian River Valley | 1-98.00 | 3 | +5.8 | 7N/11W-14E1<br>8.4 | 8N/10W-29D2<br>2.1 |

1/ Estimated depth to water.

TABLE 2
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE NORTH COASTAL REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| Smith River Plain | 1-1.00 | U. S. Geological Survey | 5 | | |
| Butte Valley | 1-3.00 | U. S. Geological Survey | 5 | | |
| Shasta Valley | 1-4.00 | U. S. Geological Survey | 6 | | |
| Scott River Valley | 1-5.00 | U. S. Geological Survey | 5 | | |
| Mad River Valley | 1-8.00 | U. S. Geological Survey | 2 | | |
| Eel River Valley | 1-10.00 | U. S. Geological Survey | 3 | | |
| Round Valley | 1-11.00 | U. S. Geological Survey | 2 | | |
| Laytonville Valley | 1-12.00 | U. S. Geological Survey | 4 | | |
| Little Lake Valley | 1-13.00 | U. S. Geological Survey | 3 | | |
| Potter Valley | 1-14.00 | U. S. Geological Survey | 2 | | |
| Ukiah Valley | 1-15.00 | U. S. Geological Survey | 3 | | |
| Sanel Valley | 1-16.00 | U. S. Geological Survey | 3 | | |
| Alexander Valley | 1-17.00 | U. S. Geological Survey | 5 | | |
| | | Department of Water Resources | | | 1 |
| Santa Rosa Valley | 1-18.00 | | | | |
| Santa Rosa Area | 1-18.01 | U. S. Geological Survey | 3 | | |
| | | Department of Water Resources | | | 11 |
| Healdsburg Area | 1-18.02 | U. S. Geological Survey | 4 | | |
| Lower Russian River Valley | 1-98.00 | U. S. Geological Survey | 3 | | |

## SAN FRANCISCO BAY REGION

Eleven basins or areas in the San Francisco Bay Region are listed and delineated on Plate 1. Ground water level measurements at selected wells described in Appendix A are presented in Appendix B. The average changes in ground water levels from 1961 to 1962, and the maximum and minimum depths to water in each basin or area are given in Table 3. A summary of ground water level data collected is presented in Table 4. Hydrographs, showing the fluctuation in ground water levels during the period of record of a few selected wells, are presented on Plate 3.

Ground water levels rose in nine basins or areas from 1961 to 1962, and declined in two, Livermore Valley and North Santa Clara County. The rises in ground water levels indicate a reversal of the declining trends reported for the previous two years in these basins. The declines in ground water levels are continuations of the downward trends reported for the previous two years. The maximum rise of 6.5 feet occurred in San Gregorio Valley which had declined 3.0 feet from 1960 to 1961. The maximum decline of 20.0 feet occurred in North Santa Clara County which had declined 18.2 feet from 1960 to 1961. Ground water levels in Livermore Valley, which had declined 6.4 feet from 1960 to 1961, declined 3.3 feet from 1961 to 1962.

Sea water intrusion continued to be a problem in South Alameda County.

TABLE 3
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN SAN FRANCISCO BAY REGION
Spring 1961 to Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962 in feet | Location and recorded maximum and minimum depth to water in the spring of 1962 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Petaluma Valley | 2-1.00 | 6 | +2.1 | 5N/7W-20B2<br>74.0[1] | 3N/6W-1Q1<br>0.2 |
| Napa-Sonoma Valley | 2-2.00 | | | | |
| Napa Valley | 2-2.01 | 8 | +4.6 | 5N/4W-23C2<br>19.5 | 7N/5W-23D2<br>-0.2 |
| Sonoma Valley | 2-2.02 | 4 | +1.1 | 5N/5W-14C1<br>54.0[1] | 5N/5W-8Q1<br>7.2 |
| Suisun-Fairfield Valley | 2-3.00 | 26 | +5.8 | 4N/3W-13G1<br>27.2 | 5N/2W-25R1<br>0.5 |
| Ygnacio Valley | 2-6.00 | 5 | +2.1 | 1N/1W-19F1<br>52.0[1] | 2N/2W-27R1<br>0.6 |
| Santa Clara Valley | 2-9.00 | | | | |
| South Alameda County | 2-9.01 | | | | |
| Upper Aquifer | | 42 | +0.2 | 4S/1W-19J2<br>97.6 | 3S/3W-3Q1<br>2.8 |
| Lower Aquifer | | 38 | +1.9 | 5S/1W-11H4<br>164.2 | 5S/2W-5J1<br>50.9 |
| North Santa Clara County | 2-9.02 | 252 | -20.0 | 7S/2W-3R1<br>338.8 | 8S/1E-16P2<br>7.0 |
| Livermore Valley | 2-10.00 | 115 | -3.3 | 3S/2E-18B1<br>191.3 | 3S/2E-14P1<br>Flowing |
| Half Moon Bay Terrace | 2-22.00 | 9 | +1.3 | 6S/5W-8B1<br>58.2 | 5S/6W-10J1<br>0.2 |
| San Gregorio Valley | 2-24.00 | 3 | +6.5 | 7S/5W-15H2<br>12.8 | 7S/5W-15E1<br>4.5 |
| Pescadero Valley | 2-26.00 | 5 | +5.1 | 8S/5W-10K1<br>12.1 | 8S/5W-10H1<br>2.1 |

1/ Estimated depth to water.

TABLE 4
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN SAN FRANCISCO BAY REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin Number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| Petaluma Valley | 2-1.00 | U. S. Geological Survey | 3 | | |
| | | Department of Water Resources | | | 3 |
| Napa-Sonoma Valley | 2-2.00 | | | | |
| Napa Valley | 2-2.01 | U. S. Geological Survey | 5 | | |
| | | Department of Water Resources | | | 7 |
| Sonoma Valley | 2-2.02 | U. S. Geological Survey | 2 | | |
| | | Department of Water Resources | | | 2 |
| Suisun-Fairfield Valley | 2-3.00 | U. S. Geological Survey | 3 | | |
| | | Solano County | | 25 | 25 |
| | | Department of Water Resources | 1 | | |
| Ignacio Valley | 2-6.00 | Department of Water Resources | 2 | | 5 |
| Santa Clara Valley | 2-9.00 | | | | |
| South Alameda County | 2-9.01 | Alameda County Flood Control and Water Conservation District | | 100 | 105 |
| | | Alameda County Water District | 37 | | |
| | | Department of Water Resources | 3 | | |
| North Santa Clara County | 2-9.02 | Santa Clara Valley Water Conservation District | 258 | | |
| | | U. S. Geological Survey | 5 | | |
| Livermore Valley | 2-10.00 | Alameda County Flood Control and Water Conservation District | 3 | 145 | 145 |
| Half Moon Bay | 2-22.00 | Department of Water Resources | 3 | 0 | 9 |
| San Gregorio Valley | 2-24.00 | Department of Water Resources | 2 | | 5 |
| Pescadero Valley | 2-26.00 | Department of Water Resources | 2 | | 6 |

## CENTRAL COASTAL REGION

Eleven basins and areas in the Central Coastal Region are shown on Plate 1. Ground water level measurements at selected wells described in Appendix A are presented in Appendix B. Average changes in water levels from 1961 to 1962, and maximum and minimum depths to water in each basin or area are given in Table 5. A summary of ground water level data collection in the region is presented in Table 6. Hydrographs showing fluctuations of water levels during the periods of record at a few selected wells are presented on Plate 4.

In 1962 ground water levels were slightly higher in the Central Coastal Region than they were in 1961 except in the Gilroy-Hollister Valley. Here they continued the downward trend. In Soquel Valley water levels rose 3.7 feet thus continuing a weak upward trend which begin in 1958. In Salinas Valley, levels rose slightly reversing the downward trend recorded during the previous two years.

TABLE 5
AVERAGE CHANGE IN GROUND WATER LEVELS IN
BASINS AND AREAS IN CENTRAL COASTAL REGION
Spring 1961 - Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1962 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Soquel Valley | 3-1.00 | 6 | +3.7 | 11S/1W-12R1<br>142.0 | 11S/1W-4B1<br>23.0 |
| West Santa Cruz Terrace | 3-26.00 | 5 | +0.1 | 11S/2W-22K1<br>74.5 | 11S/3W-11R1<br>1.7 |
| Pajaro Valley | 3-2.00 | 82 | +1.4 | 11S/2E-21D1<br>187.7 | 12S/1E-25F1<br>Flowing |
| Gilroy-Hollister Valley | 3-3.00 | | | | |
| South Santa Clara County | 3-3.01 | 41 | -17.8 | 9S/3E-25P1<br>149.1 | 10S/3E-34L1<br>8.8 |
| San Benito County | 3-3.02 | 74 | -5.4 | 12S/5E-36Q1<br>185.7 | 11S/4E-17L1<br>12.1 |
| Salinas Valley | 3-4.00 | | | | |
| Pressure Area | 3-4.01 | | | | |
| 180-foot aquifer | | 85 | .0 | 15S/4E-33A1<br>87.5 | 13S/2E-35L1<br>0.6 |
| 400-foot aquifer | | 55 | +0.8 | 15S/4E-17P2<br>65.5 | 13S/2E-31G1<br>4.2 |
| East Side Area | 3-4.02 | 78 | +1.2 | 15S/4E-36H1<br>284.0 1/ | 13S/2E-36F1<br>1.8 |
| Forebay Area | 3-4.03 | 38 | +0.9 | 17S/5E-2A1<br>189.3 | 18S/7E-18D1<br>12.4 |
| Arroyo Seco Cone | 3-4.04 | 18 | +0.1 | 18S/6E-28J1<br>219.5 | 18S/6E-3P1<br>13.0 |
| Upper Valley Area | 3-4.05 | 31 | +0.6 | 19S/7E-20A1<br>280.3 | 22S/10E-21R1<br>13.1 |
| Carmel Valley | 3-7.00 | 30 | +1.0 | 17S/3E-22L1<br>48.4 | 16S/1E-21A2<br>5.1 |

1/ Estimated depth to water.

TABLE 6
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL COASTAL REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin Number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| Soquel Valley | 3-1.00 | Santa Cruz County | | 5 | 5 |
| | | Department of Water Resources | 2 | | |
| West Santa Cruz Terrace | 3-26.00 | Santa Cruz County | | 7 | 7 |
| Pajaro Valley | 3-2.00 | Monterey County Flood Control and Water Conservation District | | 25 | 24 |
| | | Santa Cruz County | | 45 | 58 |
| | | City of Watsonville | 6 | | |
| | | Department of Water Resources | 6 | | |
| Gilroy-Hollister Valley | 3-3.00 | | | | |
| South Santa Clara County | 3-3.01 | South Santa Clara Valley Water Conservation District | | 19 | 19 |
| | | Santa Clara Valley Water Conservation District | 16 | | |
| | | Department of Water Resources | 2 | | 8 |
| San Benito County | 3-3.02 | Pacheco Pass Water District and San Benito County | | | 76 |
| | | Department of Water Resources | 3 | | |
| Salinas Valley | 3-4.00 | | | | |
| Pressure Area | 3-4.01 | Monterey County Flood Control and Water Conservation District | 14 | 150 | 153 |
| East Side Area | 3-4.02 | Monterey County Flood Control and Water Conservation District | 11 | 95 | 92 |
| Forebay Area | 3-4.03 | Monterey County Flood Control and Water Conservation District | 9 | 53 | 58 |
| Arroyo Seco Cone | 3-4.04 | Monterey County Flood Control and Water Conservation District | 4 | 20 | 21 |
| Upper Valley Area | 3-4.05 | Monterey County Flood Control and Water Conservation District | 7 | 42 | 46 |
| Carmel Valley | 3-7.00 | Monterey County Flood Control and Water Conservation District | 4 | 33 | 34 |

## CENTRAL VALLEY REGION

Seventy-five ground water basins or areas in the Central Valley Region are shown on Plate 1. Ground water level measurements of selected wells described in Appendix A are listed in Appendix B. Average changes in water levels from 1961 to 1962, and the maximum and minimum depths to water in each basin or area are given in Table 7. A summary of ground water level data collected in the region is presented in Table 8. Hydrographs showing fluctuations in water levels during the period of record at 51 selected wells are presented in Plates 5, 6, 7, 8, and 9.

The Central Valley Region contains most of the ground water in Central and Northern California. Ground water levels went down in 47 of the 87 areas reported. In 1961-62 declines of 5 feet or more occurred in 27 areas as compared with 21 areas in 1960-61, 24 areas in 1959-60, and 6 areas in 1958-59.

In the northern portion of the region, including the Sacramento Valley, Redding Basin, and smaller valleys in the northeastern portion of the region, ground water levels rose in 13 areas, declines in 3 areas, and showed no appreciable change in 13 areas. The maximum rise was 3.4 feet in Lower Lake Valley and the maximum declines of 1.7 feet each was in Goose Lake Valley and Placer County. Generally, water levels have risen a slight amount.

In the southern portion of the region, which consists of the San Joaquin Valley, water levels declined in 44 areas, had no significant change in 7 areas, and rose in 8 areas. Of the 44 areas of decline water levels went down more than five feet in 27 areas with the greatest decline of 14.2 feet in the deep zone of the Semitropic Water Storage District. The maximum rise of 10.2 feet was reported from the Corcoran Irrigation District deep zone.

Ground water fluctuations in 19 areas, shown on Plate 10, from the Chowchilla River to Wheeler Ridge are illustrated by ground water profiles, and on Plate 11. In these areas, large declines occurred from 1921 to 1951 which was the first year of substantial deliveries from the Friant-Kern Canal. The maximum change occurred in the Delano-Earlimart area where the water level dropped 134 feet from 1921 to 1951 then rose some 55 feet by 1959. Since 1959, the level has gone down about 20 feet.

TABLE 7
AVERAGE CHANGE IN GROUND WATER LEVELS
IN BASINS AND AREAS IN CENTRAL VALLEY REGION
Spring 1961 - Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1961 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Goose Lake Valley | 5-1.00 | 2 | -1.7 | 45N/14E-17F1<br>50.6 | 48N/14E-24A3<br>16.1 |
| Alturas Basin | 5-2.00 | 7 | +0.5 | 42N/12E-10G1<br>38.0 | 41N/11E-5E1<br>6.2 |
| Big Valley | 5-4.00 | 3 | -0.1 | 38N/7E-33K1<br>9.3 | 39N/9E-28F1<br>5.6 |
| Round Valley | 5-36.00 | 1 | +1.9 6/ | 6/ | 6/ |
| Fall River Valley | 5-5.00 | 3 | -0.3 | 37N/5E-30K2<br>50.0 | 38N/4E-33F1<br>5.0 |
| Redding Basin | 5-6.00 | 4 | -1.2 | 31N/4W-15K1<br>105.9 | 31N/3W-29N1<br>18.2 |
| Mohawk Valley | 5-11.00 | 0 | --- | --- | --- |
| Sierra Valley | 5-12.00 | 5 | +2.6 | 21N/14E-25N1<br>13.1 | 20N/14E-13Q2<br>0.3 |
| Upper Lake Valley | 5-13.00 | 18 | +2.3 | 16N/9W-31Q1<br>6.2 | 15N/10W-3D1<br>1.6 |
| Scott Valley | 5-14.00 | 8 | +1.3 | 14N/10W-22A1<br>22.0 | 14N/10W-14F1<br>0.0 |
| Kelseyville Valley | 5-15.00 | 39 | +1.6 | 13N/9W-2C2<br>10.4 | 14N/9W-33K1<br>3.9 |
| Long Valley | 5-31.00 | 0 | --- | 14N/7W-6F1<br>7.9 | 14N/7W-6F1<br>7.9 |
| High Valley | 5-16.00 | 6 | +0.3 | 14N/7W-19M2<br>43.0 | 14N/7W-19M1<br>24.0 |
| Burns Valley | 5-17.00 | 3 | +1.4 | 13N/7W-28R1<br>2.8 | 13N/7W-15Q1<br>1.3 |
| Lower Lake Area | 5-30.00 | 2 | +3.4 | 12N/7W-3J1<br>12.9 | 12N/7W-13N1<br>10.4 |
| Coyote Valley | 5-18.00 | 9 | +1.8 | 11N/6W-19G1<br>9.2 | 11N/6W-19G1<br>9.2 |
| Collayomi Valley | 5-19.00 | 13 | +2.9 | 10N/7W-3A2<br>11.3 | 11N/7W-35E1<br>5.9 |
| Sacramento Valley | 5-21.00 | | | | |
| Tehama County | 5-21.01 | | -0.2 5/ | 23N/2W-7R1<br>88.3 | 24N/4W-15R1<br>1.6 |
| Glenn County | 5-21.02 | | +0.7 5/ | 21N/4W-23H1<br>98.5 | 18N/3W-22D1<br>3.0 |
| Butte County | 5-21.03 | | +0.2 5/ | 23N/1E-27J1<br>130.2 | 20N/1E-10M1<br>1.8 |
| Colusa County | 5-21.04 | | +0.3 5/ | 13N/2W-22H1<br>132.4 | 16N/4W-23M1<br>0.5 |
| Sutter County | 5-21.05 | 4/ | +0.1 | 13N/5E-7K1<br>54.9 | 13N/1E-1J1<br>1.2 |
| Yuba County | 5-21.06 | 4/ | +3.5 | 15N/5E-19N1<br>72.0 | 13N/4E-7E1<br>12.2 |
| Placer County | 5-21.07 | 4/ | -1.7 | 10N/6E-5H1<br>102.5 | 11N/6E-11R1<br>16.5 |
| Sacramento County | 5-21.08 | 4/ | -0.4 | 6N/8E-15J1<br>122.5 | 10N/4E-34A1<br>9.5 |

TABLE 7 (Cont.)
AVERAGE CHANGE IN GROUND WATER LEVELS
IN BASINS AND AREAS IN CENTRAL VALLEY REGION
Spring 1961 - Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1961 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Yolo County | 5-21.09 | 4/ | 0.0 | 12N/1W-5M1<br>120.7 | 9N/1E-8D1<br>1.2 |
| Capay Valley | 5-21.10 | 18 | +1.9 | 11N/3W-4P1<br>86.6 | 11N/3W-26M3<br>25.1 |
| Solano County | 5-21.11 | 4/ | +1.2 | 7N/1E-12N2<br>70.4 | 5N/2E-36N1<br>5.6 |
| San Joaquin Valley | 5-22.00 | | | | |
| Mokelumne River Area | 5-22.01 | 4/ | -2.7 | 3N/8E-8E1<br>88.8 | 4N/5E-22A1<br>2.6 |
| Calaveras River Area | 5-22.02 | 4/ | -5.9 | 2N/9E-7G2<br>96.0 | 3N/9E-25R1<br>51.8 |
| Farmington-Collegeville Area | 5-22.03 | 4/ | -3.9 | 1N/8E-26A2<br>83.6 | 1S/8E-19N1<br>22.5 |
| Tracy Area | 5-22.04 | 17 | +1.1 | 2S/6E-31N1<br>15.1 | 2S/5E-16C1<br>6.9 |
| South San Joaquin Irrigation District | 5-22.05 | 13 | -1.7 | 2S/8E-1M1<br>29.4 | 2S/7E-2A1<br>6.0 |
| Oakdale Irrigation District | 5-22.06 | 122 | -3.6 | 2S/11E-28J1<br>144.7 | 2S/10E-10E1<br>9.6 |
| Modesto Irrigation District | 5-22.07 | 93 | -0.6 | 3S/10E-32G1<br>60.0 | 3S/7E-27A1<br>2.0 |
| Turlock Irrigation District | 5-22.08 | 105 | +0.1 | 6S/11E-6N1<br>14.9 | 6S/9E-15A1<br>1.4 |
| Merced Irrigation District | 5-22.09 | 109 | -1.6 | 7S/15E-20R1<br>27.0 | 7S/11E-17N1<br>4.7 |
| El Nido Irrigation District | 5-22.10 | 29 | -4.4 | 9S/14E-33L1<br>88.0 | 9S/14E-20Q1<br>62.0 |
| Delta-Mendota Area | 5-22.11 | 480 | +2.3 | 12S/11E-35N1<br>366.8 | 9S/10E-19B1<br>0.6 |
| Chowchilla Water District | 5-22.12 | 2/ | -10.8 | 9S/17E-30H1<br>111.8 | 9S/17E-7C1<br>9.2 |
| Madera Irrigation District | 5-22.13 | 2/ | -4.4 | 12S/19E-18P1<br>92.4 | 11S/18E-9A1<br>22.6 |
| West Chowchilla-Madera Area | 5-22.14 | 2/ | -2.1 | 10S/14E-8B1<br>75.0 | 10S/13E-35K1<br>4.2 |
| Fresno Irrigation District | 5-22.15 | 2/ | -5.3 | 12S/20E-31J1<br>95.8 | 14S/23E-4G1<br>11.8 |
| City of Fresno | 5-22.16 | 2/ | -7.0 | 14S/20E-1P1<br>84.2 | 14S/20E-8A1<br>61.8 |
| Fresno Slough Area | 5-22.17 | 2/ | -4.1 | 16S/17E-34P1<br>173.6 | 14S/16E-28N1<br>10.8 |
| Consolidated Irrigation District | 5-22.18 | 2/ | -4.9 | 16S/19E-14A1<br>73.2 | 15S/22E-3D1<br>20.7 |
| Alta Irrigation District | 5-22.19 | 2/ | -7.4 | 17S/25E-21E1<br>83.2 | 14S/23E-2E1<br>9.6 |
| Lower Kings River Area | 5-22.20 | 2/ | -2.1 | 20S/20E-17H1<br>152.4 | 19S/19E-25A1<br>6.7 |
| Orange Cove Irrigation District | 5-22.21 | 2/ | -5.7 | 15S/24E-26B1<br>85.0 | 14S/24E-21D1<br>3.5 |

TABLE 7 (Cont.)
AVERAGE CHANGE IN GROUND WATER LEVELS
IN BASINS AND AREAS IN CENTRAL VALLEY REGION
Spring 1961 - Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1962, in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| San Joaquin Valley (Cont.) | 5-22.00 | | | | |
| Stone Corral Irrigation District | 5-22.22 | 2/ | +1.1 | 17S/25E-12R1<br>49.9 | 16S/26E-32R1<br>2.6 |
| Ivanhoe Irrigation District | 5-22.23 | 2/ | -0.9 | 17S/25E-26C1<br>91.1 | 17S/26E-21D2<br>41.0 |
| Kaweah-Delta Water Conservation District | 5-22.24 | 2/ | -6.5 | 20S/22E-27A1<br>124.6 | 18S/27E-7B1<br>4.4 |
| Tulare Irrigation District | 5-22.25 | 2/ | -10.9 | 20S/23E-17C1<br>115.7 | 19S/25E-17J1<br>70.8 |
| Exeter Irrigation District | 5-22.26 | 2/ | -9.2 | 19S/26E-14H1<br>116.6 | 18S/26E-24B1<br>24.2 |
| Lindsay - Strathmore Irrigation District | 5-22.27 | 2/ | -0.7 | 20S/27E-8E3<br>99.0 | 20S/27E-15R1<br>5.5 |
| Lindmore Irrigation District | 5-22.28 | 2/ | -13.3 | 20S/27E-22L1<br>139.4 | 21S/27E-2H1<br>45.1 |
| Porterville Irrigation District | 5-22.29 | 2/ | -8.2 | 22S/26E-3A1<br>95.8 | 21S/27E-20N1<br>45.7 |
| Lower Tule River Irrigation District | 5-22.30 | 2/ | -4.8 | 22S/25E-13A1<br>184.0 | 21S/25E-12J1<br>52.0 |
| Vandalia Irrigation District | 5-22.31 | 4 | +3.2 | 22S/28E-17N3<br>155.0 | 22S/28E-18A1<br>110.0 |
| Saucelito Irrigation District | 5-22.32 | | | | |
| Shallow Zone | | 2/ | -10.9 | 23S/26E-2R1<br>165.0 | 22S/26E-12B1<br>90.0 |
| Deep Zone | | 2/ | -12.9 | 23S/26E-5G1<br>208.3 | 22S/26E-25A1<br>166.0 |
| Pixley Irrigation District | 5-22.33 | | | | |
| Shallow Zone | | 2/ | -14.0 | 22S/25E-27C3<br>155.3 | 23S/23E-2B1<br>33.7 |
| Deep Zone | | 2/ | -4.2 | 23S/25E-2C1<br>193.5 | 23S/24E-29H1<br>96.4 |
| Alpaugh-Allensworth Area | | | | | |
| Shallow Zone | 5-22.34 | 2/ | -6.8 | 24S/24E-25F1<br>95.9 | 24S/24E-23Q1<br>50.8 |
| Deep Zone | | 2/ | -9.2 | 23S/23E-23M1<br>151.4 | 22S/23E-28L1<br>82.2 |
| Delano-Earlimart Irrigation District | 5-22.35 | | | | |
| Shallow Zone | | 2/ | +3.4 | 25S/26E-4A1<br>221.0 | 24S/25E-25P1<br>74.0 |
| Deep Zone | | 2/ | -14.1 | 24S/26E-25H1<br>369.0 | 24S/25E-35D1<br>134.0 |
| Southern San Joaquin Municipal Utility District | 5-22.36 | | | | |
| Shallow Zone | | 2/ | -2.7 | 26S/26E-8H2<br>234.0 | 25S/24E-12D2<br>66.0 |
| Deep Zone | | 2/ | -8.4 | 25S/26E-24P1<br>365.0 | 25S/25E-30A2<br>142.0 |

TABLE 7 (Cont.)
AVERAGE CHANGE IN GROUND WATER LEVELS
IN BASINS AND AREAS IN CENTRAL VALLEY REGION
Spring 1961 - Spring 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1962, in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| San Joaquin Valley (Cont.) | 5-22.00 | | | | |
| North Kern Water Storage District | 5-22.37 | | | | |
| Shallow Zone | | 2/ | -1.9 | 27S/26E-31C1<br>232.0 | 26S/25E-28A1<br>83.7 |
| Deep Zone | | 2/ | -10.2 | 27S/26E-20D1<br>298.0 | 26S/24E-11H1<br>155.0 |
| Shafter-Wasco Irrigation District | 5-22.38 | | | | |
| Shallow Zone | | 2/ | -5.0 | 27S/24E-26R2<br>179.0 | 28S/26E-31J1<br>126.0 |
| Deep Zone | | 2/ | -13.2 | 27S/24E-36L1<br>203.0 | 26S/24E-33R1<br>160.0 |
| City of Bakersfield | 5-22.39 | 15 | -5.9 | 29S/28E-17G1<br>282.0 | 29S/28E-19D1<br>93.0 |
| Kern River Delta Area | 5-22.40 | 2/ | -6.7 | 32S/28E-31F1<br>279.5 | 32S/27E-23P1<br>3.0 |
| Edison-Maricopa Area | 5-22.41 | | | | |
| Deep Zone | | 2/ | -7.3 | 11N/20W-14B1<br>559.0 | 32S/25E-20G1<br>100.5 |
| Buena Vista Water Storage District | 5-22.42 | 2/ | -4.2 | 27S/22E-32H1<br>83.9 | 28S/22E-11N1<br>24.8 |
| Semitropic Water Storage District | 5-22.43 | | | | |
| Shallow Zone | | 2/ | -1.8 | 28S/24E-27B1<br>158.7 | 26S/21E-14J1<br>27.2 |
| Deep Zone | | 2/ | -14.2 | 27S/23E-7P1<br>255.0 | 25S/23E-20Q1<br>110.0 |
| Avenal-McKittrick Area | 5-22.44 | 44 | +3.7 | 24S/18E-32D2<br>233.0 | 24S/17E-22D1<br>9.9 |
| Tulare Lake-Lost Hills Area | 5-22.45 | 25 | +5.0 | 21S/20E-27A1<br>263.5 | 25S/21E-34Q1<br>19.2 |
| Corcoran Irrigation District | 5-22.46 | | | | |
| Shallow Zone | | 2/ | -6.1 | 20S/22E-20A1<br>89.7 | 21S/22E-8M1<br>13.6 |
| Deep Zone | | 2/ | +10.2 | 21S/21E-13A1<br>218.5 | 20S/22E-22H1<br>122.8 |
| Mendota-Huron Area | 5-22.47 | | | | |
| Deep Zone | | 2/ | 0.0 3/ | 18S/15E-23E1<br>793.8 | 17S/18E-16K2<br>98.4 |
| Poso Soil Conservation District | 5-22.48 | 5 | +0.6 | 12S/13E-13J1<br>10.4 | 11S/13E-5Q1<br>7.0 |
| Terra Bella Irrigation District | 5-22.50 | 5 | -6.7 | 23S/27E-25E2<br>373.3 | 23S/27E-26A1<br>12.4 |
| Delta Area | 5-22.52 | 3 | -0.8 | 1S/5E-35Q1<br>29.0 | 1S/6E-31E1<br>5.7 |

2/ Averages were determined by planimetering ground water contour maps.
3/ Change determined from water level measurements made May 1961 and March 1962.
4/ Average change by interpolation from ground water contour maps.
5/ Average change determined by the annual change of ground water elevations at the SE corner of the even section corners within the area in question.
6/ Change based on the average of the March, April, and May measurements of one well.

TABLE 8
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| Goose Lake Valley | 5-1.00 | Department of Water Resources | 2 | | |
| Alturas Basin | 5-2.00 | Department of Water Resources | 7 | | |
| Big Valley | 5-4.00 | Department of Water Resources | 3 | | |
| Round Valley | 5-36.00 | Department of Water Resources | 1 | | |
| Fall River Valley | 5-5.00 | Department of Water Resources | 3 | | |
| Redding Basin | 5-6.00 | Department of Water Resources | 6 | | |
| Mohawk Valley | 5-11.00 | Department of Water Resources | | 5 | |
| Sierra Valley | 5-12.00 | Department of Water Resources | 6 | 77 | |
| Upper Lake Valley | 5-13.00 | Lake County | | 21 | 20 |
| | | Department of Water Resources | 3 | | |
| Scott Valley | 5-14.00 | Lake County | | 8 | 8 |
| | | Department of Water Resources | 2 | | |
| Kelseyville Valley | 5-15.00 | Lake County | | 39 | 39 |
| | | Department of Water Resources | 4 | | |
| Long Valley | 5-31.00 | Department of Water Resources | | | 1 |
| High Valley | 5-16.00 | Lake County | | 5 | 5 |
| | | U. S. Geological Survey | 1 | | |
| Burns Valley | 5-17.00 | Lake County | | 2 | 2 |
| | | U. S. Geological Survey | 1 | | |
| Lower Lake Area | 5-30.00 | Lake County | | 2 | 2 |
| | | U. S. Geological Survey | 1 | | |
| Coyote Valley | 5-18.00 | Lake County | | 9 | 8 |
| | | U. S. Geological Survey | 1 | | |
| Collayomi Valley | 5-19.00 | Lake County | | 13 | 13 |
| | | U. S. Geological | 1 | | |
| Sacramento Valley | 5-21.00 | | | | |
| Tehama County | 5-21.01 | Tehama County | | 76 | 76 |
| | | Department of Water Resources | 8 | | |
| Glenn County | 5-21.02 | Glenn County | | 122 | 121 |
| | | U. S. Bureau of Reclamation | | 29 | 29 |
| | | Department of Water Resources | 8 | | |
| Butte County | 5-21.03 | Butte County | | 157 | 155 |
| | | Department of Water Resources | 13 | | |
| Colusa County | 5-21.04 | Colusa County | | | 48 |
| | | U. S. Bureau of Reclamation | | 21 | 23 |
| | | Department of Water Resources | 8 | | |
| Sutter County | 5-21.05 | Sutter County | | 95 | 95 |
| | | Department of Water Resources | 12 | | |
| Yuba County | 5-21.06 | Yuba County | | 72 | 72 |
| | | Department of Water Resources | 11 | 1 | 70 |
| Placer County | 5-21.07 | Placer County | | 90 | 90 |
| | | Department of Water Resources | 7 | | |
| Sacramento County | 5-21.08 | Sacramento Municipal Utility District | | 18 | 17 |
| | | U. S. Bureau of Reclamation | | 105 | 102 |
| | | Arcade Water District | 23 | | |
| | | Department of Water Resources | 18 | 132 | 112 |
| Yolo County | 5-21.09 | Yolo County | | 187 | 186 |
| | | U. S. Bureau of Reclamation | | 91 | 90 |
| | | U. S. Geological Survey | 1 | | |
| | | Department of Water Resources | 6 | | |
| Capay Valley | 5-21.10 | Yolo County | | 23 | 23 |
| Solano County | 5-21.11 | Solano Irrigation District | | 48 | 48 |
| | | U. S. Bureau of Reclamation | | 104 | 101 |
| | | U. S. Geological Survey | 2 | | |
| | | Department of Water Resources | 9 | 1 | |

TABLE 8 (Cont.)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| San Joaquin Valley | 5-22.00 | | | | |
| Mokelumne River Area | 5-22.01 | San Joaquin County | | 93 | 91 |
| | | East Bay Municipal Utility District | 35 | 37 | 34 |
| | | California Water Service Company | | 4 | 4 |
| | | U. S. Bureau of Reclamation | | 3 | 3 |
| | | Department of Water Resources | 5 | | |
| Calaveras River Area | 5-22.02 | San Joaquin County | | 77 | 74 |
| | | California Water Service Company | | 22 | 21 |
| | | Department of Water Resources | 4 | | |
| Farmington-Collegeville Area | 5-22.03 | San Joaquin County | | 64 | 64 |
| | | Oakdale Irrigation District | | 2 | 2 |
| | | Department of Water Resources | 7 | | |
| Tracy Area | 5-22.04 | San Joaquin County | | 13 | 13 |
| | | U. S. Bureau of Reclamation | | 20 | 5 |
| | | Department of Water Resources | 4 | 2 | 15 |
| South San Joaquin Irrigation District | 5-22.05 | South San Joaquin Irrigation District | | 88 | 89 |
| | | San Joaquin County | | | 2 |
| Oakdale Irrigation District | 5-22.06 | Oakdale Irrigation District | 6 | 136 | 136 |
| Modesto Irrigation District | 5-22.07 | Modesto Irrigation District | | | 173 |
| Turlock Irrigation District | 5-22.08 | Turlock Irrigation District | | | 200 |
| Merced Irrigation District | 5-22.09 | Merced Irrigation District | | | 226 |
| El Nido Irrigation District | 5-22.10 | Merced Irrigation District | | | 29 |
| Delta-Mendota Area | 5-22.11 | U. S. Bureau of Reclamation | | 538 | 531 |
| | | Department of Water Resources | | 259 | 240 |
| | | San Luis Canal Company | 112 | | |
| | | San Joaquin County | | | 6 |
| | | Panoche Water District | | 14 | |
| Chowchilla Water District | 5-22.12 | Chowchilla Water District | | 137 | 137 |
| | | U. S. Bureau of Reclamation | 8 | 18 | 24 |
| Madera Irrigation District | 5-22.13 | Madera Irrigation District | | 214 | 210 |
| | | U. S. Bureau of Reclamation | 13 | 36 | 40 |
| | | Chowchilla Water District | | 4 | 4 |
| West Chowchilla-Madera Area | 5-22.14 | Chowchilla Water District | | 9 | 9 |
| | | U. S. Bureau of Reclamation | 7 | 76 | 76 |
| | | Madera Irrigation District | | 25 | 25 |
| Fresno Irrigation District | 5-22.15 | Fresno Irrigation District | 9 | 119 | 111 |
| | | Consolidated Irrigation District | | 5 | 3 |
| | | U. S. Bureau of Reclamation | 9 | 87 | 87 |
| | | Madera Irrigation District | | 1 | 1 |
| | | Department of Water Resources | | 41 | 43 |
| City of Fresno | 5-22.16 | City of Fresno | 2 | 62 | 66 |
| Fresno Slough Area | 5-22.17 | Fresno Irrigation District | 1 | | |
| | | Consolidated Irrigation District | | 3 | 4 |
| | | U. S. Bureau of Reclamation | 10 | 207 | 207 |
| | | Department of Water Resources | | 50 | 50 |
| | | U. S. Geological Survey | 3 | | |
| Consolidated Irrigation District | 5-22.18 | Consolidated Irrigation District | 11 | 71 | 72 |
| Alta Irrigation District | 5-22.19 | Alta Irrigation District | 8 | 160 | 160 |
| | | U. S. Bureau of Reclamation | 1 | 49 | 49 |
| | | Orange Cove Irrigation District | | 6 | 6 |
| Lower Kings River Area | 5-22.20 | Kaweah Delta Water Conservation District | | 6 | 6 |
| | | Consolidated Irrigation District | | 6 | 7 |
| | | U. S. Bureau of Reclamation | | 17 | 17 |
| | | Department of Water Resources | 7 | | 155 |
| Orange Cove Irrigation Irrigation District | 5-22.21 | Orange Cove Irrigation District | | 113 | 114 |
| | | U. S. Bureau of Reclamation | 4 | 31 | 30 |

TABLE 8 (Cont.)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| San Joaquin Valley (Cont.) | 5-22.00 | | | | |
| Stone Corral Irrigation District | 5-22.22 | U. S. Bureau of Reclamation | 2 | 31 | 31 |
| Ivanhoe Irrigation District | 5-22.23 | Ivanhoe Irrigation District | | 42 | 42 |
| | | U. S. Bureau of Reclamation | 2 | | |
| Kaweah Delta Water Conservation District | 5-22.24 | Kaweah Delta Water Conservation District | | 133 | 115 |
| | | Tulare Irrigation District | | 5 | 15 |
| | | Lindmore Irrigation District | | 7 | 7 |
| | | U. S. Bureau of Reclamation | 12 | 14 | 32 |
| | | Department of Water Resources | | 79 | 86 |
| Tulare Irrigation District | 5-22.25 | U. S. Bureau of Reclamation | 5 | 10 | 14 |
| | | Tulare Irrigation District | | 105 | 96 |
| Exeter Irrigation District | 5-22.26 | Exeter Irrigation District | 1 | 78 | 78 |
| | | U. S. Bureau of Reclamation | 2 | 3 | 3 |
| Lindsay-Strathmore Irrigation District | 5-22.27 | Lindsay-Strathmore Irrigation District | | 21 | 21 |
| | | Lindmore Irrigation District | | 3 | 3 |
| | | U. S. Bureau of Reclamation | 2 | | |
| Lindmore Irrigation District | 5-22.28 | Lindmore Irrigation District | | 170 | 170 |
| | | Porterville Irrigation District | | 4 | 4 |
| | | Exeter Irrigation District | | 2 | 2 |
| | | U. S. Bureau of Reclamation | 4 | 17 | 18 |
| Porterville Irrigation District | 5-22.29 | Porterville Irrigation District | | 22 | 22 |
| | | Lower Tule River Irrigation District | | 3 | 3 |
| | | U. S. Bureau of Reclamation | 3 | 6 | 7 |
| Lower Tule River Irrigation District | 5-22.30 | Lower Tule River Irrigation District | | 175 | 174 |
| | | Saucelito Irrigation District | | 5 | 2 |
| | | U. S. Bureau of Reclamation | 5 | 13 | 17 |
| Vandalia Irrigation District | 5-22.31 | Department of Water Resources | | | 5 |
| | | U. S. Bureau of Reclamation | 2 | | |
| Saucelito Irrigation District | 5-22.32 | Saucelito Irrigation District | | 45 | 48 |
| | | U. S. Bureau of Reclamation | 4 | | |
| Pixley Irrigation District | 5-22.33 | Lower Tule River Irrigation District | | 1 | 2 |
| | | U. S. Geological Survey | 3 | | |
| | | U. S. Bureau of Reclamation | 7 | 81 | 81 |
| Alpaugh-Allensworth Area | 5-22.34 | U. S. Bureau of Reclamation | 6 | 35 | 30 |
| | | Delano-Earlimart Irrigation District | | 63 | 52 |
| Delano-Earlimart Irrigation District | 5-22.35 | Delano-Earlimart Irrigation District | | 102 | 65 |
| | | U. S. Geological Survey | 4 | | |
| | | U. S. Bureau of Reclamation | 1 | 53 | 53 |
| Southern San Joaquin Municipal Utility District | 5-22.36 | Southern San Joaquin Municipal Utility District | | 65 | 65 |
| | | U. S. Geological Survey | 6 | | |
| | | Delano-Earlimart Irrigation District | | 4 | 4 |
| | | Kern County Land Company | | 8 | 8 |
| | | U. S. Bureau of Reclamation | | 7 | 8 |
| North Kern Water Storage District | 5-22.37 | Kern County Land Company | | 182 | 182 |
| | | Department of Water Resources | | 12 | |
| | | U. S. Geological Survey | 4 | | |
| Shafter-Wasco Irrigation District | 5-22.38 | Shafter-Wasco Irrigation District | | 74 | 74 |
| | | U. S. Bureau of Reclamation | | 6 | 6 |
| | | Kern County Land Company | | 30 | 30 |
| | | U. S. Geological Survey | 3 | | |

TABLE 8 (Cont.)
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE CENTRAL VALLEY REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin number | Measuring Agency | Number of wells measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| San Joaquin Valley (Cont.) | 5-22.00 | | | | |
| City of Bakersfield | 5-22.39 | California Water Service | | | 32 |
| Kern River Delta Area | 5-22.40 | Shafter-Wasco Irrigation District | | 6 | 6 |
| | | Kern County Surveyor | | 125 | 104 |
| | | Buena Vista Water Storage District | 6 | | |
| | | U. S. Bureau of Reclamation | 11 | 77 | 77 |
| | | Kern County Land Company | | 201 | 201 |
| Edison-Maricopa Area | 5-22.41 | Kern County Land Company | | 32 | 32 |
| | | U. S. Geological Survey | 12 | | |
| | | Kern County Surveyor | | 36 | 33 |
| | | U. S. Bureau of Reclamation | | 195 | 206 |
| | | Department of Water Resources | | 105 | 94 |
| Buena Vista Water Storage District | 5-22.42 | Buena Vista Water Storage District | 28 | | |
| | | Kern County Land Company | | 6 | 6 |
| | | U. S. Geological Survey | 6 | | |
| | | Kern County Surveyor | | 23 | 18 |
| Semitropic Water Storage District | 5-22.43 | U. S. Bureau of Reclamation | | 56 | 56 |
| | | Kern County Surveyor | | 117 | 99 |
| | | U. S. Geological Survey | 11 | | |
| | | Kern County Land Company | | 25 | 25 |
| | | Buena Vista Water Storage District | 4 | | |
| Avenal-McKittrick Area | 5-22.44 | U. S. Geological Survey | 2 | | |
| | | Department of Water Resources | | | 189 |
| Tulare Lake-Lost Hills Area | 5-22.45 | Kern County Surveyor | | | 12 |
| | | Department of Water Resources | | | 190 |
| | | U. S. Geological Survey | 4 | | |
| Corcoran Irrigation District | 5-22.46 | Kaweah Delta Water Conservation District | | 1 | 1 |
| | | Department of Water Resources | 3 | | |
| Mendota-Huron Area | 5-22.47 | U. S. Geological Survey | 14 | | |
| | | U. S. Bureau of Reclamation | | 44 | 48 |
| | | Department of Water Resources | | | 650 |
| Poso Soil Conservation District | 5-22.48 | Poso Soil Conservation District | 25 | | |
| | | San Luis Canal Company | 11 | | |
| Terra Bella Irrigation District | 5-22.50 | U. S. Bureau of Reclamation | 3 | 33 | 25 |
| Delta Area | 5-22.52 | San Joaquin County | | 3 | 3 |
| | | South San Joaquin Irrigation District | | 1 | 1 |

TABLE 9

CHANGE IN AVERAGE GROUND WATER LEVEL FROM
1921 to 1951 and 1951 to 1962
IN NINETEEN GROUND WATER AREAS IN THE SAN JOAQUIN VALLEY

| Name of Ground Water Area | Area in square miles | Irrigation and Other Water Districts Included In The Ground Water Area | Net change in water level 1921-51 [1] in feet | Net change in water level 1951-62 [2] in feet |
|---|---|---|---|---|
| Madera | 342.6 | Madera Irrigation District, Chowchilla Water District | -24.1 [3] | -15.4 |
| Fresno | 404.0 | Fresno Irrigation District | -22.4 | -17.2 |
| Consolidated | 243.0 | Consolidated Irrigation District | -19.0 | -10.4 |
| Fresno, Consolidated & Outside | 700.1 | Fresno Irrigation District, Consolidated Irrigation District | -23.2 | -14.9 |
| Outside Only | 53.1 | ------ | -25.6 | -23.0 |
| Centerville Bottoms | 18.1 | ------ | + 1.0 | -10.3 |
| Alta | 190.9 | Alta Irrigation District | -17.2 [3] | -10.7 |
| Ivanhoe | 17.4 | Ivanhoe Irrigation District | -55.9 | + 6.5 |
| Outside Ivanhoe | 76.6 | Part of Alta Irrigation District, Stone Corral Irrigation District | -28.5 | -10.7 |
| Mill Creek | 128.2 | ------ | -31.1 | -20.5 |
| Tulare | 121.1 | Tulare Irrigation District | -59.1 | -12.7 |
| Elk Bayou | 67.6 | ------ | -47.8 | -16.8 |
| Lindsay-Exeter | 136.4 | Exeter Irrigation District, Lindsay-Strathmore Irrigation District, Lindmore Irrigation District | -77.7 | +40.8 |
| Tule River | 156.6 | Porterville Irrigation District, most of Lower Tule River Irrigation District, part of Saucelito Irrigation District | -62.5 | + 7.6 |
| Lower Deer Creek | 162.2 | Part of Lower Tule River Irrigation District, most of Saucelito Irrigation District, part of Delano-Earlimart Irrigation District | -106.7 | -11.1 [5]<br>-14.6 [6] |
| Middle Deer Creek | 54.6 | Terra Bella Irrigation District | -61.8 | - 2.4 [5]<br>-31.4 [6] |
| Delano-Earlimart | 140.0 | Most of Delano-Earlimart Irrigation District, small part of South San Joaquin Municipal Utility District | -133.8 | + 4.6 [5]<br>-14.4 [6] |
| McFarland-Shafter | 306.0 | Southern San Joaquin Minicipal Utility District, North Kern Water Storage District, Shafter-Wasco Irrigation District | -99.0 | - 1.0 [5]<br>-11.6 [6] |
| Rosedale | 78.9 | ------- | -36.3 | -53.6 |
| Arvin-Edison | 205.2 | Arvin-Edison Water Storage District | -69.9 [4] | - 7.3 [6] |

1/ 1951 was the first year of substantial deliveries from the Friant-Kern Canal
2/ Fall of 1951 to Spring of 1962
3/ Fall of 1929 to Fall of 1951
4/ Fall, 1941 to Fall, 1951
5/ Spring 1961 to Spring 1962 unconfined aquifer
6/ Spring 1961 to Spring 1962 confined aquifer,
only one aquifer reported prior to 1961

## LAHONTAN REGION

Four ground water basins or areas in the northern portion of the Lahontan Region are shown on Plate 1. Average changes in water levels from 1961 to 1962, and maximum and minimum depths to water in three basins or areas are given in Table 10. A summary of ground water level data collected in the northern portion of the region are presented in Table 11. Water level data in these basins or areas are given in Appendix B.

The period of record is inadequate to indicate trends in ground water level fluctuations.

TABLE 10
AVERAGE CHANGE IN GROUND WATER LEVELS
IN VALLEYS AND BASINS IN THE LAHONTAN REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | | Number of wells considered in analysis | Average change in ground water level 1961 to 1962, in feet | Location and recorded maximum and minimum depth to water in the spring of 1962 in feet | |
|---|---|---|---|---|---|
| Name | Number | | | Maximum | Minimum |
| Surprise Valley | 6-1.00 | 5 | -2.2 | 40N/16E-36G1<br>79.9 | 46N/16E-9L1<br>19.6 |
| Madeline Plains | 6-2.00 | 2 | -1.3 | 34N/14E-26B1<br>33.8 | 37N/13E-32A1<br>15.1 |
| Honey Lake Valley | 6-4.00 | 5 | +0.5 | 26N/16E-15E3<br>55.1 | 27N/14E-26J2<br>9.1 |

TABLE 11
SUMMARY OF GROUND WATER LEVEL DATA
COLLECTED IN THE LAHONTAN REGION
July 1, 1961 - June 30, 1962

| Ground water basin or area | Basin number | Measuring Agency | Number of well measured | | |
|---|---|---|---|---|---|
| | | | Monthly | Fall 1961 | Spring 1962 |
| Surprise Valley | 6-1.00 | Department of Water Resources | 5 | | |
| Madeline Plains | 6-2.00 | Department of Water Resources | 2 | | |
| Honey Lake Valley | 6-4.00 | Department of Water Resources | 5 | | |

# APPENDIX A

## DESCRIPTION OF SELECTED WATER WELLS IN CENTRAL AND NORTHERN CALIFORNIA

DESCRIPTION OF SELECTED WATER WELLS
IN CENTRAL AND NORTHERN CALIFORNIA

----------0----------

Explanation of heading and symbols used in the columns of the appendix table.

----------0----------

State well number--The state well number is the number that has been assigned to identify a well. The system, which is referred to the township, range, and section subdivision of the Public Land Survey, is explained in Chapter I of the text. Because the designation of both State and Geological Survey well numbers is based on the same system, a well for which data are reported by either agency will, in most cases, have a common number and the number is not repeated in the "Agency well number" column. Exceptions occur where the department and the Geological Survey number differs, and in these cases the Geological Survey number is shown in the "Agency well number" column.

Agency well number--The agency well number is the number assigned by any agency other than the Department of Water Resources in accordance with the numbering system used by that agency.

Agency supplying data--Each number in this column is the code number for the agency supplying an agency well number different from the state well number. The agency code consists of a five digit number, the first of which is a region number. Thus, 32100 refers to agency 2100 in Region 3. Because of the limitations of punch-card space, the agency code has been shown as a four digit number without the region number. Therefore, the four digit agency code should always be referred to the region in which the well is located.

The first digit of the four digit agency code designates the type of well-numbering system used by the agency, as follows:

| Code | Well-numbering system |
|---|---|
| 1 | Location numbers |
| 2 | Monterey County Flood Control and Water Conservation District or Santa Clara Valley Water Conservation District system |
| 3 | Serial numbers |
| 4 | Local numbers |
| 5 | State or USGS system |
| 6 | USBR system |
| 7 | South San Joaquin Irrigation District system |
| 8 | Kern County Land Company or East Bay Municipal Utility District system |

The last three digits of the agency code are numbers that designate within specified serial limits the type of agency from which the data were obtained, as follows:

| Code | Type of agency |
|---|---|
| 000-049 | Federal |
| 050-099 | State |
| 100-199 | County |
| 200-399 | Municipal |
| 400-699 | District--Water, Irrigation, Conservation, etc. |
| 700-999 | Private |

The agencies and code assigned to them in each of the regions are listed in the following tabulation:

| Agency code | Agency |
|---|---|
| | North Coastal Region |
| 5000 | U. S. Geological Survey |
| 5001 | U. S. Bureau of Reclamation |
| 5050 | Department of Water Resources |
| 5200 | City of Fortuna |
| | San Francisco Bay Region |
| 2400 | Santa Clara Valley Water Conservation District |
| 5000 | U. S. Geological Survey |
| 5050 | Department of Water Resources |
| 5100 | Alameda County Flood Control and Water Conservation District |
| 5500 | Alameda County Water District |
| | Central Coastal Region |
| 2100 | Monterey County Flood Control and Water Conservation District |
| 2400 | Santa Clara Valley Water Conservation District |
| 5050 | Department of Water Resources |
| 5101 | San Benito County |
| 5400 | South Santa Clara Valley Water Conservation District |

| Agency code | Agency |
|---|---|
| | Central Valley Region |
| 1531 | San Luis Canal Company |
| 3202 | Sacramento Municipal Utility District |
| 3527 | El Nido Irrigation District |
| 3700 | Individual Owner |
| 4200 | City of Fresno |
| 4520 | Oakdale Irrigation District |
| 4521 | Modesto Irrigation District |
| 4524 | Turlock Irrigation District |
| 4525 | Merced Irrigation District |
| 4636 | Consolidated Irrigation District |
| 4637 | Alta Irrigation District |
| 4640 | Buena Vista Water Storage District |
| 4701 | California Water Service Company |
| 5000 | U. S. Geological Survey |
| 5001 | U. S. Bureau of Reclamation |
| 5050 | Department of Water Resources |
| 5100 | Tehama County |
| 5101 | Colusa County |
| 5102 | Sutter County |
| 5103 | Yuba County |
| 5104 | Yolo County |
| 5105 | Glenn County |
| 5106 | Butte County |

| Agency code | Agency |
|---|---|
| | Central Valley Region (Cont.) |
| 5107 | Placer County |
| 5108 | Sacramento County |
| 5109 | Solano County |
| 5110 | San Joaquin County |
| 5111 | Lake County Flood Control and Water Conservation District |
| 5529 | Poso Soil Conservation District |
| 5600 | James Irrigation District |
| 5601 | Tranquillity Soil Conservation District |
| 5617 | Semitropic Water Storage District |
| 5618 | Corcoran Irrigation District |
| 5620 | Kern County Surveyor |
| 5631 | Fresno Irrigation District |
| 6001 | U. S. Bureau of Reclamation |
| 6528 | Chowchilla Water District |
| 6530 | Madera Irrigation District |
| 6600 | Orange Cove Irrigation District |
| 6601 | Stone Corral Irrigation District |
| 6602 | Ivanhoe Irrigation District |
| 6603 | Kaweah Delta Water Conservation District |
| 6604 | Tulare Irrigation District |
| 6605 | Exeter Irrigation District |
| 6606 | Lindsay-Strathmore Irrigation District |

| Agency code | Agency |
|---|---|
| | Central Valley Region (Cont.) |
| 6607 | Lindmore Irrigation District |
| 6608 | Porterville Irrigation District |
| 6609 | Lower Tule River Irrigation District |
| 6610 | Vandalia Irrigation District |
| 6611 | Saucelito Irrigation District |
| 6612 | Pixley Irrigation District |
| 6613 | Delano-Earlimart Irrigation District |
| 6614 | Southern San Joaquin Municipal Utility District |
| 6615 | North Kern Water Storage District |
| 6616 | Shafter-Wasco Irrigation District |
| 6619 | Terra Bella Irrigation District |
| 7518 | South San Joaquin Irrigation District |
| 8201 | East Bay Municipal Utility District |
| 8700 | Kern County Land Company |

Well use--The use of water is indicated as follows:

| Code | Well use |
|---|---|
| - | Unknown |
| 1 | Domestic |
| 2 | Irrigation |
| 3 | Municipal |
| 4 | Industrial |

| Code | Well use |
|---|---|
| 5 | Injection |
| 6 | Drainage |
| 7 | Domestic and irrigation |
| 8 | Test |
| 9 | Stock |
| 0 | Unused |

Well depth--Well depths shown were reported by the owner, obtained from a driller's log, or measured at the time of the well canvass.

Data available--Under this heading, code numbers indicate the type of data that are available with respect to well logs, water analyses, and production records, as follows:

| Data | Code |
|---|---|
| Log record | |
| Not checked | - |
| Unrestricted driller's log | 1 |
| Restricted driller's log | 2 |
| Electric log | 3 |
| Electric log and restricted driller's log | 4 |
| Water analyses | |
| Not checked | - |
| Mineral | 1 |
| Sanitary | 2 |
| Heavy metals | 3 |
| Mineral and sanitary | 4 |

| Data | Code |
|---|---|
| Production record | |
| Not checked or not available | - |
| Available | 1 |
| Pump test available | 2 |

Period of record--The last two digits of the year the record began or ended are shown.

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC | | |
| NORTH COASTAL REGION | | | | | | | | | |
| SMITH RIVER PLAIN | | | | 1-01.00 | | | | | |
| 16N/01W-02J01 H | | 5000 | 0 | 36 | | | | | 53 |
| 16N/01W-17K01 H | | 5000 | 1 | 40 | | | | | 53 |
| 16N/01W-22Q02 H | | 5000 | 1 | 33 | | | | | 58 |
| 17N/01W-02P01 H | | 5000 | 1 | 27 | | | | | 52 |
| 18N/01W-26P01 H | | 5000 | 7 | 28 | | | | | 52 |
| BUTTE VALLEY | | | | 1-03.00 | | | | | |
| 45N/02W-03A01 M | | 5050 | 2 | 270 | | | | | 52 |
| 46N/01E-06N01 M | | 5000 | 2 | 150 | | | | | 52 |
| 46N/02W-25R01 M | | 5000 | 2 | 94 | | | | | 52 |
| 46N/02W-25R02 M | | 5000 | 2 | 116 | 2 | | | | 52 |
| 47N/01W-14B01 M | | 5000 | 8 | 50 | | | | | 51 |
| 47N/01W-27B01 M | | 5000 | 8 | 40 | | | | | 51 |
| 48N/01W-26N01 M | | 5000 | 0 | 375 | | | | | 53 |
| SHASTA VALLEY | | | | 1-04.00 | | | | | |
| 42N/05W-20J01 M | | 5000 | 1 | 40 | | | | | 53 |
| 42N/06W-10J01 M | | 5000 | 1 | 45 | | | | | 53 |
| 43N/06W-22A01 M | | 5000 | 1 | 100 | | | | | 52 |
| 44N/05W-34H01 M | | 5000 | 2 | 96 | | | | | 52 |
| 45N/05W-29B01 M | | 5000 | 1 | 23 | | | | | 53 |
| 45N/06W-19E01 M | | 5000 | 1 | 425 | | | | | 53 |


| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC. | | |
| NORTH COASTAL REGION | | | | | | | | | |
| SMITH RIVER PLAIN | | | | 1-01.00 | | | | | |
| 16N/01W-02J01 H | | 5000 | 0 | 36 | | | | | 53 |
| 16N/01W-17K01 H | | 5000 | 1 | 40 | | | | | 53 |
| 16N/01W-22Q02 H | | 5000 | 1 | 33 | | | | | 58 |
| 17N/01W-02P01 H | | 5000 | 1 | 27 | | | | | 52 |
| 18N/01W-26P01 H | | 5000 | 7 | 28 | | | | | 52 |
| BUTTE VALLEY | | | | 1-03.00 | | | | | |
| 45N/02W-03A01 M | | 5050 | 2 | 270 | | | | | 52 |
| 46N/01E-06N01 M | | 5000 | 2 | 150 | | | | | 52 |
| 46N/02W-25R01 M | | 5000 | 2 | 94 | | | | | 52 |
| 46N/02W-25R02 M | | 5000 | 2 | 116 | 2 | | | | 52 |
| 47N/01W-14B01 M | | 5000 | 8 | 50 | | | | | 51 |
| 47N/01W-27B01 M | | 5000 | 8 | 40 | | | | | 51 |
| 48N/01W-26N01 M | | 5000 | 0 | 375 | | | | | 53 |
| SHASTA VALLEY | | | | 1-04.00 | | | | | |
| 42N/05W-20J01 M | | 5000 | 1 | 40 | | | | | 53 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| SCOTT RIVER VALLEY | | | | 1-05.00 | | | | | |
| 42N/09W-02G01 M | | 5050 | 2 | 76 | | | | 53 | |
| 42N/09W-08C03 M | | 5000 | 1 | 66 | | | | 60 | |
| 42N/09W-27N01 M | | 5000 | 0 | 19 | | | | 53 | |
| 43N/09W-02K02 M | | 5000 | 1 | 19 | | | | 53 | 61 |
| 43N/09W-24F01 M | | 5000 | 2 | 205 | | | | 53 | |
| 44N/09W-28P01 M | | 5000 | 0 | 65 | | | | 53 | |
| 44N/09W-34G01 M | | 5050 | 0 | 100 | | | | 53 | |
| MAD RIVER VALLEY | | | | 1-08.00 | | | | | |
| 6N/01E-06H01 H | | 5000 | 3 | 27 | | | | 51 | |
| 6N/01E-29P01 H | | 5000 | 4 | 46 | | | | 52 | |
| EEL RIVER VALLEY | | | | 1-10.00 | | | | | |
| 3N/01W-18D01 H | | 5000 | 1 | 24 | | | | 51 | |
| 3N/01W-34J01 H | | 5000 | 0 | 496 | | | | 51 | |
| 3N/02W-26R01 H | | 5000 | 2 | 30 | | | | 51 | |
| ROUND VALLEY | | | | 1-11.00 | | | | | |
| 22N/12W-04B01 M | | 5000 | 2 | 200 | | | | 51 | |
| 22N/12W-18N01 M | | 5000 | 9 | 452 | | | | 52 | |
| 22N/12W-19M01 M | | 5001 | 1 | 303 | | | | 51 | |
| 22N/13W-01E01 M | | 5001 | 4 | 101 | | | | 57 | |
| 23N/12W-31N01 M | | 5000 | 2 | 200 | | | | 51 | |
| LAYTONVILLE VALLEY | | | | 1-12.00 | | | | | |
| 21N/14W-30M01 M | | 5000 | 7 | 23 | | | | 52 | |
| 21N/15W-11R02 M | | 5050 | 1 | 33 | | | | 52 | |
| 21N/15W-12M01 M | | 5000 | 1 | 20 | | | | 59 | 62 |
| LAYTONVILLE VALLEY | | | | 1-12.00 | | | | | |
| 21N/15W-12M02 M | | 5000 | 1 | 50 | | | | 62 | |
| 21N/15W-24A01 M | | 5000 | 0 | 22 | | | | 52 | |
| 22N/15W-22E01 M | | 5050 | 7 | 78 | | | | 52 | |
| LITTLE LAKE VALLEY | | | | 1-13.00 | | | | | |
| 18N/13W-08L01 M | | 5000 | 1 | 19 | | | | 53 | |
| 18N/13W-08L02 M | | 5050 | 2 | 97 | | | | 46 | |
| 18N/13W-17J01 M | | 5000 | 1 | 40 | | | | 58 | |
| 18N/13W-18E01 M | | 5000 | 0 | 493 | | | | 58 | |
| 18N/13W-19B01 M | | 5050 | 2 | 454 | | | | 54 | |
| POTTER VALLEY | | | | 1-14.00 | | | | | |
| 17N/11W-18J01 M | | 5000 | 1 | 35 | | | | 51 | |
| 17N/11W-29P01 M | | 5000 | 1 | 104 | | | | 51 | |
| 17N/11W-32J01 M | | 5000 | 1 | 12 | | | | 51 | |
| UKIAH VALLEY | | | | 1-15.00 | | | | | |
| 15N/12W-08L01 M | | 5000 | 1 | 62 | | | | 51 | |
| 15N/12W-21M01 M | | 5000 | 7 | 46 | | | | 51 | |
| 15N/12W-35M01 M | | 5000 | 2 | 190 | | | | 51 | |
| HOPLAND VALLEY | | | | 1-16.00 | | | | | |
| 13N/11W-18E01 M | | 5000 | 7 | 52 | | | | 53 | |
| 13N/11W-19P01 M | | 5000 | 2 | 44 | | | | 53 | |
| 13N/11W-20G01 M | | 5000 | 1 | 135 | | | | 53 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC | | |
| ALEXANDER VALLEY | | | | 1-17.00 | | | | | |
| 10N/09W-18B01 M | | 5000 | 2 | 180 | | | | | 50 |
| 10N/09W-26L02 M | | 5000 | 1 | 40 | | | | | 50 |
| 10N/09W-33C01 M | 33B01 | 5000 | 1 | 20 | | | | | 50 |
| 11N/10W-08P01 M | | 5000 | 1 | 30 | | | | | 51 |
| 11N/10W-17P02 M | | 5000 | 2 | 36 | | | | | 53 |
| 11N/10W-19F02 M | | 5000 | 1 | 334 | | | | | 52 |
| SANTA ROSA VALLEY | | | | 1-18.00 | | | | | |
| SANTA ROSA AREA | | | | 1-18.01 | | | | | |
| 6N/08W-07P02 M | | 5000 | 7 | 120 | | | | | 45 |
| 6N/08W-13R01 M | | 5000 | 1 | 250 | | | | | 42 |
| 6N/08W-15J01 M | | 5050 | 0 | 61 | | | | | 42 |
| 7N/07W-06R01 M | | 5050 | 7 | 133 | | | | | 51 |
| 7N/08W-20K01 M | | 5000 | 2 | 626 | | | | | 49 |
| 7N/08W-31C01 M | | 5050 | 0 | 320 | | | | | 50 |
| 7N/09W-35D02 M | | 5050 | 1 | 167 | | | | | 50 |
| 8N/09W-36N01 M | | 5000 | 0 | 89 | | | | | 49 |
| HEALDSBURG AREA | | | | 1-18.02 | | | | | |
| 8N/09W-03P01 M | | 5000 | 1 | 110 | | | | | 50 |
| 8N/09W-22L01 M | | 5000 | 1 | 44 | | | | | 51 |
| 9N/09W-28N01 M | | 5000 | 2 | 53 | | | | | 53 |
| 10N/10W-35Q01 M | | 5000 | 0 | 285 | | | | | 54 |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC. | | |
| LOWER RUSSIAN RIVER VALLEY | | | | 1-98.00 | | | | | |
| 7N/10W-06N01 M | 7D01 | 5000 | 3 | 120 | | | | | 58 |
| 7N/11W-14E01 M | | 5000 | 1 | 47 | | | | | 51 |
| 7N/11W-16M01 M | | 5000 | 0 | 40 | | | | | 58 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | | | | | |
| PETALUMA VALLEY | | | | 2-01.00 | | | | | |
| 3N/06W-01Q01 M | | 5050 | 1 | 225 | | | | | 50 |
| 5N/07W-20B02 M | | 5000 | 9 | 158 | | | | | 53 |
| 5N/07W-21H01 M | | 5000 | 1 | 92 | | | | | 59 |
| 5N/07W-26R01 M | | 5000 | 0 | 428 | | | | | 50 |
| 5N/07W-35K01 M | | 5000 | 2 | 78 | | | | | 49 |
| NAPA-SONOMA VALLEY | | | | 2-02.00 | | | | | |
| NAPA VALLEY | | | | 2-02.01 | | | | | |
| 4N/04W-13E01 M | | 5000 | 9 | 98 | | | | | 30 |
| 5N/04W-11M01 M | | 5000 | 1 | 59 | 1 | | | | 50 |
| 6N/04W-17A01 M | | 5000 | 0 | 250 | 1 | | | | 49 |
| 7N/05W-09Q01 M | | 5050 | 2 | 333 | 1 | | | | 49 |
| 7N/05W-09Q02 M | 16B02 | 5000 | 0 | 232 | | | | | 49 |
| 7N/05W-09Q03 M | | 5050 | 1 | 25 | | | | | 49 |
| 7N/05W-23D02 M | | 5050 | 2 | 129 | | | | | 49 |
| 8N/06W-10Q01 M | | 5000 | 9 | 184 | 1 | | | | 49 |
| SONOMA VALLEY | | | | 2-02.02 | | | | | |
| 5N/05W-08Q01 M | | 5000 | 2 | 500 | | | | | 50 |
| 5N/05W-17C01 M | | 5000 | 1 | 70 | | | | | 50 |
| 5N/05W-28N01 M | | 5050 | 2 | 130 | 1 | | | | 46 |
| 5N/05W-29N01 M | | 5000 | 2 | 100 | | | | | 51 |
| 5N/06W-14C01 M | 14B01 | 5000 | 2 | 116 | | | | | 50 |
| SUISUN-FAIRFIELD VALLEY | | | | 2-03.00 | | | | | |
| 4N/02W-06A01 M | | 5109 | 0 | 39 | | | | | 20 |
| 4N/02W-09A01 M | | 5109 | 0 | 37 | | | | | 48 |
| 4N/03W-01D01 M | | 5109 | 1 | 67 | | | | | 18 |
| 5N/01E-36A01 M | | 5109 | 9 | 38 | | | | | 29 |
| 5N/01W-07E01 M | | 5109 | 9 | 33 | | | | | 48 |
| 5N/01W-28P01 M | | 5109 | 1 | 40 | | | | | 49 |
| 5N/02W-17D02 M | | 5109 | 2 | 70 | | | | | 48 |
| 5N/02W-27J02 M | | 5000 | 0 | 60 | | | | | 49 |
| 5N/02W-29R01 M | | 5109 | 2 | 120 | | | | | 49 |
| 5N/02W-30J01 M | | 5000 | 2 | 220 | | | | | 49 |
| 5N/03W-26F02 M | | 5109 | 1 | 282 | | | | | 18 |
| YGNACIO VALLEY | | | | 2-06.00 | | | | | |
| 1N/01W-07K01 M | | 5050 | 1 | | | | | | 58 |
| 1N/02W-11N01 M | | 5050 | 1 | 81 | 2 | | | | 58 |
| 2N/02W-27R01 M | | 5050 | 1 | 131 | | | | | 58 |
| 2N/02W-36E01 M | | 5050 | 1 | 40 | | | | | 58 |
| SANTA CLARA VALLEY | | | | 2-09.00 | | | | | |
| SOUTH ALAMEDA COUNTY UPR AQUIFER | | | | 2-09.01 | | | | | |
| 3S/02W-08R05 M | | 5100 | 1 | 85 | | | | | 50 |
| 3S/03W-24Q02 M | | 5100 | 9 | 80 | | | | | 49 |
| 4S/01W-18G01 M | | 5401 | 4 | | | | | | 58 |
| 4S/01W-22P05 M | | 5100 | 2 | 180 | | | | | 48 |
| 4S/01W-29C04 M | | 5401 | 0 | 145 | | | | | 50 |
| 4S/02W-13C02 M | | 5401 | 2 | 180 | | | | | 49 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL | DATA AVAILABLE: PROD REC | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| SOUTH ALAMEDA COUNTY UPR AQUIFER | | | | 2-09.01 | | | | | |
| 4S/02W-24Q02 M | | 5100 | 2 | | | | | 49 | |
| 5S/01W-04F01 M | | 5401 | 0 | 97 | | | | 57 | |
| 5S/01W-09Q01 M | | 5100 | 9 | 60 | | | | 50 | |
| SOUTH ALAMEDA COUNTY LWR AQUIFER | | | | 2-09.01 | | | | | |
| 2S/03W-36R01 M | | 5100 | 2 | 601 | | | | 59 | |
| 3S/02W-07D01 M | | 5100 | 2 | | | | | 49 | 62 |
| 3S/02W-19A02 M | | 5050 | 0 | 218 | | | | 50 | |
| 3S/03W-24J01 M | | 5100 | 7 | 511 | | | | 49 | |
| 4S/02W-02Q01 M | | 5401 | 2 | 475 | | | | 50 | |
| 4S/02W-35R02 M | | 5401 | 7 | 224 | 2 | | | 58 | |
| 4S/02W-36K01 M | | 5401 | 0 | 241 | | | | 49 | |
| 5S/01W-02C01 M | | 5401 | 2 | 500 | | | | 58 | |
| 5S/01W-09M01 M | | 5100 | 2 | 297 | 1 | | | 49 | |
| NORTH SANTA CLARA COUNTY | | | | 2-09.02 | | | | | |
| 6S/01E-07E01 M | 5C 059 | 2400 | 0 | 525 | | | | 36 | |
| 6S/01E-21R01 M | 8D 342A | 2400 | 2 | 560 | 2 | | | 51 | |
| 6S/01E-23P02 M | 8C 127 | 2400 | 0 | 295 | | | | 36 | |
| 6S/01E-30M01 M | 7E 084 | 2400 | 7 | 250 | | | | 30 | |
| 6S/01W-10P02 M | | 5000 | | 410 | | | | 58 | |
| 6S/01W-23E01 M | | 5000 | 2 | 425 | | | | 58 | |
| 6S/01W-32Q01 M | 5G 056 | 2400 | 2 | 536 | | | | 30 | |
| 6S/02W-16R01 M | 2G 005 | 2400 | 2 | | | | | 36 | |
| 6S/02W-25C01 M | 4F 030 | 2400 | 1 | 500 | | | | 30 | |
| 6S/02W-35C01 M | 3G 020 | 2400 | 2 | 480 | | | | 30 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| NORTH SANTA CLARA COUNTY | | | | 2-09.02 | | | | | |
| 7S/01E-01K01 M | 9D 180A | 2400 | 7 | 400 | | | | 36 | |
| 7S/01E-08L01 M | 8F 274 | 2400 | | 235 | | | | 36 | |
| 7S/01E-09D02 M | 8E 120 | 2400 | 3 | | | | | 36 | |
| 7S/01E-16C05 M | | 5000 | 3 | 908 | | | | 58 | |
| 7S/01E-31A02 M | 9G 148 | 2400 | 2 | | | | | 36 | |
| 7S/01E-31R01 M | 9G 147A | 2400 | | 400 | | | | 50 | |
| 7S/02E-07P01 M | 10D 403 | 2400 | 3 | 525 | | | | 57 | |
| 7S/02E-17H01 M | 11D 304 | 2400 | | 400 | | | | 31 | |
| 7S/02E-33C01 M | 12E 398 | 2400 | | 61 | | | | 55 | |
| 7S/01W-13K02 M | | 5000 | | 199 | | | | 58 | |
| 7S/01W-35C01 M | 8H 117 | 2400 | 3 | 819 | | | | 36 | |
| 7S/02W-03Q01 M | 4H 023A | 2400 | 2 | 800 | | | | 36 | |
| 7S/02W-04B01 M | 3H 013 | 2400 | 2 | 450 | | | | 36 | |
| 7S/02W-22A01 M | 4I 037 | 2400 | | 620 | | | | 36 | |
| 8S/01E-07H02 M | 9H 166A | 2400 | | 350 | | | | 54 | |
| 8S/01E-13H01 M | 12G 257 | 2400 | 7 | 110 | | | | 36 | |
| 8S/01E-21D01 M | 10H 198 | 2400 | 2 | 60 | | | | 36 | |
| 8S/02E-20F03 M | 13G 297 | 2400 | | | | | | 40 | |
| 8S/02E-22D01 M | 13F 233 | 2400 | 7 | | | | | 36 | |
| 8S/01W-15B01 M | 8I 129 | 2400 | | 64 | | | | 36 | |
| 9S/02E-01J01 M | 15G 238B | 2400 | 7 | 135 | | | | 36 | |
| 9S/02E-01M01 M | 15G 279 | 2400 | | 114 | | | | 37 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| LIVERMORE VALLEY | | | | 2-10.00 | | | | | |
| 2S/02E-25N01 M | | 5100 | | | | | | 48 | |
| 2S/01W-26C01 M | | 5100 | 2 | 360 | | | | 48 | |
| 3S/01E-02E01 M | | 5100 | | | | | | 48 | |
| 3S/01E-11H01 M | | 5100 | 7 | 303 | | | | 49 | |
| 3S/02E-02R01 M | | 5100 | 2 | 437 | 1 | | | 48 | |
| 3S/02E-10H01 M | | 5100 | 2 | 376 | | | | 48 | |
| HALF MOON BAY TERRACE | | | | 2-22.00 | | | | | |
| 5S/05W-20L01 M | | 5050 | 0 | 69 | | | | 53 | |
| 5S/05W-29F03 M | | 5050 | 7 | | | | | 53 | |
| 5S/05W-29N01 M | | 5050 | 2 | 82 | | | | 53 | |
| 6S/05W-08B01 M | | 5050 | 2 | 85 | | | | 53 | |
| SAN GREGORIO VALLEY | | | | 2-24.00 | | | | | |
| 7S/05W-13E01 M | | 5050 | 1 | 45 | | | | 58 | |
| 7S/05W-15C01 M | | 5050 | 2 | 85 | | | | 58 | |
| 7S/05W-15E01 M | | 5050 | 7 | | | | | 53 | |
| 7S/05W-15E02 M | | 5050 | 1 | | | | | 53 | |
| 7S/05W-15H02 M | | 5050 | 1 | | | | | 60 | |
| PESCADERO VALLEY | | | | 2-26.00 | | | | | |
| 8S/05W-09H01 M | | 5050 | 2 | | | | | 53 | |
| 8S/05W-11M01 M | | 5050 | 1 | 36 | | | | 53 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | | | | | |
| SOQUEL VALLEY | | | | 3-01.00 | | | | | |
| 11S/01W-09L01 M | | 5050 | 0 | | | | | 48 | |
| 11S/01W-15H01 M | | 5050 | C | | | | | 48 | |
| PAJARO VALLEY | | | | 3-02.00 | | | | | |
| 12S/01E-24G01 M | | 5050 | 2 | 200 | | | | 47 | |
| 12S/02E-16J01 M | | 5050 | 2 | | | | | 47 | |
| 12S/02E-31K01 M | | 5050 | 2 | 219 | | | | 47 | |
| 13S/02E-05B01 M | | 5050 | 1 | 225 | | | | 58 | |
| GILROY-HOLLISTER VALLEY | | | | 3-03.00 | | | | | |
| SOUTH SANTA CLARA COUNTY | | | | 3-03.01 | | | | | |
| 9S/03E-27C02 M | 18G 374 | 2400 | 0 | 300 | | | | 43 | |
| 9S/03E-29B01 M | | 5050 | 0 | 170 | | | | 48 | |
| 10S/03E-13R01 M | | 5400 | 7 | | | 1 | | 58 | |
| 10S/03E-34L01 M | | 5050 | 2 | | | 1 | | 48 | |
| 10S/04E-18G02 M | | 5050 | 7 | 184 | | | | 48 | |
| 10S/04E-35E01 M | | 5050 | 2 | 447 | | | | 48 | |
| 11S/03E-01B01 M | | 5400 | 2 | | | | | 57 | |
| SAN BENITO COUNTY | | | | 3-03.02 | | | | | |
| 11S/05E-13D01 M | | 5050 | 2 | 125 | | | 2 | 37 | |
| 12S/04E-20C01 M | | 5101 | 2 | 136 | 1 | | | 49 | |
| 12S/05E-12F01 M | | 5050 | 0 | 68 | | | | 51 | |
| 12S/05E-33A01 M | | 5050 | 2 | 150 | | | | 24 | |
| 13S/05E-11Q01 M | | 5101 | 0 | 44 | | | | 24 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC | | |
| SALINAS VALLEY | | | | 3-04.00 | | | | | |
| PRESSURE AREA 180 FOOT AQUIFER | | | | 3-04.01 | | | | | |
| 14S/02E-03C01 M | 2B 001 | 2100 | 2 | | | | | | 31 |
| 14S/02E-15L01 M | 2C 025A | 2100 | 2 | 176 | | | | | 16 |
| 15S/02E-01Q01 M | 2D 023 | 2100 | 7 | 196 | 1 | | | | 31 |
| 15S/03E-16M01 M | 3D 040 | 2100 | 2 | | | | | | 31 |
| 15S/04E-33A01 M | 4D 056 | 2100 | 2 | 279 | 1 | | | | 31 |
| 16S/04E-11D01 M | 4E 030D | 2100 | 1 | | | | | | 31 |
| PRESSURE AREA 400 FOOT AQUIFER | | | | 3-04.01 | | | | | |
| 13S/02E-31Q01 M | 1B 011A | 2100 | 2 | 500 | 1 | | | | 31 |
| 14S/03E-18J01 M | 2C 119 | 2100 | 2 | 513 | 1 | | | | 31 |
| EAST SIDE AREA | | | | 3-04.02 | | | | | |
| 16S/05E-17R01 M | 5E 026 | 2100 | 2 | 299 | | | | | 16 |
| FOREBAY AREA | | | | 3-04.03 | | | | | |
| 17S/05E-11C01 M | 6F 017 | 2100 | 2 | 238 | 1 | | | | 31 |
| 18S/07E-18P01 M | 7G 042 | 2100 | 2 | 175 | | | | | 31 |
| ARROYO SECO CONE | | | | 3-04.04 | | | | | |
| 18S/06E-15M01 M | 7G 029 | 2100 | 2 | 288 | 1 | | | | 31 |
| 19S/06E-11C01 M | 7H 036 | 2100 | 2 | 320 | | | | | 44 |
| UPPER VALLEY AREA | | | | 3-04.05 | | | | | |
| 19S/07E-10P01 M | 8H 031 | 2100 | 2 | 245 | | | | | 31 |
| 20S/08E-05R01 M | 9I 004 | 2100 | 2 | 372 | | | | | 16 |
| 21S/09E-06K01 M | 10J 001 | 2100 | 2 | | | | | | 16 |
| 21S/10E-32N01 M | 11K 002 | 2100 | 2 | | | | | | 31 |
| 22S/10E-16K01 M | 12K 003 | 2100 | 2 | | | | | | 31 |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| CARMEL VALLEY | | | | 3-07.00 | | | | | |
| 16S/01E-25B01 M | | 5050 | 7 | 60 | | | | | 52 |
| WEST SANTA CRUZ TERRACE | | | | 3-26.00 | | | | | |
| 11S/02W-22K01 M | | 5050 | 2 | | | | | | 54 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL | DATA AVAILABLE: PROD REC | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | | | | | |
| GOOSE LAKE VALLEY | | | | 5-01.00 | | | | | |
| 45N/14E-17P01 M | | 5050 | 0 | 421 | | | | 57 | |
| 48N/14E-24A03 M | | 5050 | 1 | 34 | | | | 57 | |
| ALTURAS BASIN | | | | 5-02.00 | | | | | |
| 39N/13E-08K04 M | | 5050 | 1 | 110 | | | | 57 | |
| 41N/11E-05E01 M | | 5050 | 0 | 31 | | | | 59 | |
| 41N/12E-11D01 M | | 5050 | 0 | 235 | | | | 57 | |
| 42N/09E-36B01 M | | 5050 | 1 | 108 | | | | 58 | |
| 42N/12E-10G01 M | | 5050 | 0 | 77 | | | | 59 | |
| 42N/13E-06P01 M | | 5050 | 0 | 172 | | | | 57 | |
| 42N/13E-34M01 M | | 5050 | 0 | 230 | | | | 57 | |
| BIG VALLEY | | | | 5-04.00 | | | | | |
| 38N/07E-33K01 M | | 5050 | 0 | 108 | | | | 57 | |
| 38N/08E-17K01 M | | 5050 | 1 | 180 | | | | 57 | |
| 39N/09E-28F01 M | | 5050 | 0 | 73 | | | | 57 | |
| ROUND VALLEY | | | | 5-36.00 | | | | | |
| 39N/09E-10K01 M | | 5050 | 1 | 138 | | | | 57 | |
| FALL RIVER VALLEY | | | | 5-05.00 | | | | | |
| 37N/05E-01J01 M | | 5050 | 1 | 160 | | | | 57 | |
| 37N/05E-30K02 M | | 5050 | 1 | | | | | 61 | |
| 38N/04E-33F01 M | | 5050 | 0 | 66 | | | | 57 | |
| REDDING BASIN | | | | 5-06.00 | | | | | |
| 29N/03W-01A01 M | | 5050 | 1 | 200 | | | | 56 | |
| 29N/03W-04R01 M | | 5050 | 1 | 80 | | | | 55 | |
| 29N/04W-11G04 M | | 5050 | 3 | 520 | 2 | | | 57 | |
| 29N/04W-30L01 M | | 5050 | 0 | 362 | | | | 55 | |
| 29N/05W-11A02 M | | 5050 | 2 | 360 | | | | 57 | |
| 30N/03W-06J01 M | | 5050 | 2 | 126 | | | | 55 | |
| 30N/03W-17N03 M | | 5050 | 0 | 36 | 2 | | | 55 | |
| 30N/04W-03Q01 M | | 5050 | 1 | 140 | | | | 55 | |
| 30N/04W-06B03 M | | 5050 | 1 | 312 | | | | 56 | |
| 30N/05W-03Q01 M | | 5050 | 1 | 138 | | | | 56 | |
| 31N/03W-12E01 M | | 5050 | 7 | 230 | | | | 55 | |
| 31N/03W-18B01 M | | 5050 | 9 | 210 | | | | 55 | |
| 31N/03W-29N01 M | | 5050 | 0 | 130 | 2 | | | 55 | |
| 31N/04W-11C03 M | | 5050 | 2 | 200 | | | | 57 | |
| 31N/04W-15K01 M | | 5050 | 2 | 352 | | | | 56 | |
| 31N/04W-21M01 M | | 5050 | 2 | 32 | | | | 56 | |
| 32N/03W-32E02 M | | 5050 | 1 | 500 | | | | 55 | |
| 32N/04W-25R01 M | | 5050 | 1 | 136 | | | | 56 | |
| 32N/04W-34P01 M | | 5050 | 1 | 270 | | | | 56 | |
| MOHAWK VALLEY | | | | 5-11.00 | | | | | |
| 22N/12E-09P01 M | | 5050 | 0 | 85 | | | | 57 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC | | |
| SIERRA VALLEY | | | | 5-12.00 | | | | | |
| 20N/14E-13Q02 M | | 5050 | 1 | 31 | | | | 57 | |
| 21N/14E-25N01 M | | 5050 | 0 | | | | | 61 | |
| 21N/14E-32G01 M | | 5050 | 1 | 100 | | | | 60 | |
| 21N/15E-12C01 M | | 5050 | 0 | 15 | | | | 57 | |
| 22N/16E-32E03 M | | 5050 | 1 | | | | | 58 | |
| 23N/14E-25K01 M | | 5050 | 0 | 35 | | | | 57 | |
| 23N/16E-34H01 M | | 5050 | 0 | 38 | | | | 57 | |
| UPPER LAKE VALLEY | | | | 5-13.00 | | | | | |
| 15N/09W-07G01 M | | 5050 | 1 | 70 | | | | 48 | |
| 15N/10W-03D01 M | | 5050 | 0 | 90 | | | | 48 | |
| 16N/09W-31Q01 M | | 5050 | 2 | | | | | 48 | |
| SCOTT VALLEY | | | | 5-14.00 | | | | | |
| 14N/10W-10Q01 M | | 5050 | 0 | | | | | 48 | |
| 14N/10W-14E02 M | | 5050 | 2 | 104 | | | | 48 | |
| 14N/10W-14F01 M | | 5050 | 2 | 115 | | | | 58 | |
| 14N/10W-22A01 M | | 5050 | 2 | 53 | | | | 48 | |
| KELSEYVILLE VALLEY | | | | 5-15.00 | | | | | |
| 13N/09W-02C02 M | | 5050 | 2 | | | | | 48 | |
| 13N/09W-20P01 M | | 5050 | 1 | 101 | | | | 48 | |
| 14N/09W-32M01 M | | 5050 | 2 | 70 | | | | 48 | |
| 14N/09W-33K01 M | | 5050 | 0 | 87 | | | | 48 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC. | | |
| LONG VALLEY | | | | 5-31.00 | | | | | |
| 14N/07W-06F01 M | | 5050 | 2 | 90 | | | | 49 | |
| HIGH VALLEY | | | | 5-16.00 | | | | | |
| 14N/07W-19M01 M | | 5050 | 0 | 28 | | | | 50 | |
| 14N/07W-19M02 M | | 5000 | 1 | | | | | 59 | |
| BURNS VALLEY | | | | 5-17.00 | | | | | |
| 13N/07W-15Q01 M | | 5000 | 0 | 172 | | | | 49 | |
| 13N/07W-28R01 M | | 5050 | 0 | 40 | | | | 50 | |
| LOWER LAKE AREA | | | | 5-30.00 | | | | | |
| 12N/07W-03J01 M | | 5050 | 2 | 185 | | | | 49 | |
| 12N/07W-13N01 M | | 5000 | 1 | 33 | | | | 61 | |
| COYOTE VALLEY | | | | 5-18.00 | | | | | |
| 11N/06W-19G01 M | | 5000 | 1 | 50 | | | | 49 | |
| COLLAYOMI VALLEY | | | | 5-19.00 | | | | | |
| 10N/07W-03A02 M | | 5000 | 3 | 108 | | | | 59 | |
| 11N/07W-35E01 M | | 5050 | 7 | 151 | | | | 50 | |
| SACRAMENTO VALLEY | | | | 5-21.00 | | | | | |
| TEHAMA COUNTY | | | | 5-21.01 | | | | | |
| 23N/02W-22N02 M | | 5100 | 2 | 250 | | | | 29 | |
| 23N/03W-05G01 M | | 5100 | 1 | 70 | | | | 46 | |
| 23N/03W-13C02 M | | 5050 | 7 | 62 | | | | 48 | |
| 24N/02W-02N01 M | | 5100 | 1 | 215 | | | | 29 | |
| 24N/02W-03G01 M | | 5050 | 1 | 16 | | | | 54 | |
| 24N/02W-28G01 M | | 5100 | 8 | 38 | | | | 47 | |
| 24N/03W-03J01 M | | 5050 | 1 | 100 | | | | 61 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD REC | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| TEHAMA COUNTY | | | | 5-21.01 | | | | | |
| 24N/03W-03N02 M | | 5100 | 2 | 300 | | | | | 48 |
| 24N/03W-16R01 M | | 5050 | 0 | 42 | | | | | 61 |
| 24N/04W-02N01 M | | 5100 | 1 | 110 | | | | | 46 |
| 25N/01W-31M01 M | | 5100 | 1 | 98 | | | | | 29 |
| 25N/02W-18D01 M | | 5100 | 8 | 21 | | | | | 47 |
| 25N/03W-09K01 M | | 5100 | 2 | 550 | | | | | 21 |
| 25N/03W-13C01 M | | 5050 | 1 | 70 | | | | | 47 |
| 25N/03W-22L01 M | | 5100 | 2 | 323 | | | | | 27 |
| 26N/02W-05D01 M | | 5050 | 0 | | | | | | 61 |
| 26N/02W-14G01 M | | 5100 | 2 | 152 | | | 1 | | 48 |
| 26N/02W-34K02 M | | 5100 | 1 | 170 | | | | | 59 |
| 26N/03W-04K01 M | | 5100 | 0 | 149 | | | | | 29 |
| 26N/03W-21P01 M | | 5050 | 2 | 247 | | | 1 | | 52 |
| 26N/03W-34P01 M | | 5100 | 2 | 315 | | | 1 | | 21 |
| 27N/02W-29E01 M | | 5050 | 2 | 530 | | | | | 46 |
| 27N/02W-31P01 M | | 5100 | 1 | 34 | | | | | 29 |
| 27N/03W-32A04 M | | 5100 | 0 | | | | | | 46 |
| GLENN COUNTY | | | | 5-21.02 | | | | | |
| 18N/01W-03J01 M | | 5105 | 0 | 24 | | | | | 42 |
| 18N/03W-10L01 M | | 5050 | 0 | 65 | | | | | 29 |
| 18N/04W-11B01 M | | 5105 | 0 | 71 | | | | | 37 |
| 18N/04W-11B03 M | | 5105 | 1 | 70 | | | | | 59 |
| 19N/01E-08R01 M | | 5105 | 9 | 20 | | | | | 43 |
| 19N/01W-14K01 M | | 5105 | 0 | 20 | | | | | 29 |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| GLENN COUNTY | | | | 5-21.02 | | | | | |
| 19N/02W-13J01 M | | 5050 | 0 | 87 | | | | | 29 |
| 19N/02W-19D01 M | | 5105 | 0 | 100 | | | | | 41 |
| 19N/03W-18D01 M | | 5050 | 0 | 58 | | | | | 29 |
| 19N/04W-35C01 M | | 5105 | 1 | | | | | | 55 |
| 20N/02W-07A01 M | | 5105 | 8 | 14 | | | | | 42 |
| 20N/02W-27J01 M | | 5105 | 1 | 80 | | | | | 41 |
| 20N/02W-29G01 M | | 5001 | 1 | 65 | | | | | 41 |
| 20N/03W-29R01 M | | 5001 | 0 | 50 | | | | | 33 |
| 21N/01W-17F01 M | | 5105 | 0 | 27 | | | | | 29 |
| 21N/01W-31E01 M | | 5105 | 1 | 45 | | | | | 29 |
| 21N/02W-02B02 M | | 5105 | 1 | 200 | | | | | 60 |
| 21N/02W-31E01 M | | 5105 | 2 | 160 | | | | | 29 |
| 21N/03W-02B01 M | | 5050 | 2 | 107 | | | | | 48 |
| 21N/03W-10J01 M | | 5050 | 0 | 100 | | | | | 59 |
| 22N/02W-08B02 M | | 5050 | 0 | 190 | | | | | 62 |
| 22N/02W-16C01 M | | 5105 | 1 | 45 | | | | | 29 |
| 22N/02W-31Q01 M | | 5105 | 9 | 40 | | | | | 46 |
| 22N/03W-05F01 M | | 5001 | 1 | 60 | | | | | 46 |
| 22N/03W-21F01 M | | 5001 | 1 | 81 | | | | | 29 |
| BUTTE COUNTY | | | | 5-21.03 | | | | | |
| 17N/02E-08D01 M | | 5106 | 1 | 24 | | | | | 29 |
| 18N/01E-33N03 M | | 5050 | 0 | 60 | | | | | 47 |
| 18N/02E-16F01 M | | 5106 | 9 | 96 | | | | | 47 |
| 18N/02E-35P01 M | | 5050 | 1 | 21 | | | | | 61 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC. | | |
| BUTTE COUNTY | | | | 5-21.03 | | | | | |
| 18N/03E-06M01 M | | 5050 | 1 | 74 | | | | 47 | |
| 18N/03E-11G01 M | | 5050 | 1 | 68 | | | | 47 | |
| 18N/03E-16L02 M | | 5106 | 0 | 23 | | | | 41 | |
| 18N/04E-28L01 M | | 5106 | 2 | 190 | | | 1 | 47 | |
| 19N/01E-28R01 M | | 5050 | 1 | 35 | | | | 59 | |
| 19N/02E-01A01 M | | 5050 | 0 | 500 | | | | 59 | |
| 19N/02E-10B09 M | | 5106 | 8 | 20 | | | | 53 | |
| 19N/02E-16N01 M | | 5050 | 0 | 62 | | | | 47 | |
| 19N/03E-16P01 M | | 5106 | 2 | | | | | 47 | |
| 19N/03E-19M01 M | | 5106 | 7 | | | | | 53 | |
| 20N/01E-27P01 M | | 5106 | 1 | | | | | 48 | |
| 20N/02E-29R01 M | | 5106 | 1 | 25 | 2 | | | 29 | |
| 20N/03E-32D01 M | | 5106 | 1 | | | | | 29 | |
| 20N/01W-15A01 M | | 5106 | 9 | 56 | | | | 29 | |
| 21N/01E-05G01 M | | 5050 | 1 | | | | | 61 | |
| 21N/01E-31L01 M | | 5050 | 0 | | | | | 61 | |
| 21N/01E-33A01 M | | 5106 | 1 | 110 | | | | 29 | |
| 21N/02E-08E01 M | | 5106 | 0 | 33 | | | | 37 | |
| 21N/02E-26E02 M | | 5050 | 0 | 111 | | | | 47 | |
| 21N/01W-01E01 M | | 5106 | 1 | | | | | 51 | |
| 21N/01W-26K01 M | | 5106 | 1 | 51 | | | | 29 | |
| 22N/01E-20K01 M | | 5050 | 1 | 110 | | | | 61 | |
| 22N/01E-21E01 M | | 5106 | 1 | | | | | 29 | |
| 22N/02E-17E01 M | | 5106 | 7 | 200 | | | | 53 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD. REC. | | |
| BUTTE COUNTY | | | | 5-21.03 | | | | | |
| 23N/01E-32P01 M | | 5050 | 0 | | | | | 48 | |
| 23N/01W-10J02 M | | 5106 | 0 | 42 | | | | 47 | |
| 23N/01W-14R01 M | | 5050 | 9 | 157 | | | | 48 | |
| 23N/01W-33A01 M | | 5106 | 2 | | | | 1 | 48 | |
| COLUSA COUNTY | | | | 5-21.04 | | | | | |
| 13N/01E-05A01 M | | 5050 | 8 | 13 | | | | 41 | |
| 13N/01W-34P01 M | | 5001 | 8 | 57 | | | | 41 | |
| 13N/02W-22H01 M | | 5001 | 0 | 150 | | | | 48 | |
| 13N/02W-34R01 M | | 5001 | 9 | | | | | 50 | |
| 14N/01W-32R01 M | | 5001 | 8 | 20 | | | | 41 | |
| 14N/02W-16N02 M | | 5001 | 2 | 308 | | | 1 | 57 | |
| 14N/03W-12F01 M | | 5001 | 0 | 32 | | | | 49 | |
| 15N/01W-06J02 M | | 5001 | 1 | 275 | | | | 57 | |
| 15N/03W-32B01 M | | 5001 | 9 | 75 | | | | 53 | |
| 16N/01W-05K01 M | | 5101 | 1 | 84 | | | | 29 | |
| 16N/01W-20F01 M | | 5101 | 1 | 39 | | | | 29 | |
| 16N/02W-26L01 M | | 5101 | 1 | 103 | | | | 39 | |
| 16N/03W-01A01 M | | 5101 | 8 | 19 | | | | 41 | |
| 16N/03W-20P01 M | | 5050 | 0 | 59 | | | | 61 | |
| 16N/03W-35N02 M | | 5050 | 1 | 500 | | | | 57 | |
| 16N/04W-11A01 M | | 5101 | 2 | 335 | | | | 57 | |
| 16N/04W-35J01 M | | 5101 | 9 | 85 | | | | 57 | |
| 17N/01W-06R01 M | | 5101 | 2 | 271 | | | | 58 | |
| 17N/02W-11K01 M | | 5050 | 1 | 81 | | | | 29 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| COLUSA COUNTY | | | | 5-21.04 | | | | | |
| 17N/02W-33R02 M | | 5001 | 8 | 34 | | | | 53 | 62 |
| 17N/03W-10C01 M | | 5101 | 1 | | | | | 41 | |
| 17N/03W-27M01 M | | 5050 | 1 | 55 | | | | 41 | |
| 17N/04W-34G01 M | | 5101 | 0 | 35 | | | | 48 | |
| 18N/01W-18Q01 M | | 5101 | 8 | 17 | | | | 41 | |
| 18N/02W-15N01 M | | 5101 | 8 | 38 | | | | 41 | |
| SUTTER COUNTY | | | | 5-21.05 | | | | | |
| 11N/03E-15C01 M | | 5050 | 2 | 108 | | | | 47 | |
| 11N/04E-01M01 M | | 5050 | 2 | | | | | 29 | |
| 11N/04E-01M02 M | | 5050 | 1 | 75 | | | | 61 | |
| 11N/04E-09D02 M | | 5050 | 1 | 100 | | | | 58 | |
| 11N/04E-33J01 M | | 5050 | 2 | | | | | 48 | |
| 12N/01E-01A01 M | | 5050 | 1 | 75 | | | | 41 | |
| 12N/02E-20P01 M | | 5050 | 2 | 500 | | | | 57 | |
| 12N/02E-23K01 M | | 5050 | 1 | 180 | | | | 61 | |
| 12N/02E-23P01 M | | 5050 | 1 | | | | | 29 | |
| 12N/03E-23N01 M | | 5050 | 2 | | | | | 47 | |
| 12N/04E-03R01 M | | 5050 | 2 | | | | | 56 | |
| 12N/04E-17J01 M | | 5050 | 0 | | | | | 47 | |
| 12N/04E-33L01 M | | 5050 | 0 | 28 | | | | 29 | |
| 13N/01E-01J01 M | | 5050 | 1 | | | | | 29 | |
| 13N/02E-04J01 M | | 5050 | 8 | 12 | | | | 41 | |
| 13N/02E-34M01 M | | 5050 | 4 | | | | | 57 | |
| 13N/03E-14C02 M | | 5102 | 2 | 107 | | | | 29 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| SUTTER COUNTY | | | | 5-21.05 | | | | | |
| 13N/03E-16A01 M | | 5050 | 2 | | | | | 47 | |
| 13N/04E-22G01 M | | 5050 | 2 | | | | | 47 | |
| 13N/05E-07K01 M | | 5050 | 2 | 420 | | | | 47 | |
| 14N/01E-08A06 M | | 5050 | 1 | 106 | | | | 29 | |
| 14N/01E-14G01 M | | 5050 | 2 | | | | | 57 | |
| 14N/02E-13R01 M | | 5050 | 0 | 86 | | | | 47 | |
| 14N/03E-05C01 M | | 5050 | 2 | 288 | | | | 47 | |
| 14N/03E-31B01 M | | 5050 | 2 | | | | | 47 | |
| 15N/01E-13A01 M | | 5050 | 2 | 260 | | | | 47 | |
| 15N/01E-14F01 M | | 5050 | 1 | 182 | | | | 29 | |
| 15N/01E-16R01 M | | 5050 | 7 | 145 | | | | 61 | |
| 15N/02E-24B01 M | | 5050 | 2 | 50 | | | | 47 | |
| 15N/02E-35D01 M | | 5050 | 2 | 283 | | | | 47 | |
| 15N/03E-05D02 M | | 5050 | 2 | 200 | | | | 47 | |
| 15N/03E-34L01 M | | 5050 | 2 | 210 | | | | 47 | |
| 15N/01W-25A01 M | | 5050 | 1 | 30 | | | | 29 | |
| 16N/01E-31H01 M | | 5050 | 0 | 36 | | | | 32 | |
| 16N/02E-26Q01 M | | 5050 | 2 | 60 | | | | 57 | |
| 16N/03E-05A01 M | | 5050 | 0 | | | | | 47 | |
| 16N/03E-33J02 M | | 5050 | 2 | | | | | 48 | |
| 17N/01E-25J01 M | | 5050 | 2 | | | | | 48 | |
| 17N/02E-34A01 M | | 5050 | 0 | | | | | 47 | |
| 17N/03E-30N01 M | | 5050 | 2 | | | | | 47 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| YUBA COUNTY | | | | 5-21.06 | | | | | |
| 13N/04E-07E01 M | | 5050 | 2 | | | | | 47 | |
| 14N/03E-24B01 M | | 5050 | 2 | | | | | 47 | |
| 14N/04E-13C01 M | | 5050 | 2 | 487 | | | | 48 | |
| 14N/04E-15C05 M | | 5050 | 1 | 98 | | | | 59 | |
| 14N/04E-18C01 M | | 5050 | 2 | 190 | | | | 47 | |
| 14N/04E-30N01 M | | 5050 | 1 | 80 | | | | 61 | |
| 14N/05E-06B01 M | | 5050 | 2 | 210 | | | | 48 | |
| 14N/05E-30Q01 M | | 5050 | 0 | 260 | | | | 47 | |
| 14N/05E-32R02 M | | 5050 | 2 | 285 | | | | 59 | |
| 15N/04E-04R01 M | | 5050 | 2 | | | | | 47 | |
| 15N/04E-08D01 M | | 5050 | 0 | | | | | 47 | |
| 15N/04E-20F01 M | | 5050 | 2 | 205 | | | | 47 | |
| 15N/04E-32D01 M | | 5050 | 0 | 287 | | | | 47 | |
| 15N/05E-19N01 M | | 5050 | 1 | | | | | 52 | |
| 16N/03E-01P02 M | | 5050 | 1 | 150 | | | | 47 | |
| 16N/03E-26F01 M | | 5050 | 0 | | | | | 47 | |
| 16N/04E-08A01 M | | 5050 | 2 | | | | | 47 | |
| 16N/04E-34Q01 M | | 5050 | 1 | 30 | | | | 47 | |
| 17N/03E-35H02 M | | 5050 | 2 | 165 | | | | 47 | |
| 17N/04E-27F01 M | | 5050 | 2 | | | | | 47 | |
| PLACER COUNTY | | | | 5-21.07 | | | | | |
| 10N/06E-05H01 M | | 5050 | 2 | 256 | | | | 61 | |
| 11N/05E-03M03 M | | 5001 | 0 | 600 | | | | 49 | |
| 11N/05E-32R01 M | | 5050 | 0 | | | | | 61 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC. | | |
| PLACER COUNTY | | | | 5-21.07 | | | | | |
| 11N/05E-34R03 M | | 5050 | 2 | | | | | 53 | |
| 11N/06E-11R01 M | | 5050 | 9 | | | | | 53 | |
| 12N/05E-12Q01 M | | 5050 | 1 | 300 | | | | 61 | |
| 12N/05E-17D01 M | | 5050 | 1 | 185 | | | | 61 | |
| 12N/05E-23H01 M | | 5050 | 1 | 820 | | | | 48 | |
| 12N/05E-35E02 M | | 5001 | 2 | 352 | | | | 49 | |
| 13N/05E-34R03 M | | 5050 | 0 | 70 | | | | 57 | |
| 13N/06E-09N02 M | | 5050 | 0 | 52 | | | | 47 | |
| SACRAMENTO COUNTY | | | | 5-21.08 | | | | | |
| 5N/05E-03F01 M | | 5001 | 9 | 68 | | | | 29 | |
| 5N/05E-04C01 M | | 5050 | 2 | | | | | 61 | |
| 5N/06E-26K02 M | | 5050 | 1 | | | | | 61 | |
| 5N/07E-27D01 M | | 5001 | 0 | 69 | | | | 29 | |
| 6N/05E-01C01 M | | 5050 | 1 | | | | | 61 | |
| 6N/05E-17E01 M | | 5001 | 2 | 200 | | | | 52 | |
| 6N/06E-20D01 M | | 5001 | 1 | 154 | | | | 55 | |
| 6N/07E-28E01 M | | 5050 | 0 | | | | | 52 | |
| 6N/08E-15J01 M | | 5050 | 1 | 150 | | | | 53 | |
| 7N/05E-01H02 M | | 5050 | 1 | 140 | | | | 57 | |
| 7N/05E-05L01 M | | 5050 | 0 | 180 | | | | 49 | |
| 7N/05E-32K01 M | | 5050 | 0 | 142 | | | | 34 | |
| 7N/06E-06C01 M | | 5050 | 7 | 210 | | | | 50 | |
| 7N/07E-07N01 M | | 5001 | 0 | 140 | | | | 50 | |
| 7N/07E-27P01 M | | 5001 | 1 | 99 | | | | 29 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD REC | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| SACRAMENTO COUNTY | | | | 5-21.08 | | | | | |
| 7N/08E-13A01 M | | 5050 | 9 | 40 | | | | | 53 |
| 8N/04E-24M01 M | | 5050 | 0 | 75 | | | | | 61 |
| 8N/04E-27P01 M | | 5050 | 2 | | | | | | 53 |
| 8N/05E-03N01 M | | 5050 | | 34 | | | | | 53 |
| 8N/05E-21H02 M | | 5050 | 0 | 72 | | | | | 53 |
| 8N/05E-27A01 M | | 5050 | 1 | | | | | | 53 |
| 8N/06E-05L01 M | | 5050 | 2 | | | | | | 29 |
| 8N/06E-11C01 M | | 5050 | 1 | 522 | | | | | 47 |
| 8N/06E-20J01 M | | 5050 | 0 | | | | | | 29 |
| 8N/07E-31H01 M | | 5050 | 1 | | | | | | 50 |
| 9N/04E-01R01 M | | 5050 | 1 | 82 | | | | | 53 |
| 9N/05E-21M01 M | | 5050 | 1 | 94 | | | | | 48 |
| 9N/05E-25Q01 M | | 5050 | 1 | | | | | | 60 |
| 9N/07E-12L01 M | | 5050 | 0 | 100 | | | | | 53 |
| 9N/07E-16Q01 M | | 5050 | 4 | 620 | | | | | 29 |
| 10N/04E-34A01 M | | 5050 | 0 | | | | | | 53 |
| 10N/05E-15P01 M | | 5050 | 0 | | | | | | 50 |
| YOLO COUNTY | | | | 5-21.09 | | | | | |
| 6N/03E-15C01 M | | 5104 | 1 | | | | | | 53 |
| 6N/03E-23P01 M | | 5104 | 0 | | | | | | 53 |
| 7N/03E-04Q01 M | | 5104 | 2 | 96 | | | | | 53 |
| 8N/01E-07B02 M | | 5001 | 9 | 115 | | | | | 52 |
| 8N/01E-09R01 M | | 5050 | 2 | | | | | | 61 |
| 8N/01E-15B01 M | | 5000 | 9 | 116 | | | | | 31 |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| YOLO COUNTY | | | | 5-21.09 | | | | | |
| 8N/03E-19001 M | | 5001 | 2 | 308 | | | | | 49 |
| 8N/03E-31N01 M | | 5001 | 9 | 98 | | | | | 51 |
| 8N/01W-16R02 M | | 5001 | 2 | 174 | | | | | 48 |
| 9N/01E-08D01 M | | 5104 | 0 | | | | | | 33 |
| 9N/01E-22B01 M | | 5104 | 2 | 180 | | | | | 51 |
| 9N/02E-23D01 M | | 5050 | 2 | 404 | | | | | 60 |
| 9N/03E-07D01 M | | 5104 | 1 | 177 | | | | | 52 |
| 9N/03E-30G01 M | | 5104 | 9 | | | | | | 49 |
| 9N/01W-35M01 M | | 5050 | 2 | 295 | | | | | 52 |
| 10N/01E-14K01 M | | 5050 | 2 | | | | | | 57 |
| 10N/01E-33A01 M | | 5104 | 0 | | | | | | 31 |
| 10N/01E-34C01 M | | 5050 | 9 | | | | | | 61 |
| 10N/02E-02N01 M | | 5104 | 0 | 355 | | | | | 35 |
| 10N/02E-18M01 M | | 5104 | 1 | 64 | | | | | 31 |
| 10N/02E-21M02 M | | 5104 | 2 | 50 | | | | | 31 |
| 10N/02E-26Q01 M | | 5050 | 2 | 385 | | | | | 52 |
| 10N/01W-09E01 M | | 5104 | 1 | | | | | | 31 |
| 10N/01W-29M01 M | | 5104 | 1 | 80 | | | | | 31 |
| 10N/02W-16L01 M | | 5104 | 1 | 20 | | | | | 53 |
| 11N/01E-18B01 M | | 5001 | 2 | 140 | | | | | 56 |
| 11N/01E-21Q01 M | | 5001 | 0 | 65 | | | | | 55 |
| 11N/01E-25R01 M | | 5001 | 0 | | | | | | 56 |
| 11N/02E-18F02 M | | 5001 | 2 | | | | | | 56 |
| 11N/02W-26J01 M | | 5104 | 2 | 200 | | | | | 55 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC | | |
| YOLO COUNTY | | | | 5-21.09 | | | | | |
| 12N/01W-05B01 M | | 5001 | 1 | 150 | | | | 56 | |
| 12N/01W-05M01 M | | 5001 | 2 | 677 | | | | 53 | |
| 12N/01W-36K01 M | | 5001 | 0 | 580 | | | | 56 | |
| CAPAY VALLEY | | | | 5-21.10 | | | | | |
| 11N/03W-04P01 M | | 5104 | 2 | 316 | | | | 55 | |
| 11N/03W-26M03 M | | 5104 | 2 | 60 | | | | 53 | |
| SOLANO COUNTY | | | | 5-21.11 | | | | | |
| 5N/01E-36A02 M | | 5050 | 0 | | | | | 61 | |
| 5N/02E-36N01 M | | 5109 | 4 | | | | | 47 | |
| 6N/01E-24L01 M | | 5109 | 0 | 108 | | | | 48 | |
| 6N/02E-20H02 M | | 5050 | 2 | 121 | | | | 51 | |
| 6N/02E-29N01 M | | 5050 | 2 | 105 | | | | 29 | |
| 6N/01W-01B01 M | | 5050 | 0 | 500 | | | | 57 | |
| 6N/01W-11G01 M | | 5000 | 1 | 93 | | | | 31 | |
| 6N/01W-13R01 M | | 5109 | 1 | 60 | | | | 29 | |
| 7N/01E-12N02 M | | 5001 | 0 | 98 | | | | 49 | |
| 7N/01E-33R01 M | | 5000 | 9 | 86 | | | | 45 | |
| 7N/02E-12C01 M | | 5001 | 1 | 140 | | | | 29 | |
| 7N/01W-13H01 M | | 5001 | 1 | 158 | | | | 57 | |
| 8N/01E-23Q01 M | | 5001 | 2 | 356 | | | | 48 | |
| 8N/01E-32E01 M | | 5001 | 1 | | | | | 48 | |
| 8N/01E-33Q02 M | | 5000 | 9 | 58 | | | | 58 | |
| 8N/02E-25B01 M | | 5050 | 0 | 298 | | | | 49 | |
| 8N/01W-23b01 M | | 5001 | 2 | 175 | | | | 57 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL | PROD REC. | | |
| SOLANO COUNTY | | | | 5-21.11 | | | | | |
| 8N/01W-28J01 M | | 5001 | 1 | 207 | | | | 33 | |
| 8N/01W-34A01 M | | 5001 | 2 | 172 | | | | 48 | |
| SAN JOAQUIN VALLEY | | | | 5-22.00 | | | | | |
| MOKELUMNE RIVER AREA | | | | 5-22.01 | | | | | |
| 2N/06E-16L01 M | | 5110 | 2 | | | | | 48 | |
| 3N/05E-16A01 M | | 5110 | 1 | | | | | 47 | |
| 3N/06E-29C01 M | | 5110 | 2 | | | | | 48 | |
| 3N/06E-35P01 M | | 5050 | 0 | | | | | 48 | |
| 3N/07E-10L04 M | 10K04 | 8201 | 1 | 190 | | | | 35 | |
| 3N/07E-20P02 M | | 5050 | 2 | | | | | 48 | |
| 3N/08E-08E01 M | | 5110 | 2 | 400 | | | | 48 | |
| 3N/08E-19C01 M | | 5050 | 2 | 375 | | | | 48 | |
| 4N/05E-22A01 M | | 5110 | 9 | | | | | 48 | |
| 4N/06E-12N01 M | | 5050 | 9 | 38 | | | | 29 | |
| 4N/07E-18M01 M | | 5050 | 2 | | | | | 61 | |
| 4N/07E-33H01 M | | 5110 | 2 | | | | | 48 | |
| 5N/06E-36R01 M | | 5110 | 2 | | | | | 48 | |
| 5N/07E-34G01 M | | 5110 | 2 | | | | | 48 | |
| CALAVERAS RIVER AREA | | | | 5-22.02 | | | | | |
| 1N/06E-12J01 M | | 5050 | 1 | 115 | | | | 61 | |
| 1N/06E-14C01 M | 302 | 4701 | 3 | 835 | | | | 31 | |
| 1N/07E-07E01 M | 1001 | 4701 | 3 | | | | | 46 | |
| 2N/06E-34K01 M | 401 | 4701 | 3 | 535 | | | | 31 | |
| 2N/07E-12A01 M | | 5050 | 2 | | | | | 36 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| CALAVERAS RIVER AREA | | | | 5-22.02 | | | | | |
| 2N/07E-16L01 | M | 5110 | 2 | 260 | | | | 47 | |
| 2N/07E-33R01 | M | 5050 | 0 | | | | | 47 | |
| 2N/08E-12L01 | M | 5110 | 2 | | | | | 47 | |
| 2N/08E-19M01 | M | 5050 | 1 | | | | | 61 | |
| 2N/08E-21R01 | M | 5110 | 2 | | | | | 47 | |
| 2N/09E-05H01 | M | 5050 | 2 | | | | | 47 | |
| 2N/09E-07G02 | M | 5110 | 2 | | | | | 47 | |
| 3N/08E-32P01 | M | 5110 | 2 | | | | | 47 | |
| 3N/09E-25R01 | M | 5110 | 2 | | | | | 48 | |
| FARMINGTON-COLLEGEVILLE AREA | | | | 5-22.03 | | | | | |
| 1N/06E-35A02 | M | 5110 | 2 | 150 | | | | 55 | |
| 1N/07E-13E01 | M | 5050 | 0 | 135 | | | | 49 | |
| 1N/07E-19R01 | M | 5050 | 0 | | | | | 49 | |
| 1N/08E-17D01 | M | 5050 | 2 | | | | | 49 | |
| 1N/08E-26A02 | M | 5110 | 2 | | | | | 49 | |
| 1N/09E-15B01 | M | 5050 | 2 | 220 | | | | 49 | |
| 1N/09E-23Q01 | M | 5050 | 1 | | | | | 58 | |
| 1S/07E-10A01 | M | 5050 | 2 | | | | | 49 | |
| 1S/08E-15A01 | M | 5050 | 0 | | | | | 55 | |
| 1S/08E-19N01 | M | 5050 | 0 | | | | | 49 | |
| 1S/09E-09R01 | M | 5110 | 2 | | | | | 49 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| TRACY AREA | | | | 5-22.04 | | | | | |
| 1S/05E-31R01 | M | 5050 | 1 | 190 | | | | 56 | |
| 2S/05E-15N02 | M | 5001 | 1 | | | | | 59 | |
| 2S/05E-16C01 | M | 5110 | 2 | 200 | | | | 56 | |
| 2S/06E-27E01 | M | 5110 | 1 | 40 | | | | 56 | |
| 2S/06E-31N01 | M | 5050 | 2 | 500 | | | | 56 | |
| 3S/06E-03F01 | M | 5110 | 1 | 48 | | | | 56 | |
| 3S/06E-09J01 | M | 5001 | 1 | 98 | | | | 40 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| CENTRAL VALLEY REGION | | | | | | | | | |
| SAN JOAQUIN VALLEY | | | | 5-22.00 | | | | | |
| SO SAN JOAQUIN IRRIGATION DIST | | | | 5-22.05 | | | | | |
| 1S/07E-15J01 M | | | 8 | | | | | 49 | |
| 2S/09E-08H01 M | | | 8 | | | | | 49 | |
| OAKDALE IRRIGATION DISTRICT | | | | 5-22.06 | | | | | |
| 1S/09E-36A01 M | 12 | 4520 | 2 | | | | | 40 | |
| 1S/10E-28J01 M | 26 | 4520 | 2 | | | | | 46 | |
| 2S/09E-26F01 M | 14 | 4520 | 2 | | | | | 45 | |
| 2S/10E-33J01 M | 63 | 4520 | 2 | | | | | 40 | |
| 2S/11E-31N01 M | 102 | 4520 | 2 | | | | | 40 | |
| 2S/12E-31K01 M | 112 | 4520 | 2 | | | | | 45 | |
| 3S/10E-15A01 M | 89 | 4520 | 2 | | | | | 44 | |
| 3S/11E-18D01 M | 109 | 4520 | 2 | | | | | 40 | |
| MODESTO IRRIGATION DISTRICT | | | | 5-22.07 | | | | | |
| 2S/08E-25P01 M | 208 | 4521 | 2 | 322 | | | | | |
| 2S/08E-34A01 M | 49 | 4521 | 8 | 12 | | | | 55 | |
| 2S/09E-31G01 M | 203 | 4521 | 2 | 384 | | | | | |
| 2S/09E-33A01 M | 88 | 4521 | 8 | 12 | | | | 55 | |
| 3S/07E-15A01 M | 2 | 4521 | 8 | 12 | | | | 53 | |
| 3S/08E-13A01 M | 71 | 4521 | 8 | 12 | | | | 18 | |
| 3S/08E-22C01 M | | | 8 | 310 | | | | | |
| 3S/08E-22C02 M | | | 8 | 131 | | | | | |
| 3S/08E-23A01 M | 64 | 4521 | 8 | 12 | | | | 53 | |
| 3S/08E-24C01 M | 217 | 4521 | 2 | 467 | | | | | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| MODESTO IRRIGATION DISTRICT | | | | 5-22.07 | | | | | |
| 3S/09E-05N01 M | 209 | 4521 | 2 | 424 | | | | | |
| 3S/09E-15A01 M | 96 | 4521 | 8 | 12 | | | | 53 | |
| 3S/09E-21A02 M | 212 | 4521 | 2 | 275 | | | | 50 | |
| 3S/09E-30P01 M | 207 | 4521 | 2 | 164 | | | | | |
| 3S/10E-06G01 M | 214 | 4521 | 2 | 362 | | | | | |
| 3S/10E-29K01 M | 197 | 4521 | 2 | 370 | | | | 48 | |
| 3S/10E-32G01 M | 195 | 4521 | 2 | 260 | | | | 40 | |
| 4S/07E-02A01 M | 11 | 4521 | 8 | 12 | | | | 53 | |
| 4S/08E-03A01 M | 56 | 4521 | 8 | 12 | | | | 53 | |
| 4S/08E-03E01 M | 196 | 4521 | 2 | 98 | | | | 48 | |
| TURLOCK IRRIGATION DISTRICT | | | | 5-22.08 | | | | | |
| 4S/08E-27D01 M | 207 | 4524 | 8 | | | | | 53 | |
| 4S/09E-21A01 M | 253 | 4524 | 8 | | | | | 53 | |
| 4S/10E-21R01 M | 350 | 4524 | 8 | | | 2 | | 53 | |
| 4S/10E-21R02 M | 186 | 4524 | 6 | 253 | | | 2 | | |
| 4S/11E-29N01 M | 405 | 4524 | 8 | | | | | 53 | |
| 4S/11E-32P01 M | 189 | 4524 | 6 | 226 | | | 2 | | |
| 5S/08E-01N01 M | 218 | 4524 | 8 | | | | | 53 | |
| 5S/08E-02R01 M | 154 | 4524 | 6 | 222 | | | 2 | | |
| 5S/09E-03D02 M | | | 8 | | | | | | |
| 5S/09E-14R01 M | 290 | 4524 | 8 | | | | | 16 | |
| 5S/09E-22N01 M | 65 | 4524 | 6 | 147 | | | 2 | | |
| 5S/09E-24N01 M | 291 | 4524 | 8 | | | | | 16 | |
| 5S/10E-21Q01 M | 182 | 4524 | 6 | 244 | | | 2 | | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC. | | |
| TURLOCK IRRIGATION DISTRICT | | | | 5-22.08 | | | | | |
| 5S/10E-21R01 M | 356 | 4524 | 6 | | | | | 53 | |
| 5S/11E-21N01 M | 418 | 4524 | 8 | | | | | 53 | |
| 5S/11E-29F01 M | 150 | 4524 | 6 | 228 | | | 2 | | |
| 5S/12E-31N01 M | 214 | 4524 | 6 | 144 | | | 2 | | |
| 6S/09E-15R01 M | 280 | 4524 | 8 | | | | | 53 | |
| 6S/10E-21A01 M | 361 | 4524 | 8 | | | | | 53 | |
| 6S/10E-21N01 M | 96A | 4524 | 6 | 102 | | | 2 | | |
| 6S/11E-08R01 M | 422 | 4524 | 8 | | | | | 53 | |
| 6S/11E-09N01 M | 234 | 4524 | 6 | 118 | | | 2 | | |
| MERCED IRRIGATION DISTRICT | | | | 5-22.09 | | | | | |
| 6S/11E-34R01 M | 306 | 4525 | 8 | | | | | 53 | |
| 6S/12E-21N01 M | 208 | 4525 | 8 | | 2 | | | 53 | |
| 6S/13E-19N01 M | 509 | 4525 | 8 | | | | | 50 | |
| 6S/14E-32N01 M | 703 | 4525 | 8 | | | | | 53 | |
| 7S/10E-01N01 M | 102 | 4525 | 8 | | | | | 53 | |
| 7S/11E-13N01 M | 315 | 4525 | 8 | | | | | 53 | |
| 7S/12E-12R01 M | 513 | 4525 | 8 | | | | | 34 | |
| 7S/13E-16N01 M | 613 | 4525 | 8 | | | | | 53 | |
| 7S/14E-16R01 M | 817 | 4525 | 8 | | | | | 53 | |
| 7S/15E-36N01 M | 917 | 4525 | 8 | | | | | 53 | |
| 8S/12E-01D01 M | 604 | 4525 | 8 | | | | | 53 | |
| 8S/13E-09R01 M | 1020 | 4525 | 8 | | | | | 53 | |
| 8S/14E-01A01 M | 905 | 4525 | 8 | | | | | 53 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| EL NIDO IRRIGATION DISTRICT | | | | 5-22.10 | | | | | |
| 9S/13E-14R01 M | 10 | 4525 | 2 | | | | | 56 | |
| 9S/14E-20B01 M | 4 | 4525 | 2 | | | | | 56 | |
| DELTA-MENDOTA AREA | | | | 5-22.11 | | | | | |
| 2S/04E-16H01 M | 16 | 6001 | 1 | 207 | | | | 51 | |
| 2S/04E-25J01 M | 25 | 6001 | 1 | | | | | 52 | |
| 2S/04E-28A01 M | 28 | 6001 | 1 | 294 | | | | 51 | |
| 2S/04E-29Q01 M | 29 | 6001 | 0 | | | | | 56 | |
| 2S/05E-32A01 M | 32 | 6001 | 7 | | | | | 51 | |
| 3S/05E-08R01 M | 8A | 6001 | 1 | 214 | | | | 43 | |
| 3S/05E-08R02 M | 8F | 6001 | 1 | | | | | 55 | |
| 3S/05E-25Q01 M | 25 | 6001 | 2 | 700 | | | | 48 | |
| 3S/05E-26K01 M | 26 | 6001 | 9 | 220 | | | | 44 | |
| 3S/06E-16Q01 M | 16 | 6001 | 2 | 785 | | | | 51 | |
| 3S/06E-18N01 M | 18 | 6001 | 1 | 119 | | | | 41 | |
| 3S/06E-25D01 M | 25A | 6001 | 0 | 71 | | | | 41 | |
| 4S/06E-04H01 M | 4A | 6001 | 2 | 474 | | | | 46 | |
| 4S/06E-09R01 M | 9 | 6001 | 1 | 200 | | | | 44 | |
| 4S/07E-27M01 M | 27A | 6001 | 0 | 300 | | | | 52 | |
| 4S/07E-31D01 M | 31 | 6001 | 2 | 425 | | | | 44 | |
| 5S/07E-05D01 M | 5C | 6001 | 1 | | | | | 47 | |
| 5S/07E-13K01 M | 13A | 6001 | 4 | | | | | 52 | |
| 5S/07E-14D01 M | 14A | 6001 | 1 | 132 | | | | 41 | |
| 5S/07E-26P01 M | 26B | 6001 | 1 | 278 | | | | 47 | |
| 5S/08E-06K01 M | 6A | 6001 | 1 | 60 | | | | 41 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| DELTA-MENDOTA AREA | | 5-22.11 | | | | | | | |
| 5S/08E-35H01 M | 35A | 6001 | 0 | | | | | 48 | |
| 6S/07E-12P01 M | 12 | 6001 | 1 | 80 | | | | 47 | |
| 6S/08E-12L01 M | 12A | 6001 | 1 | 108 | | | | 42 | |
| 6S/08E-16M01 M | 16B | 6001 | 2 | 634 | | | | 45 | |
| 6S/08E-27J01 M | 27B | 6001 | 1 | 187 | | | | 50 | |
| 6S/08E-29J01 M | 29A | 6001 | 2 | | | | | 47 | |
| 7S/08E-12E01 M | 12 | 6001 | 0 | 3000 | | | | 42 | 62 |
| 7S/08E-22B01 M | 22B | 6001 | 7 | | | | | 50 | |
| 7S/08E-22L01 M | 22A | 6001 | 1 | 118 | | | | 42 | |
| 7S/09E-04R01 M | 4G | 6001 | 1 | 135 | | | | 42 | |
| 7S/09E-26N01 M | 26 | 6001 | 8 | 15 | | | | 42 | |
| 8S/08E-01N01 M | 1A | 6001 | 1 | 140 | | | | 42 | |
| 8S/08E-15J01 M | 15A | 6001 | 0 | 475 | | | | 40 | |
| 8S/09E-26H01 M | 26 01 | 6001 | 8 | 569 | | | | 52 | |
| 8S/09E-26H03 M | 26 03 | 6001 | 8 | 252 | | | | 52 | |
| 8S/10E-21L04 M | 21D04 | 6001 | 8 | 149 | | | | 52 | |
| 9S/08E-13D01 M | 13 | 6001 | 9 | | | | | 40 | |
| 9S/09E-18N01 M | 18 | 6001 | 0 | | | | | 40 | |
| 9S/09E-23L01 M | 23A01 | 6001 | 8 | 485 | | | | 52 | |
| 9S/10E-19B01 M | 19 01 | 6001 | 8 | | | | | 52 | |
| 9S/10E-23J01 M | 23 | 6001 | 7 | 781 | | | | 39 | |
| 9S/11E-16H01 M | 16A | 6001 | 1 | 300 | | | | 49 | |
| 9S/11E-20J01 M | 20B01 | 6001 | 8 | 674 | | | | 52 | |
| 10S/09E-06A01 M | 6A | 6001 | | 54 | | | | 51 | |
| 10S/09E-08B01 M | 8 | 6001 | 0 | | | | | 45 | |
| 10S/10E-02R01 M | 2 | 6001 | 1 | 42 | | | | 39 | |
| 10S/10E-11R01 M | 11A | 6001 | 1 | 24 | | | | 39 | |
| 10S/10E-31G01 M | 31 | 6001 | 2 | 300 | | | | 42 | |
| 10S/11E-23D01 M | 23A | 6001 | 8 | 10 | | | | 48 | |
| 10S/11E-27E02 M | 27B | 6001 | 1 | 472 | | | | 56 | |
| 11S/10E-11J01 M | 11 | 6001 | 1 | 148 | | | | 39 | |
| 11S/10E-22Q01 M | 22 | 6001 | 2 | 900 | | | | 49 | |
| 11S/11E-02J02 M | 2A | 6001 | 8 | 84 | | | | 52 | |
| 11S/11E-22K01 M | 22 | 6001 | 8 | 12 | | | | 48 | |
| 11S/11E-22Q03 M | 22A03 | 6001 | 8 | 252 | | | | 52 | |
| 11S/12E-31C01 M | 31 | 6001 | 0 | | | | | 51 | |
| 12S/11E-35Q01 M | 35 | 6001 | 0 | | | | | 39 | |
| 12S/12E-04D01 M | 4 | 6001 | 8 | 12 | | | | 48 | |
| 12S/12E-16H05 M | | | 8 | 720 | | | | 58 | |
| 12S/12E-20J01 M | 20A | 6001 | 8 | 359 | | | | 52 | |
| 12S/12E-25D01 M | 25C01 | 6001 | 8 | 359 | | | | 52 | |
| 12S/12E-25D02 M | 25C02 | 6001 | 8 | 191 | | | | 52 | |
| 12S/13E-10N01 M | 10A | 6001 | 8 | 12 | | | | 48 | |
| 12S/14E-30C01 M | 30A | 6001 | 0 | 221 | | | | 48 | |
| CHOWCHILLA WATER DISTRICT | | 5-22.12 | | | | | | | |
| 9S/14E-25R01 M | 25B | 6001 | 2 | | | | | 22 | |
| 9S/15E-25J02 M | 25F | 6001 | 2 | 79 | | | | 22 | |
| 9S/16E-35D01 M | 35B | 6001 | 1 | 100 | | | | 20 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| CHOWCHILLA WATER DISTRICT | | | | 5-22.12 | | | | | |
| 9S/17E-21L01 M | 21A | 6001 | 2 | | | | | 22 | |
| 9S/17E-35J01 M | 35 | 6001 | 0 | | | | | 41 | |
| 9S/18E-33Q01 M | 33A | 6001 | 9 | | | | | 48 | |
| 10S/14E-26C01 M | 26 | 6001 | 2 | 90 | | | | 39 | |
| 10S/15E-23K01 M | 23 | 6001 | 1 | 242 | | | | 20 | |
| 10S/16E-29R01 M | 29A | 6001 | 1 | 106 | | | | 20 | |
| MADERA IRRIGATION DISTRICT | | | | 5-22.13 | | | | | |
| 10S/16E-35A02 M | 682 | 4530 | 1 | 80 | | | | 48 | 61 |
| 10S/17E-27E01 M | 27B | 6001 | 0 | 99 | | | | 23 | |
| 10S/18E-20B01 M | 20B | 6001 | 9 | 72 | | | | 20 | |
| 10S/19E-16D01 M | 16A | 6001 | 1 | | | | | 50 | |
| 11S/16E-22A02 M | 22C | 6001 | 2 | | | | | 36 | |
| 11S/17E-24D01 M | 1A | 4530 | 0 | | | | | 28 | 61 |
| 11S/17E-27C01 M | 27 | 6001 | 2 | 114 | | | | 28 | |
| 11S/18E-20N01 M | 20A | 6001 | 2 | | | | | 20 | |
| 11S/20E-22M01 M | | | 1 | | | | | 36 | |
| 11S/21E-31D03 M | | | 9 | 80 | | | | 52 | 61 |
| 12S/16E-23A01 M | | | 2 | | | | | 38 | |
| 12S/17E-21H01 M | | | 2 | 112 | | | | 38 | |
| 12S/18E-21G01 M | | | 2 | | | | | 20 | |
| 12S/19E-28A01 M | | | 2 | | | | | 36 | |
| WEST CHOWCHILLA-MADERA AREA | | | | 5-22.14 | | | | | |
| 10S/13E-14M01 M | | | 0 | 38 | | | | 51 | |
| 10S/14E-01R01 M | | | 2 | | | | | 22 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| WEST CHOWCHILLA-MADERA AREA | | | | 5-22.14 | | | | | |
| 11S/14E-33L01 M | | | 2 | 307 | | | | 44 | |
| 11S/15E-33E01 M | | | 2 | | | | | 50 | |
| 12S/14E-28G01 M | | | 1 | | | | | 41 | |
| 12S/15E-14L01 M | | | 9 | 82 | | | | 40 | |
| FRESNO IRRIGATION DISTRICT | | | | 5-22.15 | | | | | |
| 12S/20E-14A01 M | | | 2 | 164 | | | | 37 | |
| 12S/21E-34D01 M | | | 2 | | | | | 39 | |
| 12S/22E-21E01 M | | | 9 | 32 | | | | 51 | |
| 13S/17E-22B01 M | | | 2 | 90 | | | | 44 | |
| 13S/18E-16D01 M | | | 2 | | | | | 37 | |
| 13S/19E-09Q01 M | | | 1 | | | | | 21 | |
| 13S/20E-21J01 M | 25 | | 3 | 171 | 2 | | | 30 | |
| 13S/21E-23D01 M | | | 2 | | | | | 39 | |
| 13S/23E-31P01 M | | | 2 | | | | | 36 | |
| FRESNO IRRIGATION DISTRICT | | | | 5-22.15 | | | | | |
| 14S/18E-08J01 M | | | 2 | | | | | 21 | |
| 14S/18E-25B01 M | | | 0 | | | | | 27 | |
| 14S/19E-20B01 M | | | 2 | | | | | 40 | |
| 14S/21E-14A01 M | | | 2 | | | | | 22 | |
| CITY OF FRESNO | | | | 5-22.16 | | | | | |
| 14S/20E-10M01 M | 3 | 4200 | 3 | | | | | 30 | |
| FRESNO SLOUGH AREA | | | | 5-22.17 | | | | | |
| 13S/15E-26H01 M | | | 0 | 400 | | | | 40 | |
| 13S/16E-25J01 M | | | 0 | 118 | | | | 36 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| FRESNO SLOUGH AREA | | | | 5-22.17 | | | | | |
| 14S/16E-22N01 M | | | 9 | | | | | 46 | |
| 14S/17E-25A01 M | | | 2 | 200 | | | | 39 | |
| 15S/16E-01L01 M | | | 2 | 200 | | | | 29 | |
| 15S/17E-22R01 M | | | 0 | 190 | 1 | | | 21 | |
| 15S/17E-34L02 M | | | 0 | 1081 | | | | 29 | |
| 15S/18E-16G01 M | | | 2 | 267 | | | | 21 | |
| 16S/17E-23N01 M | | | 2 | 552 | | | | 26 | |
| 16S/18E-27C01 M | | | 2 | | | | | 50 | |
| 16S/18E-31Q02 M | | | 0 | 417 | 1 | | | 26 | |
| 17S/17E-12H01 M | | | 2 | | | | | 50 | |
| 17S/18E-23A02 M | | | 2 | | | | | 35 | |
| CONSOLIDATED IRRIGATION DISTRICT | | | | 5-22.18 | | | | | |
| 14S/22E-22N01 M | 11 | 4636 | 8 | | | | | 46 | |
| 15S/19E-24N01 M | 71 | 4636 | 8 | | | | | 46 | |
| 15S/20E-28A01 M | 75 | 4636 | 8 | | | | | 46 | |
| 15S/21E-15D01 M | 2 | 4636 | 8 | | | | | 46 | |
| 15S/22E-16A01 M | 18 | 4636 | 8 | | | | | 46 | |
| 15S/22E-29D01 M | 26 | 4636 | 8 | | | | | 46 | |
| 16S/19E-14A01 M | 55 | 4636 | 8 | | | | | 46 | |
| 16S/20E-22N01 M | 49 | 4636 | 8 | | | | | 46 | |
| 16S/21E-22N01 M | 61 | 4636 | 8 | | | | | 46 | |
| 16S/22E-23R01 M | 34 | 4636 | 8 | | | | | 46 | |
| 17S/22E-03C01 M | 42 | 4636 | 8 | | | | | 46 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| ALTA IRRIGATION DISTRICT | | | | 5-22.19 | | | | | |
| 14S/23E-36R01 M | 12 | 4637 | 1 | | | | | 26 | |
| 14S/24E-31P01 M | 11B | 4637 | 2 | | | | | 45 | |
| 15S/23E-23A02 M | 31 | 4637 | 1 | | | | | 21 | |
| 15S/24E-22D01 M | 27C | 4637 | .0 | | | | | 34 | |
| 16S/23E-23E01 M | 80 | 4637 | 1 | | | | | 21 | |
| 16S/24E-21J01 M | 84 | 4637 | 2 | | | 2 | | 21 | |
| 16S/25E-29A01 M | 100D | 4637 | 2 | | | | | 31 | |
| 17S/25E-10C01 M | 123B | 4637 | 9 | | | | | 47 | |
| 17S/25E-18R01 M | 164 | 4637 | 9 | | | | | 26 | |
| LOWER KINGS RIVER AREA | | | | 5-22.20 | | | | | |
| 17S/19E-14J02 M | 14J01 | 5000 | 7 | | | | | 39 | |
| 17S/20E-20B01 M | | | 9 | | | | | 36 | 62 |
| 17S/21E-11G01 M | | | 9 | | | | | 25 | |
| 18S/18E-12N02 M | | | 0 | 211 | | | | 25 | 62 |
| 18S/19E-26E01 M | | | 0 | 50 | | | | 47 | |
| 18S/20E-16A01 M | | | 2 | | | | | 47 | |
| 18S/21E-10R01 M | | | 2 | | | | | 47 | |
| 19S/19E-25A01 M | | | 0 | | | | | 44 | |
| 19S/20E-21A01 M | | | 0 | | | | | 48 | |
| 20S/20E-09C01 M | | | 0 | | | | | 47 | |
| 20S/21E-03A01 M | | | 1 | 56 | | | | 25 | |
| 20S/21E-25L01 M | | | 9 | 45 | | | | 43 | 61 |
| 21S/21E-04A01 M | | | 0 | | | | | 49 | 62 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| ORANGE COVE IRRIGATION DISTRICT | | | | 5-22.21 | | | | | |
| 14S/24E-20B01 M | | | 1 | 40 | | | | 50 | |
| 14S/25E-30D01 M | | | 0 | | | | | 46 | |
| 15S/24E-14D01 M | | | 8 | 915 | | | | 47 | |
| 15S/25E-22N01 M | | | 0 | 102 | | | | 45 | 62 |
| 16S/25E-04C02 M | | | 1 | 87 | | | | 53 | |
| STONE CORRAL IRRIGATION DISTRICT | | | | 5-22.22 | | | | | |
| 16S/26E-32R01 M | | | 0 | | | | | 47 | |
| 17S/26E-07R01 M | | | 8 | 76 | | | | 49 | |
| IVANHOE IRRIGATION DISTRICT | | | | 5-22.23 | | | | | |
| 18S/25E-12001 M | | 5050 | 0 | | | | | 24 | |
| KAWEAH DELTA WATER CONSERV DIST | | | | 5-22.24 | | | | | |
| 17S/26E-17P02 M | | | 2 | 133 | | | | 46 | |
| 17S/27E-34P01 M | | | 1 | | | | | 39 | |
| 18S/22E-29A01 M | | | 0 | | | | | 58 | |
| 18S/23E-34A01 M | | | 2 | | | | | 20 | |
| 18S/24E-26A01 M | | | 7 | 80 | | | | 35 | |
| 18S/25E-33F01 M | | | 2 | | | | | 32 | |
| 18S/26E-27E01 M | | | 1 | 68 | | | | 48 | |
| 19S/22E-01N01 M | | | 0 | 60 | | | | 28 | |
| 19S/22E-36E01 M | | | 9 | | | | | 39 | |
| 19S/25E-25D01 M | | | 2 | | | | | 36 | |
| 20S/22E-10C01 M | | | 2 | | | | | 33 | |
| TULARE IRRIGATION DISTRICT | | | | 5-22.25 | | | | | |
| 19S/23E-24G01 M | | | 2 | | | | | 53 | |
| 19S/23E-32H01 M | | | 4 | 212 | 1 | | | 49 | |
| 19S/24E-16P01 M | | | 2 | | | | | 53 | |
| 20S/23E-09J01 M | | | 2 | 550 | | | | 29 | |
| 20S/24E-23K01 M | | | 1 | 123 | | | | 44 | |
| EXETER IRRIGATION DISTRICT | | | | 5-22.26 | | | | | |
| 18S/27E-29D01 M | | | 2 | | | | | 37 | |
| 19S/26E-23E01 M | | | 2 | 365 | | | | 38 | |
| LINDSAY-STRATHMORE IRRIG DIST | | | | 5-22.27 | | | | | |
| 19S/27E-29D01 M | | | 2 | 218 | | | | 49 | |
| 20S/27E-06B01 M | | | 0 | | | | | 52 | |
| 20S/27E-29J01 M | | | 0 | 194 | | | | 36 | |
| LINDMORE IRRIGATION DISTRICT | | | | 5-22.28 | | | | | |
| 20S/26E-22C02 M | | | 2 | 247 | | | | 24 | |
| PORTERVILLE IRRIGATION DISTRICT | | | | 5-22.29 | | | | | |
| 21S/27E-23N01 M | | | 2 | 195 | | | | 24 | |
| 22S/27E-10R01 M | | | 2 | 172 | | | | 24 | |
| LOWER TULE RIVER IRRIGATION DIST | | | | 5-22.30 | | | | | |
| 21S/23E-22J01 M | | | 0 | 130 | | | | 35 | |
| 21S/24E-15H01 M | | | 2 | 95 | | | | 30 | |
| 21S/25E-08H01 M | | | 2 | | | | | 33 | |
| 21S/26E-10H01 M | | | 2 | 300 | | | | 24 | |
| 22S/23E-15R01 M | | | 9 | | | | | 25 | |
| 22S/24E-15A01 M | | | 1 | 229 | | | | 35 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD REC | | |
| LOWER TULE RIVER IRRIGATION DIST | | | | 5-22.30 | | | | | |
| 22S/25E-15A01 M | | | 2 | 400 | | | | 37 | |
| 22S/26E-06A01 M | | | 0 | | | | | 37 | |
| VANDALIA IRRIGATION DISTRICT | | | | 5-22.31 | | | | | |
| 22S/28E-18A01 M | | | 2 | | | | | 39 | |
| SAUCELITO IRRIGATION DISTRICT | | | | 5-22.32 | | | | | |
| 22S/26E-15J01 M | | | 7 | 460 | | | | 49 | |
| 23S/26E-02R01 M | | | 2 | | | | | 30 | |
| PIXLEY IRRIGATION DISTRICT | | | | 5-22.33 | | | | | |
| 23S/23E-02B01 M | | | 9 | | | | | 40 | |
| 23S/24E-05A01 M | | | 0 | | | | | 26 | |
| 23S/25E-14C01 M | | | 0 | 305 | | | | 35 | |
| 23S/25E-16N03 M | | | 8 | 430 | | | | 59 | |
| 23S/25E-16N04 M | | | 8 | 240 | | | | 59 | |
| 23S/25E-17Q03 M | | | 8 | 352 | | | | 58 | |
| ALPAUGH-ALLENSWORTH AREA | | | | 5-22.34 | | | | | |
| 24S/23E-21B02 M | | | 0 | 77 | | | | 36 | |
| 24S/24E-23Q01 M | | | 9 | 60 | | | | 26 | |
| DELANO-EARLIMART IRRIG DIST | | | | 5-22.35 | | | | | |
| 23S/25E-27J02 M | | | 0 | 366 | | | | 30 | |
| 23S/26E-29P01 M | | | 2 | 270 | | | | 44 | |
| 23S/27E-28J01 M | 28 | 6001 | 2 | 900 | | | | 25 | |
| 24S/25E-10A01 M | | | 0 | 552 | 1 | | | 37 | |
| 24S/25E-33J01 M | | | 2 | 500 | | | | 37 | |
| 24S/26E-05R01 M | | | 2 | 427 | | | | 31 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE | | | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | LOG | WATER ANAL. | PROD. REC. | | |
| DELANO-EARLIMART IRRIG DIST | | | | 5-22.35 | | | | | |
| 24S/26E-20H01 M | | | 2 | 1254 | 1 | | | 35 | |
| 24S/26E-29R02 M | | | 0 | 300 | | | | 58 | |
| 24S/26E-32G01 M | | | 0 | 470 | | | | 32 | |
| 24S/26E-34F01 M | | | 2 | 1510 | | | | 58 | |
| 24S/27E-10E01 M | | | 0 | 200 | | | | 45 | |
| 24S/27E-31P01 M | | | 2 | 1050 | | | | 48 | |
| 25S/26E-01A02 M | 1E | 6001 | 0 | 892 | | | | 53 | |
| 25S/26E-10B03 M | | | 0 | 375 | | | | 46 | |
| 25S/27E-22H01 M | | | 9 | 700 | | | | 48 | |
| SOUTHERN SAN JOAQUIN MUD | | | | 5-22.36 | | | | | |
| 25S/25E-06H01 M | | | 0 | 112 | | | | 42 | |
| 25S/25E-35P01 M | | | 2 | 800 | | | | 35 | |
| 25S/26E-28H02 M | | | 0 | 425 | | | | 39 | |
| 26S/26E-10R01 M | 10 | 6001 | 0 | 1000 | | | | 52 | |
| 26S/26E-16P01 M | | | 2 | 500 | | | | 33 | |
| NORTH KERN WATER STORAGE DIST | | | | 5-22.37 | | | | | |
| 26S/25E-15R01 M | | | 2 | 810 | | | | 49 | |
| 26S/25E-31R01 M | | | 2 | 646 | | | 1 | 42 | |
| 26S/26E-30P01 M | | | 2 | 1000 | 1 | | 1 | 49 | |
| 27S/25E-01A01 M | | | 9 | 148 | | | | 32 | |
| 27S/26E-06H02 M | | | 0 | 387 | | | | 38 | |
| 27S/26E-20E01 M | | | 2 | 732 | | | 1 | 42 | |
| 27S/27E-30H02 M | | | 2 | | | | | 49 | |
| 28S/25E-13L01 M | | | 2 | 642 | | | | 42 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| NORTH KERN WATER STORAGE DIST | | | | 5-22.37 | | | | | |
| 28S/27E-21F01 M | | | 0 | 478 | | | | 47 | |
| SHAFTER-WASCO IRRIGATION DIST | | | | 5-22.38 | | | | | |
| 27S/24E-35C01 M | | | 2 | 709 | | | 1 | 49 | |
| 27S/25E-28F01 M | | | 2 | 442 | | | | 38 | |
| 28S/24E-01R01 M | | | 2 | 350 | | | | 38 | |
| KERN RIVER DELTA AREA | | | | 5-22.40 | | | | | |
| 28S/25E-34J01 M | | | 1 | 378 | | | | 38 | |
| 28S/26E-29L01 M | | | 2 | 600 | | | | 56 | |
| 29S/25E-12M01 M | | | 2 | 140 | | | | 36 | |
| 29S/25E-33J01 M | | | 2 | 350 | | | | 39 | |
| 29S/26E-10L01 M | | | 0 | 140 | | | | 38 | |
| 29S/27E-04J01 M | | | 2 | 725 | | | | 37 | |
| 29S/27E-26D01 M | | | 2 | | | | | 24 | 61 |
| 30S/25E-03H01 M | | | 2 | 703 | 2 | | 1 | 50 | |
| 30S/26E-16J01 M | | | 9 | | | | | 36 | |
| 30S/26E-27A01 M | | | 2 | 700 | | | | 47 | |
| 30S/27E-03G01 M | | | 2 | 700 | | | | 47 | |
| 30S/27E-28A02 M | | | 2 | | | | | 40 | |
| 30S/28E-32B01 M | | | 2 | 441 | | | | 40 | |
| 30S/28E-34R02 M | 34A | 6001 | 0 | 200 | | | | 57 | |
| 31S/26E-01A01 M | | | 0 | | | | | 36 | |
| 31S/26E-35D01 M | | | 2 | | | | | 40 | |
| 31S/27E-04L01 M | | | 2 | 700 | | | 1 | 47 | |
| 31S/27E-28J01 M | | | 0 | | | | | 40 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| KERN RIVER DELTA AREA | | | | 5-22.40 | | | | | |
| 31S/28E-17P02 M | 7G1702 | 8700 | 7 | 157 | | | | 40 | |
| 31S/28E-30M01 M | | | 2 | 800 | | | | 48 | |
| 32S/26E-36G01 M | | | 0 | 700 | | | | 47 | |
| 32S/27E-18E01 M | | | 2 | 850 | | | | 51 | |
| 32S/28E-04A01 M | | | 2 | 282 | | | | 52 | |
| EDISON-MARICOPA AREA | | | | 5-22.41 | | | | | |
| 29S/28E-26J01 M | | | 0 | 704 | | | | 33 | |
| 29S/29E-33N01 M | | | 0 | | | | | 39 | |
| 30S/28E-02R01 M | | | 7 | 500 | | | | 50 | |
| 30S/29E-05F01 M | | | 2 | 498 | | | | 37 | |
| 30S/29E-26A01 M | | | 2 | 622 | | | | 38 | |
| 30S/29E-31R01 M | 31G | 6001 | 0 | 167 | | | | 59 | |
| 30S/30E-20R01 M | | | 1 | 480 | | | | 29 | |
| 31S/29E-09A01 M | | | 2 | | | | | 33 | |
| 31S/29E-29A01 M | 29B | 6001 | 2 | 530 | | | | 43 | |
| 31S/30E-09R01 M | | | 7 | 600 | | | | 42 | 61 |
| 31S/30E-21G01 M | | | 2 | 1004 | | | | 52 | |
| 32S/25E-35N02 M | | | 0 | 1650 | | | | 52 | |
| 32S/28E-23R01 M | | | 2 | 815 | | | | 45 | |
| 32S/29E-07P01 M | | | 2 | 1000 | | | | 48 | |
| 32S/29E-16R02 M | 16 | 6001 | 0 | 400 | | | | 59 | |
| 32S/29E-21P01 M | 21 | 6001 | 0 | 340 | | | | 37 | |
| 11N/18W-06P01 S | | | 2 | 732 | 1 | | | 49 | |
| 11N/18W-28D01 S | | | 0 | 672 | | | | 57 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| EDISON-MARICOPA AREA | | | | 5-22.41 | | | | | |
| 11N/19W-04H01 S | | | 2 | 1140 | 1 | | | 48 | |
| 11N/19W-24R01 S | 24 | 6001 | 2 | 830 | | | | 39 | |
| 11N/20W-07Q01 S | | | 2 | 1243 | | | 1 | 54 | |
| 11N/20W-18F01 S | | | 9 | 601 | 2 | | | 49 | |
| 11N/20W-24A01 S | | | 2 | 1007 | | | 1 | 52 | |
| 11N/21W-05M01 S | | | 2 | 1000 | | | | 51 | |
| 11N/21W-14D02 S | | | 0 | 584 | | | | 43 | |
| 11N/22W-04H01 S | | | 2 | 1008 | | | | 51 | |
| 11N/23W-12P01 S | | | 2 | 1120 | | | 1 | 56 | |
| 12N/19W-32E01 S | | | 0 | 1000 | | | | 47 | 62 |
| 12N/20W-31R01 S | | | 0 | 1208 | | | | 52 | |
| 12N/20W-36Q02 S | | | 0 | 1002 | | | | 56 | |
| 12N/21W-29N01 S | | | 2 | 1002 | | | | 49 | |
| 12N/22W-31E01 S | | | 0 | 1137 | | | | 56 | 62 |
| 12N/22W-36R01 S | | | 2 | 1266 | | | | 48 | |
| 12N/23W-28P01 S | | | 0 | 702 | 1 | | | 56 | |
| BUENA VISTA WATER STORAGE DIST | | | | 5-22.42 | | | | | |
| 26S/22E-32R01 M | | | 2 | | | | | 53 | |
| 27S/22E-16B01 M | | | 2 | 800 | | | | 59 | |
| 27S/22E-21F02 M | | | 0 | 700 | | | | 54 | |
| 27S/22E-32H01 M | | | 0 | | | | | 49 | |
| 28S/22E-10D02 M | | | 2 | 420 | | | | 45 | |
| 28S/22E-36P01 M | C6 | 4640 | 7 | | | | | 38 | |
| 28S/23E-31R01 M | C4 | 4640 | 2 | | | | | 39 | |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| BUENA VISTA WATER STORAGE DIST | | | | 5-22.42 | | | | | |
| 29S/23E-08A01 M | 87 | 4640 | 2 | | | | | 38 | |
| 29S/23E-36R01 M | | | 2 | 216 | | | | 49 | 61 |
| 29S/24E-32Q01 M | | | 2 | 249 | | | | 59 | |
| 30S/23E-01C01 M | D9 | 4640 | 0 | | | | | 39 | |
| 30S/24E-02C01 M | D1 | 4640 | 2 | | | | | 39 | |
| SEMITROPIC WATER STORAGE DIST | | | | 5-22.43 | | | | | |
| 25S/22E-02E01 M | | | 0 | 625 | | | | 58 | 63 |
| 25S/22E-02N02 M | | | 0 | 285 | | | | 58 | |
| 25S/22E-14G01 M | | | 0 | 500 | | | | 48 | |
| 25S/23E-03R01 M | | | 2 | 480 | | | | 35 | |
| 25S/24E-07R01 M | | | 0 | 243 | | | | 35 | |
| 25S/24E-30H01 M | | | 2 | 700 | | | | 33 | |
| 26S/21E-14E01 M | | | 0 | 300 | 1 | | | 57 | |
| 26S/21E-14J01 M | | | 0 | 300 | | | | 55 | |
| 26S/22E-10G01 M | 10B | 6001 | 2 | 300 | | | | 54 | |
| 26S/22E-35E01 M | | | 2 | | | | | 52 | |
| 26S/23E-02R01 M | | | 0 | 200 | | | | 35 | |
| 26S/23E-36F01 M | | | 0 | 502 | | | | 40 | |
| 26S/24E-23H01 M | | | 2 | 638 | | | | 42 | |
| 27S/22E-02Q01 M | | | 7 | 159 | | | | 45 | |
| 27S/23E-06L01 M | A1 | 4640 | 7 | | | | | 38 | |
| 28S/23E-11E01 M | | | 1 | | | | | 45 | |
| 29S/24E-14R01 M | | | 0 | | | | | 45 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| AVENAL-MCKITTRICK AREA | | | | 5-22.44 | | | | | |
| 22S/19E-18P02 M | | | 1 | 410 | | | | 51 | |
| 22S/19E-30A01 M | | | 1 | 323 | | | | 51 | |
| 23S/18E-29E01 M | | | 4 | 426 | 1 | | | 10 | |
| 23S/18E-29E02 M | | | 4 | 364 | 1 | | | 59 | |
| 23S/19E-14R01 M | | | 0 | 59 | | | | 51 | |
| 23S/19E-26M01 M | | | 9 | | | | | 51 | |
| 24S/17E-11P01 M | | | 9 | 300 | | | | 59 | |
| 24S/17E-23A01 M | | | 0 | 200 | | | | 51 | |
| 24S/17E-35B02 M | | | 9 | 192 | | | | 50 | |
| 24S/18E-11D01 M | | | 4 | | | | | 51 | |
| 24S/18E-30D01 M | | | 2 | 453 | | | | 46 | |
| 24S/18E-33N01 M | | | 2 | 295 | | | | 51 | |
| 24S/19E-02L01 M | | | 0 | 704 | | | 1 | 55 | |
| 24S/19E-12E01 M | | | 0 | | | | | 55 | 61 |
| 25S/19E-15G01 M | | | 0 | | | | | 53 | |
| 25S/19E-20Q02 M | | | 4 | 400 | 1 | | | 49 | |
| 25S/19E-25B01 M | | | 0 | | | | | 51 | |
| 25S/20E-04C01 M | | | 9 | 200 | | | | 51 | |
| 25S/20E-15Q01 M | | | 9 | 170 | | | | 53 | |
| 25S/21E-30M01 M | | | 0 | | | | | 51 | |
| 26S/17E-13L02 M | | | 2 | | | | | 51 | |
| 26S/18E-16H01 M | | | 0 | | | | | 51 | |
| 26S/18E-19B02 M | | | 2 | | | | | 51 | |
| 26S/18E-27F01 M | | | 0 | | | | | 55 | |
| AVENAL-MCKITTRICK AREA | | | | 5-22.44 | | | | | |
| 26S/19E-12L01 M | | | 0 | 358 | | | | 51 | |
| 26S/21E-06F03 M | | | 0 | 194 | | | | 51 | |
| 27S/18E-15R01 M | | | 9 | | | | | 55 | |
| 28S/21E-13E01 M | | | 0 | | | 1 | | 55 | |
| TULARE LAKE LOST HILLS AREA | | | | 5-22.45 | | | | | |
| 21S/20E-12M01 M | | | 2 | | | | | 50 | |
| 21S/20E-27A01 M | | | 4 | | | | | 50 | |
| 24S/21E-15J01 M | | | 0 | | | | | 51 | |
| 24S/22E-36R01 M | | | 0 | | | | | 48 | |
| 25S/21E-22H01 M | | | 0 | 615 | | | | 59 | |
| CORCORAN IRRIGATION DISTRICT | | | | 5-22.46 | | | | | |
| 21S/22E-16Q01 M | | | 2 | | | | | 45 | |
| 21S/22E-24K01 M | | | 0 | | | | | 36 | |
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 13S/12E-05Q01 M | | | 0 | 937 | | | | 55 | |
| 13S/12E-22N01 M | | | 1 | | | | | 56 | |
| 13S/13E-10R01 M | | | 2 | 1430 | | | | 50 | |
| 13S/13E-12A01 M | | | 8 | 16 | | | | 50 | |
| 13S/13E-15R01 M | 15A | 6001 | 0 | | | | | 39 | |
| 13S/13E-33N01 M | | | 0 | | | | | 56 | 62 |
| 13S/14E-09J01 M | | | 8 | 16 | | | | 50 | |
| 13S/14E-32Q01 M | | | 0 | | | | | 39 | |
| 13S/15E-30N01 M | | | 8 | 20 | | | | 48 | 62 |
| 14S/13E-15M01 M | | | 2 | 1594 | | | | 52 | |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 14S/13E-26N01 M | | | 0 | 1410 | | | | | 52 |
| 14S/13E-29Q01 M | | | 2 | 1803 | | | 1 | | 50 |
| 14S/14E-05H01 M | | | 0 | | | | | | 58 |
| 14S/14E-17Q01 M | | | 0 | 1250 | | | 1 | | 50 |
| 14S/14E-28E02 M | 28C | 6001 | 0 | 437 | | | | | 48 |
| 14S/15E-18E02 M | | | 2 | 890 | | | | | 51 |
| 14S/15E-35N01 M | | | 2 | | | | | | 51 |
| 15S/13E-14N01 M | 14 | 6001 | 0 | | | | | | 50 |
| 15S/13E-26N01 M | | | 2 | | | | | | 53 |
| 15S/14E-07B02 M | 7 | 6001 | 0 | 850 | | | | | 49 |
| 15S/14E-11E01 M | | | 0 | 369 | | | | | 51 |
| 15S/15E-19N01 M | | | 0 | 828 | | | | | 50 |
| 15S/15E-22Q01 M | | | 2 | 749 | | | | | 48 |
| 15S/16E-20R01 M | | | 0 | 1250 | | | | | 39 |
| 15S/16E-34E01 M | | | 0 | 500 | | | | | 43 |
| 16S/14E-03E01 M | | | 0 | 1252 | | | 1 | | 50 |
| 16S/15E-02N02 M | | | 0 | 349 | | | | | 44 |
| 16S/16E-10N01 M | | | 2 | | | | | | 50 |
| 16S/16E-18N01 M | | | 2 | 521 | | | | | 50 |
| 16S/16E-28M01 M | | | 2 | 540 | | | 1 | | 50 |
| 17S/14E-13R01 M | | | 2 | 2090 | | | | | 52 |
| 17S/15E-27K01 M | | | 0 | 2130 | | | 1 | | 50 |
| 17S/16E-02E01 M | | | 2 | 561 | | | 1 | | 50 |
| 17S/16E-24R01 M | 24 | 6001 | 0 | 543 | | | | | 42 |

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 17S/16E-27Q01 M | | | 2 | 1748 | | | 1 | | 50 |
| 17S/17E-21N02 M | | | 0 | 1000 | | | 1 | | 51 |
| 17S/17E-26E03 M | | | 4 | 1530 | | | | | 52 |
| 18S/15E-13N01 M | | | 2 | 3284 | | | | | 52 |
| 18S/16E-22Q01 M | | | 0 | 2024 | | | 1 | | 50 |
| 18S/16E-26F01 M | | | 0 | 1800 | | | 1 | | 50 |
| 18S/17E-08R01 M | | | 2 | 1929 | | | 1 | | 50 |
| 18S/17E-12N01 M | | | 2 | 1552 | | | 1 | | 50 |
| 18S/17E-29N01 M | | | 0 | 826 | | | 1 | | 50 |
| 18S/18E-03N01 M | | | 2 | 626 | | | 1 | | 50 |
| 18S/18E-07N01 M | | | 2 | 1200 | | | 1 | | 50 |
| 18S/18E-24Q01 M | | | 9 | | | | | | 50 |
| 18S/18E-30N01 M | | | 0 | 1800 | | | 1 | | 50 |
| 19S/17E-35N01 M | | | 0 | 2030 | | | | | 58 |
| 19S/18E-15M01 M | | | 2 | 2110 | | | | | 50 |
| 19S/18E-20N01 M | | | 2 | 1999 | | | | | 50 |
| 19S/18E-27M01 M | 27B | 6001 | 0 | 2000 | | | | | 45 |
| 19S/18E-27N01 M | | | 0 | 2004 | | | | | 50 |
| 19S/18E-33Q01 M | | | 0 | 2017 | | | | | 51 |
| 20S/15E-17C01 M | | | 2 | | | | | | 51 |
| 20S/15E-25D01 M | | | 0 | 364 | 1 | | | | 51 |
| 20S/15E-32A01 M | | | 0 | 500 | | | | | 51 |
| 20S/16E-22J02 M | | | 0 | 600 | | | | | 51 |
| 20S/16E-31N01 M | | | 2 | 230 | | | | | 50 |

# DESCRIPTION OF SELECTED WELLS

| STATE WELL NUMBER | AGENCY WELL NUMBER | AGENCY SUPPLYING DATA | WELL USE | WELL DEPTH IN FEET | DATA AVAILABLE: LOG | DATA AVAILABLE: WATER ANAL. | DATA AVAILABLE: PROD. REC. | RECORD BEGINS | RECORD ENDS |
|---|---|---|---|---|---|---|---|---|---|
| MENDOTA-HURON AREA | | | | 5-22.47 | | | | | |
| 20S/17E-01E01 M | | | 2 | 1865 | | | | 50 | |
| 20S/17E-17N01 M | | | 2 | 2152 | | | | 50 | |
| 20S/18E-11N01 M | | | 2 | 2010 | | | | 50 | |
| 20S/18E-11Q01 M | | | 8 | 710 | | | | 58 | |
| 20S/18E-36D01 M | 36 | 6001 | 0 | 1400 | | | | 52 | |
| 21S/15E-01E01 M | | | 0 | 225 | | | | 50 | |
| 21S/15E-10C01 M | | | 2 | 1238 | | | | 51 | 61 |
| 21S/16E-02N01 M | | | 2 | 427 | 2 | | 1 | 53 | |
| 21S/16E-07N01 M | | | 2 | 320 | | | 1 | 55 | |
| 21S/16E-35D01 M | | | 2 | 443 | | | | 50 | |
| 21S/17E-05M01 M | | | 0 | 2066 | | | 1 | 50 | |
| 21S/17E-06N01 M | | | 0 | 522 | 1 | | | 51 | |
| 21S/17E-11E01 M | | | 2 | | | | 1 | 51 | |
| 21S/17E-24G01 M | | | 2 | 1808 | | | 1 | 57 | |
| 21S/18E-02M01 M | | | 2 | 1257 | | | 1 | 50 | |
| 21S/18E-28M02 M | 28 | 6001 | 2 | 1286 | 1 | | | 44 | |
| 21S/18E-29N01 M | | | 2 | 900 | 1 | | | 57 | |
| 22S/16E-12F01 M | | | 2 | | | | | 57 | |
| TERRA BELLA IRRIGATION DISTRICT | | | | 5-22.50 | | | | | |
| 22S/27E-36N01 M | 36C | 6001 | 0 | 696 | 2 | | | 58 | |
| 23S/27E-10H01 M | 10 | 6001 | 2 | | | | 1 | 34 | |

# APPENDIX B

## RECORDS OF GROUND-WATER LEVELS AT SELECTED WELLS IN CENTRAL AND NORTHERN CALIFORNIA

## RECORDS OF GROUND WATER LEVELS AT SELECTED WELLS IN CENTRAL AND NORTHERN CALIFORNIA

----------0----------

Explanation of headings and symbols used in the columns of the appendix table.

----------0----------

State well number--Refer to explanation in Appendix A and to paragraph on "well numbering system" in text of Chapter I.

Ground surface elevation in feet--The numbers in this column give the elevation above mean sea level in feet of the ground surface at the well.

Date--The date shown in the column is the date upon which the depth measurement given in the next column was made.

Distance ground surface to water surface--This is the depth in feet from the ground surface to the water surface in the well. Certain of the depth measurements in the column may be followed with an asterisk superscript (*) to indicate a questionable measurement. Depth to ground water measurements may be questionable for such reasons as:

(a) well being pumped while undergoing measurement,

(b) nearby pump operating,

(c) casing leaking or wet,

(d) well pumped recently,

(e) air gauge measurement,

(f) recharge operation at well or nearby.

The specific reason for any asterisk on any given measurement may be obtained through the Sacramento office of the Department of Water Resources.

The other symbols are:

| | |
|---|---|
| Measurement discontinued | # |
| Well destroyed | @ |
| No measurement for other reasons | ◘ |

The words FLOW and DRY are shown in this column to indicate a flowing or dry well, respectively.

Water surface elevation--This is the elevation in feet above mean sea level (USGS datum) of the water surface in the well. It was derived by machine computation by subtraction of the depth measurement from the ground surface elevation.

Agency supplying data--Each number in this column is the code number for the agency from which the water level datum was obtained. Appendix A contains an explanation of code numbers.

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| SMITH RIVER PLAIN | | 1-01.00 | | | |
| 16N/01W-02J01 H | 127.0 | 7-27-61 | 20.1 | 106.9 | 5000 |
| | | 8-29-61 | 19.2 | 107.8 | |
| | | 9-28-61 | 20.1 | 106.9 | |
| | | 10-24-61 | 19.4 | 107.6 | |
| | | 11-28-61 | 16.1 | 110.9 | |
| | | 12-27-61 | 15.4 | 111.6 | |
| | | 1-24-62 | 15.2 | 111.8 | |
| | | 2-27-62 | 15.1 | 111.9 | |
| | | 3-27-62 | 14.5 | 112.5 | |
| | | 4-26-62 | 15.8 | 111.2 | |
| | | 5-24-62 | 15.6 | 111.4 | |
| | | 6-26-62 | 18.5 | 108.5 | |
| 16N/01W-17K01 H | 49.0 | 7-27-61 | 17.8 | 31.2 | 5000 |
| | | 8-29-61 | 19.4 | 29.6 | |
| | | 9-28-61 | 19.6 | 29.4 | |
| | | 10-24-61 | 21.6 | 27.4 | |
| | | 11-28-61 | 20.4 | 28.6 | |
| | | 12-27-61 | 19.2 | 29.8 | |
| | | 1-24-62 | 28.0 | 21.0 | |
| | | 2-27-62 | 15.7 | 33.3 | |
| | | 3-27-62 | 14.1 | 34.9 | |
| | | 4-26-62 | 14.1 | 34.9 | |
| | | 5-24-62 | 16.9 | 32.1 | |
| | | 6-26-62 | 18.4 | 30.6 | |
| 16N/01W-22002 H | 39.0 | 7-27-61 | 16.4 | 22.6 | 5000 |
| | | 8-29-61 | 20.7 | 18.3 | |
| | | 9-28-61 | 22.6 | 16.4 | |
| | | 10-24-61 | 19.2 | 19.8 | |
| | | 11-28-61 | 13.5 | 25.5 | |
| | | 12-27-61 | 12.5 | 26.5 | |
| | | 1-24-62 | 12.6 | 26.4 | |
| | | 2-27-62 | 11.5 | 27.5 | |
| | | 3-27-62 | 10.6 | 28.4 | |
| | | 4-26-62 | 12.6 | 26.4 | |
| | | 5-24-62 | 13.5 | 25.5 | |
| | | 6-26-62 | 14.7 | 24.3 | |
| 17N/01W-02P01 H | 31.0 | 7-27-61 | 20.2 | 10.8 | 5000 |
| | | 8-29-61 | 22.2 | 8.8 | |
| | | 9-28-61 | 23.1 | 7.9 | |
| | | 10-24-61 | 23.2 | 7.8 | |
| | | 11-28-61 | 15.0 | 16.0 | |
| | | 12-27-61 | 15.4 | 15.6 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| SMITH RIVER PLAIN | | 1-01.00 | | | |
| 17N/01W-02P01 H CONT. | 31.0 | 1-24-62 | 18.3 | 12.7 | 5000 |
| | | 2-27-62 | 17.7 | 13.3 | |
| | | 3-27-62 | 14.7 | 16.3 | |
| | | 4-26-62 | 19.3 | 11.7 | |
| | | 5-24-62 | 19.7 | 11.3 | |
| | | 6-26-62 | 21.6 | 9.4 | |
| 18N/01W-26P01 H | 38.0 | 7-27-61 | 20.0 | 18.0 | 5000 |
| | | 8-29-61 | 22.2 | 15.8 | |
| | | 9-28-61 | 23.1 | 14.9 | |
| | | 10-24-61 | 23.1 | 14.9 | |
| | | 11-28-61 | 14.0 | 24.0 | |
| | | 12-27-61 | 15.4 | 22.6 | |
| | | 1-24-62 | 17.9 | 20.1 | |
| | | 2-27-62 | 16.4 | 21.6 | |
| | | 3-27-62 | □ | | |
| | | 4-26-62 | 18.1 | 19.9 | |
| | | 5-24-62 | 18.8 | 19.2 | |
| | | 6-26-62 | □ | | |
| BUTTE VALLEY | | 1-03.00 | | | |
| 45N/02W-03A01 M | 4260.1 | 11-17-61 | # | | 5050 |
| 46N/01E-06N01 M | 4242.4 | 7-28-61 | 30.4 | 4212.0 | 5000 |
| | | 8-30-61 | 30.6 | 4211.8 | |
| | | 9-29-61 | 18.7 | 4223.7 | |
| | | 10-25-61 | 23.4 | 4219.0 | |
| | | 11-29-61 | 22.4 | 4220.0 | |
| | | 12-28-61 | 22.0 | 4220.4 | |
| | | 1-25-62 | 23.4 | 4219.0 | |
| | | 2-28-62 | 20.2 | 4222.2 | |
| | | 3-28-62 | □ | | |
| | | 4-27-62 | □ | | |
| | | 5-25-62 | 23.1 | 4219.3 | |
| | | 6-27-62 | 28.5 | 4213.9 | |
| 46N/02W-25R01 M | 4256.3 | 11-17-61 | # | | 5000 |
| | | 11-17-61 | # | | 5050 |
| 46N/02W-25R02 M | 4256.2 | 7-28-61 | □ | | 5000 |
| | | 8-30-61 | 43.7 | 4212.5 | |
| | | 9-29-61 | 33.1 | 4223.1 | |
| | | 10-25-61 | 30.8 | 4225.4 | |
| | | 11-29-61 | 30.0 | 4226.2 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| BUTTE VALLEY | | | 1-03.00 | | |
| 46N/02W-25R02 M | 4256.2 | 12-28-61 | 29.5 | 4226.7 | 5000 |
| CONT. | | 1-25-62 | ▫ | | |
| | | 2-28-62 | 28.1 | 4228.1 | |
| | | 3-28-62 | 28.2 | 4228.0 | |
| | | 4-27-62 | 28.6 | 4227.6 | |
| | | 5-25-62 | 28.0 | 4228.2 | |
| | | 6-27-62 | ▫ | | |
| 47N/01W-14B01 M | 4233.7 | 7-28-61 | 13.1 | 4220.6 | 5000 |
| | | 8-30-61 | 13.2 | 4220.5 | |
| | | 9-29-61 | 13.2 | 4220.5 | |
| | | 10-25-61 | 18.4 | 4215.3 | |
| | | 11-29-61 | 13.4 | 4220.3 | |
| | | 12-28-61 | 13.1 | 4220.6 | |
| | | 1-25-62 | 13.2 | 4220.5 | |
| | | 2-28-62 | 11.7 | 4222.0 | |
| | | 3-28-62 | 11.8 | 4221.9 | |
| | | 4-27-62 | 12.1 | 4221.6 | |
| | | 5-25-62 | 13.1 | 4220.6 | |
| | | 6-27-62 | 14.2 | 4219.5 | |
| 47N/01W-27B01 M | 4233.4 | 7-28-61 | 11.1 | 4222.3 | 5000 |
| | | 8-30-61 | 11.9 | 4221.5 | |
| | | 9-29-61 | 12.1 | 4221.3 | |
| | | 10-25-61 | 12.1 | 4221.3 | |
| | | 11-29-61 | ▫ | | |
| | | 12-28-61 | 11.8 | 4221.6 | |
| | | 1-25-62 | 11.4 | 4222.0 | |
| | | 2-28-62 | 9.0 | 4224.4 | |
| | | 3-28-62 | 9.2 | 4224.2 | |
| | | 4-27-62 | 8.7 | 4224.7 | |
| | | 5-25-62 | 9.9 | 4223.5 | |
| | | 6-27-62 | 10.1 | 4223.3 | |
| 48N/01W-26N01 M | 4244.2 | 7-28-61 | 20.3 | 4223.9 | 5000 |
| | | 8-30-61 | 31.8* | 4212.4 | |
| | | 9-29-61 | 20.0 | 4224.2 | |
| | | 10-25-61 | 21.0 | 4223.2 | |
| | | 11-29-61 | 22.1 | 4222.1 | |
| | | 12-28-61 | 36.6* | 4207.6 | |
| | | 1-25-62 | 21.9 | 4222.3 | |
| | | 2-28-62 | 38.3* | 4205.9 | |
| | | 3-28-62 | 20.2 | 4224.0 | |
| | | 4-27-62 | 17.9 | 4226.3 | |
| | | 5-25-62 | 17.5 | 4226.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| BUTTE VALLEY | | | 1-03.00 | | |
| 48N/01W-26N01 M | 4244.2 | 6-27-62 | 14.7 | 4229.5 | 5000 |
| SHASTA VALLEY | | | 1-04.00 | | |
| 42N/05W-20J01 M | 2882.0 | 7-28-61 | 4.0 | 2878.0 | 5000 |
| | | 8-30-61 | 4.4 | 2877.6 | |
| | | 9-28-61 | 6.1 | 2875.9 | |
| | | 10-25-61 | 5.8 | 2876.2 | |
| | | 11-29-61 | 4.6 | 2877.4 | |
| | | 12-28-61 | 5.6 | 2876.4 | |
| | | 1-25-62 | 5.9 | 2876.1 | |
| | | 2-28-62 | 5.8 | 2876.2 | |
| | | 3-28-62 | 5.7 | 2876.3 | |
| | | 4-27-62 | 5.1 | 2876.9 | |
| | | 5-25-62 | 5.5 | 2876.5 | |
| | | 6-27-62 | 5.0 | 2877.0 | |
| 42N/06W-10J01 M | 2835.0 | 7-28-61 | 9.5 | 2825.5 | 5000 |
| | | 8-30-61 | 13.1 | 2821.9 | |
| | | 9-28-61 | 14.0 | 2821.0 | |
| | | 10-25-61 | 13.1 | 2821.9 | |
| | | 11-29-61 | 11.3 | 2823.7 | |
| | | 12-28-61 | 7.7 | 2827.3 | |
| | | 1-25-62 | 6.7 | 2828.3 | |
| | | 2-28-62 | 6.5 | 2828.5 | |
| | | 3-28-62 | 6.2 | 2828.8 | |
| | | 4-27-62 | 1.4 | 2833.6 | |
| | | 5-25-62 | 2.1 | 2832.9 | |
| | | 6-27-62 | 4.9 | 2830.1 | |
| 43N/06W-22A01 M | 2665.0 | 7-28-61 | 6.7 | 2658.3 | 5000 |
| | | 8-30-61 | 5.5 | 2659.5 | |
| | | 9-28-61 | 5.3 | 2659.7 | |
| | | 10-25-61 | 6.0 | 2659.0 | |
| | | 11-29-61 | 4.8 | 2660.2 | |
| | | 12-28-61 | 3.1 | 2661.9 | |
| | | 1-25-62 | ▫ | | |
| | | 2-28-62 | 3.0 | 2662.0 | |
| | | 3-28-62 | 1.8 | 2663.2 | |
| | | 4-27-62 | 1.0 | 2664.0 | |
| | | 5-25-62 | 4.5 | 2660.5 | |
| | | 6-27-62 | 6.8* | 2658.2 | |
| 44N/05W-34H01 M | 2637.0 | 7-27-61 | 25.1 | 2611.9 | 5000 |
| | | 8-30-61 | ▫ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| SHASTA VALLEY | | | 1-04.00 | | |
| 44N/05W-34H01 M | 2637.0 | 9-28-61 | 23.5 | 2613.5 | 5000 |
| CONT. | | 10-25-61 | 26.1 | 2610.9 | |
| | | 11-29-61 | 27.5 | 2609.5 | |
| | | 12-28-61 | 28.0 | 2609.0 | |
| | | 1-25-62 | 28.9 | 2608.1 | |
| | | 2-28-62 | 29.0 | 2608.0 | |
| | | 3-28-62 | 29.6 | 2607.4 | |
| | | 4-27-62 | ◻ | | |
| | | 5-24-62 | 26.9 | 2610.1 | |
| | | 6-27-62 | ◻ | | |
| 45N/05W-29B01 M | 2635.0 | 7-27-61 | 19.5 | 2615.5 | 5000 |
| | | 8-30-61 | 19.1 | 2615.9 | |
| | | 9-28-61 | 17.5 | 2617.5 | |
| | | 10-25-61 | 18.1 | 2616.9 | |
| | | 11-29-61 | 18.5 | 2616.5 | |
| | | 12-27-61 | 19.1 | 2615.9 | |
| | | 1-25-62 | 19.6 | 2615.4 | |
| | | 2-28-62 | 20.1 | 2614.9 | |
| | | 3-28-62 | 20.4 | 2614.6 | |
| | | 4-27-62 | 20.5 | 2614.5 | |
| | | 5-24-62 | 19.6 | 2615.4 | |
| | | 6-27-62 | 20.8 | 2614.2 | |
| 45N/06W-19E01 M | 2538.0 | 7-27-61 | 31.4 | 2506.6 | 5000 |
| | | 8-30-61 | 19.5 | 2518.5 | |
| | | 9-28-61 | 20.2 | 2517.8 | |
| | | 10-25-61 | 19.4 | 2518.6 | |
| | | 11-29-61 | 19.8 | 2518.2 | |
| | | 12-27-61 | 19.3 | 2518.7 | |
| | | 1-25-62 | 19.0 | 2519.0 | |
| | | 2-28-62 | 17.4 | 2520.6 | |
| | | 3-28-62 | 18.2* | 2519.8 | |
| | | 4-27-62 | 17.0 | 2521.0 | |
| | | 5-24-62 | 26.9* | 2511.1 | |
| | | 6-27-62 | 19.8 | 2518.2 | |
| SCOTT RIVER VALLEY | | | 1-05.00 | | |
| 42N/09W-02G01 M | 2750.0 | 11-17-61 | # | | 5050 |
| 42N/09W-08C03 M | 2836.0 | 7-27-61 | 35.6 | 2800.4 | 5000 |
| | | 8-30-61 | 44.5* | 2791.5 | |
| | | 9-29-61 | 47.4 | 2788.6 | |
| | | 10-24-61 | 50.3 | 2785.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| SCOTT RIVER VALLEY | | | 1-05.00 | | |
| 42N/09W-08C03 M | 2836.0 | 11-29-61 | 52.5 | 2783.5 | 5000 |
| CONT. | | 12-28-61 | 49.7 | 2786.3 | |
| | | 1-25-62 | ◻ | | |
| | | 2-27-62 | 47.8 | 2788.2 | |
| | | 3-27-62 | 41.2 | 2794.8 | |
| | | 4-26-62 | 39.6 | 2796.4 | |
| | | 5-25-62 | 39.1 | 2796.9 | |
| | | 6-27-62 | 37.2 | 2798.8 | |
| 42N/09W-27N01 M | 2930.0 | 7-27-61 | 6.1 | 2923.9 | 5000 |
| | | 8-30-61 | ◻ | | |
| | | 9-29-61 | 8.9 | 2921.1 | |
| | | 10-24-61 | 7.2 | 2922.8 | |
| | | 11-29-61 | 1.3 | 2928.7 | |
| | | 12-28-61 | 1.5 | 2928.5 | |
| | | 1-25-62 | 1.8 | 2928.2 | |
| | | 2-27-62 | 2.7 | 2927.3 | |
| | | 3-27-62 | 3.3 | 2926.7 | |
| | | 4-26-62 | 3.1 | 2926.9 | |
| | | 5-25-62 | 2.1 | 2927.9 | |
| | | 6-27-62 | 2.1 | 2927.9 | |
| 43N/09W-02K02 M | 2725.0 | 7-27-61 | 13.5 | 2711.5 | 5000 |
| | | 8-30-61 | 14.0 | 2711.0 | |
| | | 9-29-61 | 14.1 | 2710.9 | |
| | | 10-24-61 | 15.3 | 2709.7 | |
| | | 11-29-61 | 16.9 | 2708.1 | |
| | | 12-28-61 | ◉ | | |
| 43N/09W-24F01 M | 2735.0 | 7-27-61 | ◻ | | 5000 |
| | | 8-30-61 | ◻ | | |
| | | 9-29-61 | 12.0 | 2723.0 | |
| | | 10-24-61 | 8.8 | 2726.2 | |
| | | 11-29-61 | 8.8 | 2726.2 | |
| | | 12-28-61 | 10.0 | 2725.0 | |
| | | 1-25-62 | 11.5 | 2723.5 | |
| | | 2-27-62 | 10.4 | 2724.6 | |
| | | 3-27-62 | 11.3 | 2723.7 | |
| | | 4-26-62 | ◻ | | |
| | | 5-25-62 | 4.6 | 2730.4 | |
| | | 6-27-62 | ◻ | | |
| 44N/09W-28P01 M | 2711.0 | 7-27-61 | 10.8 | 2700.2 | 5000 |
| | | 8-30-61 | 11.7 | 2699.3 | |
| | | 9-29-61 | 20.7 | 2690.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| SCOTT RIVER VALLEY | | | 1-05.00 | | |
| 44N/09W-28P01 M | 2711.0 | 10-24-61 | 24.5 | 2686.5 | 5000 |
| CONT. | | 11-29-61 | 26.4 | 2684.6 | |
| | | 12-28-61 | 25.1 | 2685.9 | |
| | | 1-25-62 | 20.3 | 2690.7 | |
| | | 2-27-62 | 11.2 | 2699.8 | |
| | | 3-27-62 | 7.8 | 2703.2 | |
| | | 4-26-62 | 8.2 | 2702.8 | |
| | | 5-25-62 | 6.1 | 2704.9 | |
| | | 6-27-62 | 7.2 | 2703.8 | |
| 44N/09W-34G01 M | 2721.0 | 11-17-61 | # | | 5050 |
| MAD RIVER VALLEY | | | 1-08.00 | | |
| 6N/01E-06H01 H | 151.0 | 7-27-61 | 9.0 | 142.0 | 5000 |
| | | 8-29-61 | 10.7 | 140.3 | |
| | | 9-28-61 | 13.2 | 137.8 | |
| | | 10-24-61 | 12.9 | 138.1 | |
| | | 11-28-61 | 4.2 | 146.8 | |
| | | 12-27-61 | 2.6 | 148.4 | |
| | | 1-24-62 | 1.9 | 149.1 | |
| | | 2-27-62 | 2.0 | 149.0 | |
| | | 3-27-62 | 1.9 | 149.1 | |
| | | 4-26-62 | 4.1 | 146.9 | |
| | | 5-24-62 | 5.5 | 145.5 | |
| | | 6-26-62 | 9.0 | 142.0 | |
| 6N/01E-29P01 H | 25.0 | 7-27-61 | 11.7 | 13.3 | 5000 |
| | | 8-29-61 | 9.2 | 15.8 | |
| | | 9-28-61 | 12.2 | 12.8 | |
| | | 10-24-61 | 10.8 | 14.2 | |
| | | 11-28-61 | 8.6 | 16.4 | |
| | | 12-27-61 | 8.4 | 16.6 | |
| | | 1-24-62 | 7.8 | 17.2 | |
| | | 2-27-62 | 7.7 | 17.3 | |
| | | 3-27-62 | 7.6 | 17.4 | |
| | | 4-26-62 | 9.2 | 15.8 | |
| | | 5-24-62 | 10.0 | 15.0 | |
| | | 6-26-62 | 11.8 | 13.2 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| EEL RIVER VALLEY | | | 1-10.00 | | |
| 3N/01W-18D01 H | 24.0 | 7-27-61 | 1.6 | 22.4 | 5000 |
| | | 8-29-61 | 1.8 | 22.2 | |
| | | 9-28-61 | 2.0 | 22.0 | |
| | | 10-24-61 | 2.4 | 21.6 | |
| | | 11-28-61 | 2.6 | 21.4 | |
| | | 12-27-61 | 3.0 | 21.0 | |
| | | 1-24-62 | 2.8 | 21.2 | |
| | | 2-27-62 | 2.8 | 21.2 | |
| | | 3-27-62 | 2.2 | 21.8 | |
| | | 4-26-62 | 2.1 | 21.9 | |
| | | 5-24-62 | 2.1 | 21.9 | |
| | | 6-26-62 | 2.3 | 21.7 | |
| 3N/01W-34J01 H | 60.0 | 7-27-61 | 34.0 | 26.0 | 5000 |
| | | 8-29-61 | 34.5 | 25.5 | |
| | | 9-28-61 | 35.0 | 25.0 | |
| | | 10-24-61 | 35.2 | 24.8 | |
| | | 10-24-61 | 35.2 | 24.8 | |
| | | 11-28-61 | 34.2 | 25.8 | |
| | | 12-27-61 | 33.5 | 26.5 | |
| | | 1-24-62 | 33.2 | 26.8 | |
| | | 2-27-62 | 32.9 | 27.1 | |
| | | 3-27-62 | 31.5 | 28.5 | |
| | | 4-26-62 | 32.4 | 27.6 | |
| | | 5-24-62 | 33.0 | 27.0 | |
| | | 6-26-62 | 33.6 | 26.4 | |
| 3N/02W-26R01 H | 20.0 | 7-27-61 | 8.9 | 11.1 | 5000 |
| | | 8-29-61 | 9.2 | 10.8 | |
| | | 9-28-61 | 9.3 | 10.7 | |
| | | 10-24-61 | 9.0 | 11.0 | |
| | | 11-28-61 | 8.4 | 11.6 | |
| | | 12-27-61 | 7.9 | 12.1 | |
| | | 1-24-62 | 6.4 | 13.6 | |
| | | 2-27-62 | 4.5 | 15.5 | |
| | | 3-27-62 | 4.8 | 15.2 | |
| | | 4-26-62 | 5.4 | 14.6 | |
| | | 5-24-62 | 7.1 | 12.9 | |
| | | 6-26-62 | 8.4 | 11.6 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| ROUND VALLEY | | | 1-11.00 | | |
| 22N/12W-04B01 M | 1351.0 | 7-26-61 | 9.0 | 1342.0 | 5000 |
| | | 8-28-61 | 11.0 | 1340.0 | |
| | | 9-27-61 | 13.9 | 1337.1 | |
| | | 10-23-61 | 14.4 | 1336.6 | |
| | | 11-27-61 | 15.1 | 1335.9 | |
| | | 12-26-61 | 6.9 | 1344.1 | |
| | | 1-23-62 | 5.9 | 1345.1 | |
| | | 2-26-62 | 5.4 | 1345.6 | |
| | | 3-26-62 | 5.8 | 1345.2 | |
| | | 4-25-62 | 6.4 | 1344.6 | |
| | | 5-23-62 | 6.4 | 1344.6 | |
| | | 6-25-62 | 5.6 | 1345.4 | |
| 22N/12W-18N01 M | 1400.0 | 7-26-61 | # | | 5000 |
| 22N/12W-19M01 M | 1410.0 | 10-25-61 | # | | 5001 |
| 22N/13W-01E01 M | 1415.0 | 10-25-61 | # | | 5001 |
| 23N/12W-31N01 M | 1388.5 | 7-26-61 | FLOW | | 5000 |
| | | 8-28-61 | □ | | |
| | | 9-27-61 | 5.0 | 1383.5 | |
| | | 10-23-61 | 5.9 | 1382.6 | |
| | | 11-27-61 | 5.8 | 1382.7 | |
| | | 12-26-61 | FLOW | | |
| | | 1-23-62 | FLOW | | |
| | | 2-26-62 | FLOW | | |
| | | 3-26-62 | FLOW | | |
| | | 4-25-62 | FLOW | | |
| | | 5-23-62 | FLOW | | |
| | | 6-25-62 | FLOW | | |
| LAYTONVILLE VALLEY | | | 1-12.00 | | |
| 21N/14W-30M01 M | 1688.0 | 7-26-61 | 13.3 | 1674.7 | 5000 |
| | | 8-28-61 | 15.4 | 1672.6 | |
| | | 9-27-61 | 16.5 | 1671.5 | |
| | | 10-23-61 | 17.0 | 1671.0 | |
| | | 11-27-61 | 16.4 | 1671.6 | |
| | | 12-26-61 | 8.5 | 1679.5 | |
| | | 1-23-62 | 6.6 | 1681.4 | |
| | | 2-26-62 | 4.8 | 1683.2 | |
| | | 3-26-62 | 4.0 | 1684.0 | |
| | | 4-25-62 | 11.6* | 1676.4 | |
| | | 5-23-62 | 9.7 | 1678.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| LAYTONVILLE VALLEY | | | 1-12.00 | | |
| 21N/14W-30M01 M | 1688.0 | 6-25-62 | 13.7 | 1674.3 | 5000 |
| 21N/15W-11R02 M | 1645.0 | 11-17-61 | # | | 5050 |
| 21N/15W-12M01 M | 1540.0 | 7-26-61 | 12.9 | 1527.1 | 5000 |
| | | 8-28-61 | 13.0 | 1527.0 | |
| | | 9-27-61 | 15.6 | 1524.4 | |
| | | 10-23-61 | 15.3 | 1524.7 | |
| | | 11-27-61 | 12.9 | 1527.1 | |
| | | 12-26-61 | 9.9 | 1530.1 | |
| | | 1-23-62 | 5.3 | 1534.7 | |
| | | 2-26-62 | 1.4 | 1538.6 | |
| | | 3-26-62 | @ | | |
| 21N/15W-12M02 M | 1545.0 | 3-26-62 | 7.3 | 1537.7 | 5000 |
| | | 4-25-62 | 11.2 | 1533.8 | |
| | | 5-23-62 | 12.6 | 1532.4 | |
| | | 6-25-62 | 14.8 | 1530.2 | |
| 21N/15W-24A01 M | 1653.0 | 7-26-61 | 6.1 | 1646.9 | 5000 |
| | | 8-28-61 | 6.8 | 1646.2 | |
| | | 9-27-61 | 8.6 | 1644.4 | |
| | | 10-23-61 | 11.3 | 1641.7 | |
| | | 11-27-61 | 2.2 | 1650.8 | |
| | | 12-26-61 | 2.1 | 1650.9 | |
| | | 1-23-62 | 1.8 | 1651.2 | |
| | | 2-26-62 | 2.1 | 1650.9 | |
| | | 3-26-62 | 1.6 | 1651.4 | |
| | | 4-25-62 | 3.5 | 1649.5 | |
| | | 5-23-62 | 4.1 | 1648.9 | |
| | | 6-25-62 | 5.3 | 1647.7 | |
| 22N/15W-22E01 M | 1475.0 | 11-17-61 | # | | 5050 |
| LITTLE LAKE VALLEY | | | 1-13.00 | | |
| 18N/13W-08L01 M | 1340.0 | 7-26-61 | 5.4 | 1334.6 | 5000 |
| | | 8-28-61 | 5.1 | 1334.9 | |
| | | 9-27-61 | 8.7 | 1331.3 | |
| | | 10-23-61 | 8.6 | 1331.4 | |
| | | 11-27-61 | 6.7 | 1333.3 | |
| | | 12-26-61 | .5 | 1339.5 | |
| | | 1-23-62 | .7 | 1339.3 | |
| | | 2-26-62 | .5 | 1339.5 | |
| | | 3-26-62 | .2 | 1339.8 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| LITTLE LAKE VALLEY | | | 1-13.00 | | |
| 18N/13W-08L01 M | 1340.0 | 4-25-62 | 2.7 | 1337.3 | 5000 |
| CONT. | | 5-23-62 | 4.4 | 1335.6 | |
| | | 6-25-62 | 4.8 | 1335.2 | |
| 18N/13W-08L02 M | 1337.0 | 10-05-61 | # | | 5050 |
| 18N/13W-17J01 M | 1350.0 | 7-26-61 | 11.7 | 1338.3 | 5000 |
| | | 8-28-61 | 13.5 | 1336.5 | |
| | | 9-27-61 | 14.6 | 1335.4 | |
| | | 10-05-61 | # | | 5050 |
| | | 10-23-61 | 15.2 | 1334.8 | 5000 |
| | | 11-27-61 | 15.1 | 1334.9 | |
| | | 12-26-61 | 12.6 | 1337.4 | |
| | | 1-23-62 | 10.4 | 1339.6 | |
| | | 2-26-62 | 6.4 | 1343.6 | |
| | | 3-26-62 | 5.4 | 1344.6 | |
| | | 4-25-62 | 6.7 | 1343.3 | |
| | | 5-23-62 | 7.9 | 1342.1 | |
| | | 6-25-62 | 10.9 | 1339.1 | |
| 18N/13W-18E01 M | 1350.0 | 7-26-61 | 24.5 | 1325.5 | 5000 |
| | | 8-28-61 | 23.0 | 1327.0 | |
| | | 9-27-61 | 27.8 | 1322.2 | |
| | | 10-05-61 | # | | 5050 |
| | | 10-23-61 | 27.6 | 1322.4 | 5000 |
| | | 11-27-61 | 25.4 | 1324.6 | |
| | | 12-26-61 | 24.1 | 1325.9 | |
| | | 1-23-62 | 23.0 | 1327.0 | |
| | | 2-26-62 | 22.2 | 1327.8 | |
| | | 3-26-62 | 23.0 | 1327.0 | |
| | | 4-25-62 | 21.9 | 1328.1 | |
| | | 5-23-62 | 25.0 | 1325.0 | |
| | | 6-25-62 | 22.7 | 1327.3 | |
| 18N/13W-19B01 M | 1360.0 | 10-05-61 | # | | 5050 |
| POTTER VALLEY | | | 1-14.00 | | |
| 17N/11W-18J01 M | 955.0 | 7-26-61 | .4 | 954.6 | 5000 |
| | | 8-28-61 | .2 | 954.8 | |
| | | 9-27-61 | 1.6 | 953.4 | |
| | | 10-23-61 | - .1 | 955.1 | |
| | | 11-27-61 | - .4 | 955.4 | |
| | | 12-26-61 | FLOW | | |
| | | 1-23-62 | FLOW | | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| POTTER VALLEY | | | 1-14.00 | | |
| 17N/11W-18J01 M | 955.0 | 2-26-62 | FLOW | | 5000 |
| CONT. | | 3-26-62 | FLOW | | |
| | | 4-25-62 | - .5 | 955.5 | |
| | | 5-23-62 | - .2 | 955.2 | |
| | | 6-25-62 | .6 | 954.4 | |
| 17N/11W-29P01 M | 940.0 | 7-26-61 | ¤ | | 5000 |
| | | 8-28-61 | # | | |
| 17N/11W-32J01 M | 895.0 | 7-26-61 | 1.1* | 893.9 | 5000 |
| | | 8-29-61 | 2.1 | 892.9 | |
| | | 9-27-61 | .6 | 894.4 | |
| | | 10-23-61 | 2.3 | 892.7 | |
| | | 11-27-61 | .4 | 894.6 | |
| | | 12-26-61 | 1.2 | 893.8 | |
| | | 1-23-62 | - .1 | 895.1 | |
| | | 2-26-62 | .9 | 894.1 | |
| | | 3-26-62 | .8 | 894.2 | |
| | | 4-25-62 | 3.0 | 892.0 | |
| | | 5-23-62 | 3.0* | 892.0 | |
| | | 6-25-62 | .6 | 894.4 | |
| UKIAH VALLEY | | | 1-15.00 | | |
| 15N/12W-08L01 M | 665.0 | 7-07-61 | 24.7 | 640.3 | 5000 |
| | | 8-08-61 | 23.7 | 641.3 | |
| | | 9-07-61 | 31.9* | 633.1 | |
| | | 10-04-61 | 26.4 | 638.6 | |
| | | 11-07-61 | 28.7* | 636.3 | |
| | | 12-05-61 | 22.7 | 642.3 | |
| | | 1-12-62 | 18.8 | 646.2 | |
| | | 2-13-62 | 16.5 | 648.5 | |
| | | 3-09-62 | 10.1* | 654.9 | |
| | | 4-19-62 | 15.8 | 649.2 | |
| | | 5-10-62 | 18.5 | 646.5 | |
| | | 6-12-62 | 21.4 | 643.6 | |
| 15N/12W-21M01 M | 590.0 | 7-07-61 | ¤ | | 5000 |
| | | 8-08-61 | ¤ | | |
| | | 9-07-61 | 12.2* | 577.8 | |
| | | 10-04-61 | 18.4 | 571.6 | |
| | | 11-07-61 | 14.2 | 575.8 | |
| | | 12-05-61 | 9.3 | 580.7 | |
| | | 1-12-62 | 5.3 | 584.7 | |
| | | 2-13-62 | .4 | 589.6 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| UKIAH VALLEY | | | 1-15.00 | | |
| 15N/12W-21M01 M | 590.0 | 3-09-62 | .5 | 589.5 | 5000 |
| CONT. | | 4-19-62 | 2.3 | 587.7 | |
| | | 5-10-62 | 3.3 | 586.7 | |
| | | 6-12-62 | ▫ | | |
| 15N/12W-35M01 M | 600.0 | 7-07-61 | ▫ | | 5000 |
| | | 8-08-61 | 6.5 | 593.5 | |
| | | 9-07-61 | 9.9 | 590.1 | |
| | | 10-04-61 | 16.2* | 583.8 | |
| | | 11-07-61 | 22.2* | 577.8 | |
| | | 12-05-61 | 8.0 | 592.0 | |
| | | 1-12-62 | 9.4 | 590.6 | |
| | | 2-13-62 | ▫ | | |
| | | 3-09-62 | ▫ | | |
| | | 4-19-62 | 5.2* | 594.8 | |
| | | 5-10-62 | ▫ | | |
| | | 6-12-62 | 5.6 | 594.4 | |
| HOPLAND VALLEY | | | 1-16.00 | | |
| 13N/11W-18F01 M | 490.0 | 7-07-61 | 11.9 | 478.1 | 5000 |
| | | 8-08-61 | ▫ | | |
| | | 9-07-61 | 11.4 | 478.6 | |
| | | 10-04-61 | 11.6 | 478.4 | |
| | | 11-07-61 | 12.4 | 477.6 | |
| | | 12-05-61 | 9.3 | 480.7 | |
| | | 1-12-62 | 11.5 | 478.5 | |
| | | 2-13-62 | 5.4 | 484.6 | |
| | | 3-09-62 | 5.4 | 484.6 | |
| | | 4-19-62 | ▫ | | |
| | | 5-10-62 | 12.0 | 478.0 | |
| | | 6-12-62 | ▫ | | |
| 13N/11W-19P01 M | 488.0 | 7-07-61 | 13.1 | 474.9 | 5000 |
| | | 8-08-61 | 16.3 | 471.7 | |
| | | 9-07-61 | 17.8 | 470.2 | |
| | | 10-04-61 | 17.9 | 470.1 | |
| | | 11-07-61 | 18.3* | 469.7 | |
| | | 12-05-61 | 8.4 | 479.6 | |
| | | 1-12-62 | 10.0* | 478.0 | |
| | | 2-13-62 | 3.8 | 484.2 | |
| | | 3-09-62 | 4.9 | 483.1 | |
| | | 4-19-62 | 9.1 | 478.9 | |
| | | 5-10-62 | 9.8 | 478.2 | |
| | | 6-12-62 | 12.5 | 475.5 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| HOPLAND VALLEY | | | 1-16.00 | | |
| 13N/11W-20G01 M | 515.0 | 7-07-61 | 7.9 | 507.1 | 5000 |
| | | 8-08-61 | 11.7 | 503.3 | |
| | | 9-07-61 | 12.6 | 502.4 | |
| | | 10-04-61 | 64.2* | 450.8 | |
| | | 11-07-61 | 13.2 | 501.8 | |
| | | 12-05-61 | 4.8 | 510.2 | |
| | | 1-12-62 | 4.1 | 510.9 | |
| | | 2-13-62 | ▫ | | |
| | | 3-09-62 | 3.8 | 511.2 | |
| | | 4-19-62 | 4.7 | 510.3 | |
| | | 5-10-62 | 5.3 | 509.7 | |
| | | 6-12-62 | 6.8 | 508.2 | |
| ALEXANDER VALLEY | | | 1-17.00 | | |
| 10N/09W-18B01 M | 230.0 | 7-07-61 | ▫ | | 5000 |
| | | 8-08-61 | 20.6 | 209.4 | |
| | | 9-07-61 | 20.9 | 209.1 | |
| | | 10-04-61 | 21.9 | 208.1 | |
| | | 11-07-61 | 21.0 | 209.0 | |
| | | 12-05-61 | 17.2 | 212.8 | |
| | | 1-12-62 | 18.9 | 211.1 | |
| | | 2-13-62 | ▫ | | |
| | | 3-09-62 | 12.4 | 217.6 | |
| | | 4-19-62 | 17.3 | 212.7 | |
| | | 5-10-62 | 18.3 | 211.7 | |
| | | 6-12-62 | ▫ | | |
| 10N/09W-26L02 M | 205.0 | 7-07-61 | 11.7 | 193.3 | 5000 |
| | | 8-08-61 | 14.4 | 190.6 | |
| | | 9-07-61 | 19.2 | 185.8 | |
| | | 10-04-61 | 20.7 | 184.3 | |
| | | 11-07-61 | 25.6* | 179.4 | |
| | | 12-05-61 | 12.7 | 192.3 | |
| | | 1-12-62 | 12.1 | 192.9 | |
| | | 2-13-62 | ▫ | | |
| | | 3-09-62 | 1.0 | 204.0 | |
| | | 4-19-62 | 2.5 | 202.5 | |
| | | 5-10-62 | 3.1 | 201.9 | |
| | | 6-12-62 | 10.1 | 194.9 | |
| 10N/09W-33C01 M | 180.0 | 7-07-61 | 8.0 | 172.0 | 5000 |
| | | 8-08-61 | 7.9 | 172.1 | |
| | | 9-07-61 | 7.7 | 172.3 | |
| | | 10-04-61 | 8.0 | 172.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| ALEXANDER VALLEY | | | 1-17.00 | | |
| 10N/09W-33C01 M | 180.0 | 11-07-61 | 8.1 | 171.9 | 5000 |
| CONT. | | 12-05-61 | 3.9 | 176.1 | |
| | | 1-12-62 | 8.0 | 172.0 | |
| | | 2-13-62 | ¤ | | |
| | | 3-09-62 | 1.0 | 179.0 | |
| | | 4-19-62 | 6.5 | 173.5 | |
| | | 5-10-62 | 7.4 | 172.6 | |
| | | 6-12-62 | 9.1 | 170.9 | |
| 11N/10W-08P01 M | 305.0 | 7-07-61 | 12.5 | 292.5 | 5000 |
| | | 8-08-61 | 12.8 | 292.2 | |
| | | 9-07-61 | 12.4 | 292.6 | |
| | | 10-04-61 | 10.3 | 294.7 | |
| | | 11-07-61 | 12.6 | 292.4 | |
| | | 12-05-61 | ¤ | | |
| | | 1-12-62 | 11.3 | 293.7 | |
| | | 2-13-62 | ¤ | | |
| | | 3-09-62 | 2.9 | 302.1 | |
| | | 4-19-62 | 10.2 | 294.8 | |
| | | 5-10-62 | 11.9 | 293.1 | |
| | | 6-12-62 | 13.3 | 291.7 | |
| 11N/10W-17P02 M | 292.0 | 7-07-61 | 10.3 | 281.7 | 5000 |
| | | 8-08-61 | 10.9 | 281.1 | |
| | | 9-07-61 | 9.4 | 282.6 | |
| | | 10-04-61 | 9.6 | 282.4 | |
| | | 11-07-61 | ¤ | | |
| | | 12-05-61 | 16.9* | 275.1 | |
| | | 1-12-62 | 15.1 | 276.9 | |
| | | 2-13-62 | ¤ | | |
| | | 3-09-62 | ¤ | | |
| | | 4-19-62 | 8.2 | 283.8 | |
| | | 5-10-62 | 9.1 | 282.9 | |
| | | 6-12-62 | 9.8 | 282.2 | |
| 11N/10W-19F02 M | 346.0 | 7-07-61 | 7.8 | 338.2 | 5000 |
| | | 8-08-61 | 10.7 | 335.3 | |
| | | 9-07-61 | 12.3 | 333.7 | |
| | | 10-04-61 | 13.3 | 332.7 | |
| | | 11-07-61 | 14.1 | 331.9 | |
| | | 12-05-61 | 9.3 | 336.7 | |
| | | 1-12-62 | 3.6 | 342.4 | |
| | | 2-13-62 | 1.8 | 344.2 | |
| | | 3-09-62 | 2.6 | 343.4 | |
| | | 4-19-62 | 3.9 | 342.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| ALEXANDER VALLEY | | | 1-17.00 | | |
| 11N/10W-19F02 M | 346.0 | 5-10-62 | 4.8 | 341.2 | 5000 |
| CONT. | | 6-12-62 | 6.9 | 339.1 | |
| SANTA ROSA VALLEY | | | 1-18.00 | | |
| SANTA ROSA AREA | | | 1-18.01 | | |
| 6N/08W-07P02 M | 95.0 | 7-06-61 | 26.7 | 68.3 | 5000 |
| | | 8-07-61 | 23.2 | 71.8 | |
| | | 9-06-61 | 25.2 | 69.8 | |
| | | 10-03-61 | 25.2 | 69.8 | |
| | | 11-06-61 | 24.4 | 70.6 | |
| | | 12-04-61 | 24.3 | 70.7 | |
| | | 1-11-62 | 23.8 | 71.2 | |
| | | 2-12-62 | 27.7* | 67.3 | |
| | | 3-08-62 | 13.8 | 81.2 | |
| | | 4-18-62 | 14.1 | 80.9 | |
| | | 5-09-62 | 18.1 | 76.9 | |
| | | 6-11-62 | 21.3 | 73.7 | |
| 6N/08W-13R01 M | 115.0 | 7-06-61 | 18.5 | 96.5 | 5000 |
| | | 8-07-61 | 20.9 | 94.1 | |
| | | 9-06-61 | 21.8 | 93.2 | |
| | | 10-03-61 | 22.2 | 92.8 | |
| | | 11-06-61 | 22.6 | 92.4 | |
| | | 12-04-61 | 22.2 | 92.8 | |
| | | 1-11-62 | 21.4 | 93.6 | |
| | | 2-12-62 | 20.2 | 94.8 | |
| | | 3-08-62 | 18.8 | 96.2 | |
| | | 4-18-62 | 15.9 | 99.1 | |
| | | 5-04-62 | 16.3 | 98.7 | |
| | | 6-11-62 | 21.9 | 93.1 | |
| 6N/08W-15J01 M | 95.0 | 3-00-62 | # | | 5050 |
| 7N/07W-06R01 M | 275.0 | 3-23-62 | 3.9 | 271.1 | 5050 |
| 7N/08W-20K01 M | 98.0 | 7-06-61 | ¤ | | 5000 |
| | | 8-07-61 | ¤ | | |
| | | 9-06-61 | ¤ | | |
| | | 10-03-61 | 19.4 | 78.6 | |
| | | 11-06-61 | 18.3 | 79.7 | |
| | | 12-04-61 | ¤ | | |
| | | 1-11-62 | 13.1 | 84.9 | |
| | | 2-12-62 | ¤ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| SANTA ROSA AREA | | | 1-18.01 | | |
| 7N/08W-20K01 M | 98.0 | 3-08-62 | ¤ | | 5000 |
| CONT. | | 4-00-62 | # | | |
| 7N/08W-31C01 M | 85.0 | 3-22-62 | 13.2 | 71.8 | 5050 |
| 7N/09W-35D02 M | 135.0 | 3-22-62 | 32.0 | 103.0 | 5050 |
| 8N/09W-36N01 M | 90.0 | 7-06-61 | 1.6* | 88.4 | 5000 |
| | | 8-07-61 | 10.5 | 79.5 | |
| | | 9-06-61 | 11.6 | 78.4 | |
| | | 10-03-61 | 12.3 | 77.7 | |
| | | 11-06-61 | 12.6 | 77.4 | |
| | | 12-04-61 | 11.6 | 78.4 | |
| | | 1-11-62 | 12.4 | 77.6 | |
| | | 2-12-62 | ¤ | | |
| | | 3-08-62 | 3.1 | 86.9 | |
| | | 4-18-62 | 5.4 | 84.6 | |
| | | 5-09-62 | 4.6 | 85.4 | |
| | | 6-11-62 | 8.5 | 81.5 | |
| HEALDSBURG AREA | | | 1-18.02 | | |
| 8N/09W-03R01 M | 77.0 | 7-07-61 | 5.2 | 71.8 | 5000 |
| | | 8-08-61 | .3 | 76.7 | |
| | | 9-07-61 | 6.1 | 70.9 | |
| | | 10-03-61 | 6.9 | 70.1 | |
| | | 11-06-61 | 8.0 | 69.0 | |
| | | 12-04-61 | ¤ | | |
| | | 1-11-62 | 5.6 | 71.4 | |
| | | 2-12-62 | .2 | 76.8 | |
| | | 3-08-62 | ¤ | | |
| | | 4-19-62 | ¤ | | |
| | | 5-10-62 | 3.6 | 73.4 | |
| | | 6-11-62 | 4.4 | 72.6 | |
| 8N/09W-22L01 M | 67.0 | 7-07-61 | 24.3 | 42.7 | 5000 |
| | | 8-08-61 | ¤ | | |
| | | 9-07-61 | ¤ | | |
| | | 10-03-61 | 25.5 | 41.5 | |
| | | 11-06-61 | 25.8 | 41.2 | |
| | | 12-04-61 | 24.2 | 42.8 | |
| | | 1-11-62 | 25.0 | 42.0 | |
| | | 2-12-62 | 22.2 | 44.8 | |
| | | 3-08-62 | 19.8 | 47.2 | |
| | | 4-19-62 | 13.9 | 53.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| NORTH COASTAL REGION | | | | | |
| HEALDSBURG AREA | | | 1-18.02 | | |
| 8N/09W-22L01 M | 67.0 | 5-10-62 | ¤ | | 5000 |
| CONT. | | 6-11-62 | ¤ | | |
| 9N/09W-28N01 M | 90.0 | 7-07-61 | 16.0 | 74.0 | 5000 |
| | | 8-08-61 | 19.4 | 70.6 | |
| | | 9-07-61 | 20.4 | 69.6 | |
| | | 10-04-61 | 21.7 | 68.3 | |
| | | 11-07-61 | 22.5 | 67.5 | |
| | | 12-05-61 | 12.7 | 77.3 | |
| | | 12-05-61 | 12.7 | 77.3 | |
| | | 1-11-62 | 14.2 | 75.8 | |
| | | 2-12-62 | 9.3 | 80.7 | |
| | | 3-08-62 | 10.5 | 79.5 | |
| | | 4-19-62 | 14.0 | 76.0 | |
| | | 5-10-62 | 14.3 | 75.7 | |
| | | 6-11-62 | 14.7 | 75.3 | |
| 10N/10W-35001 M | 142.0 | 7-07-61 | 4.0 | 138.0 | 5000 |
| | | 8-08-61 | 5.4 | 136.6 | |
| | | 9-07-61 | 6.1 | 135.9 | |
| | | 10-04-61 | 6.7 | 135.3 | |
| | | 11-07-61 | 7.0 | 135.0 | |
| | | 12-05-61 | 2.9 | 139.1 | |
| | | 1-11-62 | ¤ | | |
| | | 2-12-62 | ¤ | | |
| | | 3-08-62 | ¤ | | |
| | | 4-19-62 | 1.7 | 140.3 | |
| | | 5-10-62 | 3.1 | 138.9 | |
| | | 6-11-62 | 3.9 | 138.1 | |
| LOWER RUSSIAN RIVER VALLEY | | | 1-98.00 | | |
| 7N/10W-06N01 M | 25.0 | 7-06-61 | ¤ | | 5000 |
| | | 8-07-61 | 20.1 | 4.9 | |
| | | 9-06-61 | 19.9 | 5.1 | |
| | | 10-13-61 | 20.9 | 4.1 | |
| | | 11-06-61 | 20.7 | 4.3 | |
| | | 12-04-61 | 17.0 | 8.0 | |
| | | 1-11-62 | 19.5 | 5.5 | |
| | | 2-12-62 | 14.1 | 10.9 | |
| | | 3-08-62 | 9.9 | 15.1 | |
| | | 4-18-62 | 19.5 | 5.5 | |
| | | 5-09-62 | 23.1 | 1.9 | |
| | | 6-11-62 | 20.6 | 4.4 | |
| 7N/11W-14E01 M | 25.0 | 7-06-61 | 19.2 | 5.8 | 5000 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| **NORTH COASTAL REGION** | | | | | |
| LOWER RUSSIAN RIVER VALLEY | | | 1-98.00 | | |
| 7N/11W-14F01 M | 25.0 | 8-07-61 | 19.0 | 6.0 | 5000 |
| CONT. | | 9-06-61 | 18.9 | 6.1 | |
| | | 10-03-61 | 19.2 | 5.8 | |
| | | 11-06-61 | 19.4 | 5.6 | |
| | | 12-04-61 | 15.1 | 9.9 | |
| | | 1-11-62 | 18.0 | 7.0 | |
| | | 2-12-62 | 12.7 | 12.3 | |
| | | 3-08-62 | 8.4 | 16.6 | |
| | | 4-18-62 | 18.2 | 6.8 | |
| | | 5-09-62 | 19.9 | 5.1 | |
| | | 6-11-62 | 19.5 | 5.5 | |
| 7N/11W-16M01 M | 10.0 | 7-06-61 | ¤ | | 5000 |
| | | 8-07-61 | ¤ | | |
| | | 9-00-61 | # | | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| **SAN FRANCISCO BAY REGION** | | | | | |
| PETALUMA VALLEY | | | 2-01.00 | | |
| 3N/06W-01Q01 M | 2.0 | 3-23-62 | .6 | 2.6 | 5050 |
| 5N/07W-20B02 M | 41.0 | 7-06-61 | 90.2 | - 49.2 | 5000 |
| | | 8-07-61 | 94.4 | - 53.4 | |
| | | 9-06-61 | 98.6 | - 57.6 | |
| | | 10-03-61 | 98.6 | - 57.6 | |
| | | 11-06-61 | 99.4 | - 58.4 | |
| | | 12-04-61 | 95.0 | - 54.0 | |
| | | 1-10-62 | 87.4 | - 46.4 | |
| | | 1-11-62 | 99.6* | - 58.6 | |
| | | 2-12-62 | 89.8 | - 48.8 | |
| | | 3-08-62 | 83.7 | - 42.7 | |
| | | 4-18-62 | 79.6 | - 38.6 | |
| | | 5-09-62 | 79.9 | - 38.9 | |
| | | 6-11-62 | 83.2 | - 42.2 | |
| 5N/07W-21H01 M | 65.0 | 7-06-61 | 46.5 | 18.5 | 5000 |
| | | 8-07-61 | ¤ | | |
| | | 9-06-61 | 49.2 | 15.8 | |
| | | 10-03-61 | 50.7 | 14.3 | |
| | | 11-06-61 | 50.8 | 14.2 | |
| | | 12-04-61 | 50.5 | 14.5 | |
| | | 1-11-62 | 50.6 | 14.4 | |
| | | 2-12-62 | 51.0 | 14.0 | |
| | | 3-08-62 | 44.8 | 20.2 | |
| | | 4-18-62 | 39.6 | 25.4 | |
| | | 5-09-62 | 39.8 | 25.2 | |
| | | 6-11-62 | 41.2 | 23.8 | |
| 5N/07W-26R01 M | 53.6 | 7-06-61 | 32.3 | 21.3 | 5000 |
| | | 8-07-61 | 35.5 | 18.1 | |
| | | 9-06-61 | 35.4 | 18.2 | |
| | | 10-03-61 | 35.9 | 17.7 | |
| | | 11-06-61 | 36.4 | 17.2 | |
| | | 12-04-61 | 36.5 | 17.1 | |
| | | 1-11-62 | 36.5 | 17.1 | |
| | | 2-12-62 | 36.1 | 17.5 | |
| | | 3-08-62 | 32.1 | 21.5 | |
| | | 4-18-62 | 27.8 | 25.8 | |
| | | 5-09-62 | 27.5 | 26.1 | |
| | | 6-11-62 | 27.5 | 26.1 | |
| 5N/07W-35K01 M | 18.8 | 7-06-61 | 27.4 | - 8.6 | 5000 |
| | | 8-07-61 | ¤ | | |
| | | 9-06-61 | 27.8 | - 9.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| PETALUMA VALLEY | | | 2-01.00 | | |
| 5N/07W-35K01 M | 18.8 | 10-03-61 | DRY | | 5000 |
| CONT. | | 11-06-61 | DRY | | |
| | | 12-04-61 | DRY | | |
| | | 1-11-62 | # | | |
| | | 3-22-62 | 14.6 | 4.2 | 5050 |
| NAPA-SONOMA VALLEY | | | 2-02.00 | | |
| NAPA VALLEY | | | 2-02.01 | | |
| 4N/04W-13E01 M | 41.0 | 7-06-61 | 16.0 | 25.0 | 5000 |
| | | 8-07-61 | 19.7 | 21.3 | |
| | | 9-06-61 | 22.0 | 19.0 | |
| | | 10-03-61 | 17.9 | 23.1 | |
| | | 11-06-61 | 18.3 | 22.7 | |
| | | 12-04-61 | 15.2 | 25.8 | |
| | | 1-11-62 | 15.3 | 25.7 | |
| | | 2-12-62 | 15.0 | 26.0 | |
| | | 3-08-62 | □ | | |
| | | 4-18-62 | 18.7 | 22.3 | |
| | | 5-09-62 | □ | | |
| | | 6-11-62 | □ | | |
| 5N/04W-11M01 M | 13.0 | 7-06-61 | 9.0 | 4.0 | 5000 |
| | | 8-07-61 | 6.7 | 6.3 | |
| | | 9-06-61 | 9.5 | 3.5 | |
| | | 10-03-61 | 9.2 | 3.8 | |
| | | 11-07-61 | 9.2 | 3.8 | |
| | | 12-04-61 | 7.7 | 5.3 | |
| | | 1-11-62 | 8.3 | 4.7 | |
| | | 2-12-62 | 5.6 | 7.4 | |
| | | 3-08-62 | 4.1 | 8.9 | |
| | | 4-18-62 | 7.6 | 5.4 | |
| | | 5-09-62 | 8.3 | 4.7 | |
| | | 6-11-62 | 8.3 | 4.7 | |
| 6N/04W-17A01 M | 67.0 | 7-06-61 | 19.4 | 47.6 | 5000 |
| | | 8-07-61 | 21.0 | 46.0 | |
| | | 9-06-61 | 23.1 | 43.9 | |
| | | 10-03-61 | 23.2 | 43.8 | |
| | | 11-07-61 | 22.9 | 44.1 | |
| | | 12-04-61 | 19.1 | 47.9 | |
| | | 1-11-62 | 15.9 | 51.1 | |
| | | 2-12-62 | 13.8 | 53.2 | |
| | | 3-08-62 | 4.5 | 62.5 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NAPA VALLEY | | | 2-02.01 | | |
| 6N/04W-17A01 M | 67.0 | 4-18-62 | 5.5 | 61.5 | 5000 |
| CONT. | | 5-09-62 | 8.8 | 58.2 | |
| | | 6-11-62 | 13.6 | 53.4 | |
| 7N/05W-09Q01 M | 155.0 | 3-21-62 | 5.1 | 149.9 | 5050 |
| 7N/05W-09Q02 M | 155.0 | 7-07-61 | 27.1* | 127.9 | 5000 |
| | | 8-08-61 | 27.9* | 127.1 | |
| | | 9-07-61 | 28.3* | 126.7 | |
| | | 10-04-61 | 17.0 | 138.0 | |
| | | 11-07-61 | 16.6 | 138.4 | |
| | | 12-05-61 | 14.3 | 140.7 | |
| | | 1-12-62 | 12.3 | 142.7 | |
| | | 2-13-62 | 7.5 | 147.5 | |
| | | 3-08-62 | 5.5 | 149.5 | |
| | | 3-21-62 | 6.0 | 149.0 | 5050 |
| | | 4-18-62 | 6.9 | 148.1 | 5000 |
| | | 5-09-62 | 7.8 | 147.2 | |
| | | 6-12-62 | 18.7* | 136.3 | |
| 7N/05W-09Q03 M | 155.0 | 3-21-62 | 3.8* | 151.2 | 5050 |
| 7N/05W-23D02 M | 127.0 | 3-21-62 | .2 | 127.2 | 5050 |
| 8N/06W-10Q01 M | 290.0 | 7-07-61 | 5.4 | 284.6 | 5000 |
| | | 8-08-61 | 8.7 | 281.3 | |
| | | 9-07-61 | 10.3 | 279.7 | |
| | | 10-04-61 | 10.8 | 279.2 | |
| | | 11-07-61 | 10.6 | 279.4 | |
| | | 12-05-61 | 10.1 | 279.9 | |
| | | 1-12-62 | 9.6 | 280.4 | |
| | | 2-13-62 | .6 | 289.4 | |
| | | 3-08-62 | 1.7 | 288.3 | |
| | | 4-18-62 | 2.3 | 287.7 | |
| | | 5-09-62 | 3.1 | 286.9 | |
| | | 6-12-62 | 4.4 | 285.6 | |
| SONOMA VALLEY | | | 2-02.02 | | |
| 5N/05W-08Q01 M | 107.0 | 7-06-61 | 14.1 | 92.9 | 5000 |
| | | 8-07-61 | 17.8 | 89.2 | |
| | | 9-06-61 | 25.1 | 81.9 | |
| | | 10-03-61 | 28.1 | 78.9 | |
| | | 11-06-61 | 31.6* | 75.4 | |
| | | 12-04-61 | 12.0 | 95.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SONOMA VALLEY | | | 2-02.02 | | |
| 5N/05W-08Q01 M | 107.0 | 1-11-62 | 11.1 | 95.9 | 5000 |
| CONT. | | 2-12-62 | 9.6 | 97.4 | |
| | | 3-08-62 | 7.2 | 99.8 | |
| | | 4-18-62 | □ | | |
| | | 5-09-62 | □ | | |
| | | 6-00-62 | # | | |
| 5N/05W-17C01 M | 85.0 | 3-23-62 | 8.9 | 76.1 | 5050 |
| 5N/05W-28N01 M | 11.0 | 3-23-62 | 9.0 | 2.0 | 5050 |
| 5N/05W-29N01 M | 16.0 | 7-06-61 | 11.3 | 4.7 | 5000 |
| | | 8-07-61 | 12.3 | 3.7 | |
| | | 9-06-61 | 12.2 | 3.8 | |
| | | 10-03-61 | 12.8 | 3.2 | |
| | | 11-06-61 | 13.0 | 3.0 | |
| | | 12-04-61 | 11.5 | 4.5 | |
| | | 1-11-62 | 11.8 | 4.2 | |
| | | 2-12-62 | 10.1 | 5.9 | |
| | | 3-08-62 | 7.8 | 8.2 | |
| | | 4-18-62 | 7.1 | 8.9 | |
| | | 5-09-62 | 8.0 | 8.0 | |
| | | 6-11-62 | 9.3 | 6.7 | |
| 5N/06W-14C01 M | 112.0 | 7-06-61 | 54.4 | 57.6 | 5000 |
| | | 8-07-61 | 60.9 | 51.1 | |
| | | 9-06-61 | 60.6 | 51.4 | |
| | | 10-03-61 | 59.5 | 52.5 | |
| | | 11-02-61 | 65.5 | 46.5 | |
| | | 12-04-61 | 59.9 | 52.1 | |
| | | 1-11-62 | 64.0 | 48.0 | |
| | | 2-12-62 | 56.0 | 56.0 | |
| | | 3-08-62 | □ | | |
| | | 4-18-62 | □ | | |
| | | 5-09-62 | □ | | |
| | | 6-00-62 | # | | |
| SUISUN-FAIRFIELD VALLEY | | | 2-03.00 | | |
| 4N/02W-06A01 M | 35.0 | 10-02-61 | 29.6 | 5.4 | 5109 |
| | | 3-02-62 | 20.5 | 14.5 | |
| 4N/02W-09A01 M | 7.0 | 10-02-61 | 8.4 | - 1.4 | 5109 |
| | | 3-02-62 | 6.0 | 1.0 | |
| 4N/03W-01D01 M | 37.0 | 10-02-61 | 14.9 | 22.1 | 5109 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SUISUN-FAIRFIELD VALLEY | | | 2-03.00 | | |
| 4N/03W-01D01 M | 37.0 | 3-02-62 | 6.0 | 31.0 | 5109 |
| CONT. | | | | | |
| 5N/01E-36A01 M | 24.0 | 10-03-61 | 13.7 | 10.3 | 5109 |
| | | 3-03-62 | 17.4 | 6.6 | |
| 5N/01W-07F01 M | 115.0 | 10-02-61 | 19.7 | 95.3 | 5109 |
| | | 3-02-62 | 15.4 | 99.6 | |
| 5N/01W-28P01 M | 15.0 | 10-03-61 | 9.7 | 5.3 | 5109 |
| | | 3-03-62 | 1.6 | 13.4 | |
| 5N/02W-17D02 M | 101.0 | 10-02-61 | 22.2 | 78.8 | 5109 |
| | | 3-02-62 | 14.6 | 86.4 | |
| 5N/02W-27J02 M | 24.0 | 7-06-61 | 30.2 | - 6.2 | 5000 |
| | | 8-07-61 | 30.3 | - 6.3 | |
| | | 9-06-61 | 34.8 | - 10.8 | |
| | | 10-02-61 | 33.0 | - 9.0 | 5109 |
| | | 10-03-61 | 36.6* | - 12.6 | 5000 |
| | | 11-06-61 | 31.3* | - 7.3 | |
| | | 12-04-61 | 26.6 | - 2.6 | |
| | | 1-11-62 | 24.9 | - 0.9 | |
| | | 2-12-62 | 27.3 | - 3.3 | |
| | | 3-02-62 | 26.0 | - 2.0 | 5109 |
| | | 3-08-62 | 24.1 | - 0.1 | 5000 |
| | | 4-18-62 | 28.9* | - 4.9 | |
| | | 5-09-62 | 28.0 | - 4.0 | |
| | | 6-11-62 | 28.8 | - 4.8 | |
| 5N/02W-29R01 M | 46.0 | 10-02-61 | 41.2 | 4.8 | 5109 |
| | | 3-02-62 | 20.5 | 25.5 | |
| 5N/02W-30J01 M | 65.0 | 7-06-61 | 32.5 | 32.5 | 5000 |
| | | 8-07-61 | 29.4 | 35.6 | |
| | | 9-06-61 | 29.6 | 35.4 | |
| | | 10-02-61 | 28.6 | 36.4 | 5109 |
| | | 10-03-61 | 28.6 | 36.4 | 5000 |
| | | 11-06-61 | 27.9 | 37.1 | |
| | | 12-04-61 | 28.3 | 36.7 | |
| | | 1-11-62 | 29.0 | 36.0 | |
| | | 2-12-62 | 28.4 | 36.6 | |
| | | 3-02-62 | 26.4 | 38.6 | 5109 |
| | | 3-08-62 | 25.0 | 40.0 | 5000 |
| | | 4-18-62 | 24.7 | 40.3 | |
| | | 5-09-62 | □ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SUISUN-FAIRFIELD VALLEY | | | 2-03.00 | | |
| 5N/02W-30J01 M | 65.0 | 6-11-62 | ¤ | | 5000 |
| CONT. | | | | | |
| 5N/03W-26F02 M | 111.0 | 10-02-61 | 16.7 | 94.3 | 5109 |
| | | 3-02-62 | 2.5 | 108.5 | |
| YGNACIO VALLEY | | | 2-06.00 | | |
| 1N/01W-07K01 M | 83.0 | 7-18-61 | 10.6 | 72.4 | 5050 |
| | | 8-21-61 | 10.9 | 72.1 | |
| | | 9-18-61 | 11.1 | 71.9 | |
| | | 10-18-61 | 13.6* | 69.4 | |
| | | 11-20-61 | 12.0 | 71.0 | |
| | | 12-19-61 | 10.7 | 72.3 | |
| | | 1-24-62 | 11.2 | 71.8 | |
| | | 2-19-62 | 7.5 | 75.5 | |
| | | 3-19-62 | 7.5 | 75.5 | |
| | | 4-18-62 | 8.8 | 74.2 | |
| | | 5-22-62 | 9.2 | 73.8 | |
| | | 6-18-62 | 8.6 | 74.4 | |
| 1N/02W-11N01 M | 63.0 | 3-19-62 | 13.1 | 49.9 | 5050 |
| 2N/02W-27R01 M | 15.0 | 7-17-61 | 5.0 | 10.0 | 5050 |
| | | 8-21-61 | 4.5 | 10.5 | |
| | | 9-17-61 | 4.5 | 10.5 | |
| | | 10-18-61 | 4.5 | 10.5 | |
| | | 11-20-61 | 4.4 | 10.6 | |
| | | 12-19-61 | 3.7 | 11.3 | |
| | | 1-00-62 | ¤ | | |
| | | 2-19-62 | 1.1 | 13.9 | |
| | | 3-19-62 | 1.3 | 13.7 | |
| | | 4-18-62 | 1.9 | 13.1 | |
| | | 5-22-62 | 3.7 | 11.3 | |
| | | 6-18-62 | 4.5 | 10.5 | |
| 2N/02W-36E01 M | 48.0 | 3-19-62 | 14.7 | 33.3 | 5050 |
| SANTA CLARA VALLEY | | | 2-09.00 | | |
| SOUTH ALAMEDA COUNTY UPP AQUIFER | | | 2-09.01 | | |
| 3S/02W-08R05 M | 64.0 | 11-00-61 | 38.0 | 26.0 | 5100 |
| | | 4-00-62 | 34.7 | 29.3 | |
| 3S/03W-24Q02 M | 8.0 | 11-00-61 | 11.7 | - 3.7 | 5100 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SOUTH ALAMEDA COUNTY UPR AQUIFER | | | 2-09.01 | | |
| 3S/03W-24Q02 M | 8.0 | 3-00-62 | 4.0 | 4.0 | 5100 |
| CONT. | | | | | |
| 4S/01W-18G01 M | 41.0 | 7-21-61 | 101.3 | - 60.3 | 5401 |
| | | 8-18-61 | 106.8 | - 65.8 | |
| | | 9-22-61 | 111.6 | - 70.6 | |
| | | 10-20-61 | 104.0 | - 63.0 | |
| | | 11-17-61 | 111.0 | - 70.0 | |
| | | 12-22-61 | 107.4 | - 66.4 | |
| | | 1-19-62 | 105.3 | - 64.3 | |
| | | 2-16-62 | 107.1 | - 66.1 | |
| | | 3-16-62 | 103.1 | - 62.1 | |
| | | 4-20-62 | 86.7* | - 45.7 | |
| | | 5-18-62 | 91.2 | - 50.2 | |
| | | 6-22-62 | 94.4 | - 53.4 | |
| 4S/01W-22P05 M | 80.0 | 11-00-61 | 57.0 | 23.0 | 5100 |
| | | 4-00-62 | 48.6 | 31.4 | |
| 4S/01W-29C04 M | 54.7 | 7-21-61 | 101.8 | - 47.1 | 5401 |
| | | 8-18-61 | 107.3 | - 52.6 | |
| | | 9-22-61 | 110.1 | - 55.4 | |
| | | 10-20-61 | 111.2 | - 56.5 | |
| | | 11-17-61 | 110.1 | - 55.4 | |
| | | 12-15-61 | 109.0 | - 54.3 | |
| | | 1-19-62 | 109.8 | - 55.1 | |
| | | 2-16-62 | 109.1 | - 54.4 | |
| | | 3-16-62 | 96.2 | - 41.5 | |
| | | 4-20-62 | 92.3 | - 37.6 | |
| | | 5-18-62 | 99.0 | - 44.3 | |
| | | 6-15-62 | 102.6 | - 47.9 | |
| 4S/02W-13C02 M | 36.4 | 7-00-61 | ¤ | | 5401 |
| | | 8-00-61 | ¤ | | |
| | | 9-00-61 | ¤ | | |
| | | 10-00-61 | ¤ | | |
| | | 11-00-61 | ¤ | | |
| | | 12-22-61 | 83.9 | - 47.5 | |
| | | 1-19-62 | 82.9 | - 46.5 | |
| | | 2-16-62 | 79.5 | - 43.1 | |
| | | 3-16-62 | 79.4 | - 43.0 | |
| | | 4-20-62 | 81.4 | - 45.0 | |
| | | 5-18-62 | 79.3 | - 42.9 | |
| | | 6-15-62 | 81.7 | - 45.3 | |
| 4S/02W-24Q02 M | 33.4 | 11-00-61 | 83.6 | - 50.2 | 5100 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SOUTH ALAMEDA COUNTY UPR AQUIFER 2-09.01 | | | | | |
| 4S/02W-24Q02 M | 33.4 | 4-00-62 | 76.6 | - 43.2 | 5100 |
| CONT. | | | | | |
| 5S/01W-04F01 M | 42.0 | 7-14-61 | 72.3 | - 30.3 | 5401 |
| | | 8-18-61 | 73.2 | - 31.2 | |
| | | 9-22-61 | 73.6 | - 31.6 | |
| | | 10-20-61 | 74.1 | - 32.1 | |
| | | 11-17-61 | 74.5 | - 32.5 | |
| | | 12-22-61 | 74.8 | - 32.8 | |
| | | 1-19-62 | 74.9 | - 32.9 | |
| | | 2-16-62 | 74.7 | - 32.7 | |
| | | 3-16-62 | 73.4 | - 31.4 | |
| | | 4-20-62 | 74.1 | - 32.1 | |
| | | 5-25-62 | 74.5 | - 32.5 | |
| | | 6-22-62 | 74.6 | - 32.6 | |
| 5S/01W-09Q01 M | 19.5 | 11-00-61 | 44.0 | - 24.5 | 5100 |
| | | 4-00-62 | 44.0 | - 24.5 | |
| SOUTH ALAMEDA COUNTY LWR AQUIFER 2-09.01 | | | | | |
| 2S/03W-36R01 M | 45.0 | 9-00-61 | 95.4 | - 50.4 | 5100 |
| | | 4-00-62 | 90.2 | - 45.2 | |
| 3S/02W-07D01 M | 31.0 | 11-00-61 | ¤ | | 5100 |
| | | 4-00-62 | ¤ | | |
| 3S/02W-19A02 M | 31.0 | 7-18-61 | 24.2 | 6.8 | 5050 |
| | | 8-21-61 | 26.9 | 4.1 | |
| | | 9-18-61 | 28.6 | 2.4 | |
| | | 10-00-61 | 29.2 | 1.8 | 5100 |
| | | 10-18-61 | 29.8 | 1.2 | 5050 |
| | | 11-20-61 | 30.7 | 0.3 | |
| | | 12-19-61 | 25.7 | 5.3 | |
| | | 1-22-62 | 24.5 | 6.5 | |
| | | 2-19-62 | 23.6 | 7.4 | |
| | | 3-19-62 | 21.9 | 9.1 | |
| | | 4-00-62 | 22.0 | 9.0 | 5100 |
| | | 4-18-62 | 21.9 | 9.1 | 5050 |
| | | 5-22-62 | 23.7 | 7.3 | |
| | | 6-18-62 | 23.3 | 7.7 | |
| 3S/03W-24J01 M | 11.0 | 11-00-61 | 103.0 | - 92.0 | 5100 |
| | | 4-00-62 | 74.5 | - 63.5 | |
| 4S/02W-02Q01 M | 26.0 | 11-00-61 | 150.9* | - 124.9 | 5401 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SOUTH ALAMEDA COUNTY LWR AQUIFER 2-09.01 | | | | | |
| 4S/02W-02Q01 M | 26.0 | 4-00-62 | 90.2 | - 64.2 | 5401 |
| CONT. | | | | | |
| 4S/02W-35R02 M | 15.0 | 7-14-61 | 110.3 | - 95.3 | 5401 |
| | | 8-18-61 | 104.5 | - 89.5 | |
| | | 9-22-61 | 102.5 | - 87.5 | |
| | | 10-20-61 | 107.8 | - 92.8 | |
| | | 11-17-61 | 100.7 | - 85.7 | |
| | | 12-22-61 | 85.7 | - 70.7 | |
| | | 1-19-62 | 82.8 | - 67.8 | |
| | | 2-16-62 | 73.2 | - 58.2 | |
| | | 3-16-62 | 66.2 | - 51.2 | |
| | | 4-20-62 | 70.2 | - 55.2 | |
| | | 5-18-62 | 85.2 | - 70.2 | |
| | | 6-22-62 | 95.9 | - 80.9 | |
| 4S/02W-36K01 M | 25.0 | 7-14-61 | 112.8 | - 87.8 | 5401 |
| | | 8-18-61 | 114.2 | - 89.2 | |
| | | 9-22-61 | 114.2 | - 89.2 | |
| | | 10-20-61 | 116.2 | - 91.2 | |
| | | 11-17-61 | 108.9 | - 83.9 | |
| | | 12-22-61 | 97.5 | - 72.5 | |
| | | 1-19-62 | 87.9 | - 62.9 | |
| | | 2-16-62 | 82.6 | - 57.6 | |
| | | 3-16-62 | 77.2 | - 52.2 | |
| | | 4-20-62 | 81.6 | - 56.6 | |
| | | 5-18-62 | 95.2 | - 70.2 | |
| | | 6-22-62 | 105.8 | - 80.8 | |
| 5S/01W-02C01 M | 152.9 | 7-21-61 | 157.3* | - 4.4 | 5401 |
| | | 8-04-61 | 158.7* | - 5.8 | |
| | | 8-18-61 | ¤ | | |
| | | 9-22-61 | 147.5 | 5.4 | |
| | | 10-20-61 | 148.4 | 4.5 | |
| | | 11-17-61 | 147.7 | 5.2 | |
| | | 12-22-61 | 147.5 | 5.4 | |
| | | 1-19-62 | 146.7 | 6.2 | |
| | | 2-16-62 | 146.8 | 6.1 | |
| | | 3-16-62 | 144.9 | 8.0 | |
| | | 4-20-62 | 142.7 | 10.2 | |
| | | 5-18-62 | 141.7 | 11.2 | |
| 5S/01W-09M01 M | 15.0 | 11-00-61 | 96.3 | - 81.3 | 5100 |
| | | 4-00-62 | 65.3 | - 50.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 6S/01E-07E01 M | 15.0 | 5-01-61 | 94.4 | - 79.4 | 2400 |
| | | 6-00-61 | 113.4 | - 98.4 | |
| | | 7-00-61 | 128.1 | - 113.1 | |
| | | 8-00-61 | 129.0 | - 114.0 | |
| | | 9-00-61 | 130.0 | - 115.0 | |
| | | 10-20-61 | 127.2 | - 112.2 | |
| | | 11-20-61 | 119.4 | - 104.4 | |
| | | 12-22-61 | 113.7 | - 98.7 | |
| | | 1-24-62 | 95.2 | - 80.2 | |
| | | 2-20-62 | 88.9 | - 73.9 | |
| | | 3-26-62 | 84.3 | - 69.3 | |
| | | 4-20-62 | 100.0 | - 85.0 | |
| | | 5-18-62 | 123.1 | - 108.1 | |
| | | 6-23-62 | 138.4 | - 123.4 | |
| 6S/01E-21R01 M | 142.6 | 7-27-61 | ¤ | | 2400 |
| | | 8-17-61 | 230.3 | - 87.7 | |
| | | 9-19-61 | 246.5* | - 103.9 | |
| | | 10-19-61 | 243.3 | - 100.7 | |
| | | 11-30-61 | ¤ | | |
| | | 12-21-61 | 229.1 | - 86.5 | |
| | | 1-23-62 | 221.0 | - 78.4 | |
| | | 2-20-62 | 215.8 | - 73.2 | |
| | | 3-23-62 | 212.0 | - 69.4 | |
| | | 4-19-62 | ¤ | | |
| | | 5-16-62 | 231.0* | - 88.4 | |
| | | 6-22-62 | 246.3 | - 103.7 | |
| 6S/01E-23P02 M | 240.6 | 5-01-61 | 172.2 | 68.4 | 2400 |
| | | 6-00-61 | 173.8 | 66.8 | |
| | | 7-00-61 | 172.6 | 68.0 | |
| | | 8-00-61 | 175.0 | 65.6 | |
| | | 9-01-61 | 176.0 | 64.6 | |
| | | 10-19-61 | 180.4 | 60.2 | |
| | | 11-17-61 | 176.9 | 63.7 | |
| | | 12-25-61 | 175.1 | 65.5 | |
| | | 1-22-62 | 177.1 | 63.5 | |
| | | 2-19-62 | 176.4 | 64.2 | |
| | | 3-22-62 | 175.0 | 65.6 | |
| | | 4-18-62 | 169.3 | 71.3 | |
| | | 5-16-62 | 173.1 | 67.5 | |
| | | 6-22-62 | 177.6 | 63.0 | |
| 6S/01E-30M01 M | 46.7 | 5-01-61 | ¤ | | 2400 |
| | | 6-00-61 | 138.6 | - 91.9 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 6S/01E-30M01 M | 46.7 | 7-00-61 | 164.0* | - 117.3 | 2400 |
| CONT. | | 8-00-61 | ¤ | | |
| | | 9-00-61 | ¤ | | |
| | | 10-23-61 | 143.6 | - 96.9 | |
| | | 11-21-61 | 132.3 | - 85.6 | |
| | | 12-26-61 | 124.3 | - 77.6 | |
| | | 1-25-62 | 117.3 | - 70.6 | |
| | | 2-21-62 | 115.9 | - 69.2 | |
| | | 3-26-62 | 113.5 | - 66.8 | |
| | | 4-24-62 | 135.8 | - 89.1 | |
| | | 5-18-62 | 157.7 | - 111.0 | |
| | | 6-25-62 | ¤ | | |
| 6S/01W-10P02 M | 9.0 | 7-17-61 | 151.7* | - 142.7 | 5000 |
| | | 8-14-61 | 124.3 | - 115.3 | |
| | | 9-11-61 | 133.2 | - 124.2 | |
| | | 10-09-61 | 126.2 | - 117.2 | |
| | | 11-06-61 | 115.6 | - 106.6 | |
| | | 12-04-61 | 96.2 | - 87.2 | |
| | | 1-02-62 | 89.4 | - 80.4 | |
| | | 2-26-62 | 83.4 | - 74.4 | |
| | | 3-27-62 | 81.8 | - 72.8 | |
| | | 4-24-62 | 104.4 | - 95.4 | |
| | | 5-21-62 | 128.2 | - 119.2 | |
| | | 6-18-62 | 143.0 | - 134.0 | |
| 6S/01W-23E01 M | 21.0 | 7-17-61 | 171.8* | - 150.8 | 5000 |
| | | 8-14-61 | 139.0 | - 118.0 | |
| | | 9-11-61 | 151.2 | - 130.2 | |
| | | 10-09-61 | 148.9 | - 127.9 | |
| | | 11-06-61 | 125.7 | - 104.7 | |
| | | 12-04-61 | 110.1 | - 89.1 | |
| | | 1-02-62 | 104.3 | - 83.3 | |
| | | 2-26-62 | 98.5 | - 77.5 | |
| | | 3-22-62 | 98.9 | - 77.9 | |
| | | 4-24-62 | 123.8 | - 102.8 | |
| | | 5-21-62 | 150.2 | - 129.2 | |
| | | 6-18-62 | 172.1* | - 151.1 | |
| 6S/01W-32001 M | 81.0 | 5-01-61 | 201.0 | - 120.0 | 2400 |
| | | 6-00-61 | 217.2* | - 136.2 | |
| | | 7-00-61 | 205.4 | - 124.4 | |
| | | 8-00-61 | 207.0 | - 126.0 | |
| | | 9-00-61 | 204.0 | - 123.0 | |
| | | 10-24-61 | 203.3 | - 122.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 6S/01W-32Q01 M | 81.0 | 11-27-61 | 205.7 | - 124.7 | 2400 |
| CONT. | | 12-27-61 | 200.3 | - 119.3 | |
| | | 1-26-62 | 190.9 | - 109.9 | |
| | | 2-26-62 | 189.0 | - 108.0 | |
| | | 3-27-62 | ¤ | | |
| | | 4-26-62 | # | | |
| 6S/02W-16R01 M | 54.0 | 5-01-61 | 122.8* | - 68.8 | 2400 |
| | | 6-00-61 | 128.8* | - 74.8 | |
| | | 7-00-61 | 129.8* | - 75.8 | |
| | | 8-00-61 | ¤ | | |
| | | 9-00-61 | 153.0* | - 99.0 | |
| | | 10-25-61 | 142.8 | - 88.8 | |
| | | 11-28-61 | 138.4 | - 84.4 | |
| | | 12-28-61 | 134.2 | - 80.2 | |
| | | 1-29-62 | 131.3 | - 77.3 | |
| | | 2-27-62 | 128.8 | - 74.8 | |
| | | 3-28-62 | 128.8 | - 74.8 | |
| | | 4-26-62 | 141.4 | - 87.4 | |
| | | 5-24-62 | ¤ | | |
| | | 6-27-62 | ¤ | | |
| 6S/02W-25C01 M | 76.6 | 7-24-61 | ¤ | | 2400 |
| | | 8-24-61 | 150.9 | - 74.3 | |
| | | 9-22-61 | 159.4 | - 82.8 | |
| | | 10-24-61 | 146.2 | - 69.6 | |
| | | 11-22-61 | 140.7 | - 64.1 | |
| | | 12-27-61 | 143.1* | - 66.5 | |
| | | 1-26-62 | 138.1 | - 61.5 | |
| | | 2-22-62 | 134.2 | - 57.6 | |
| | | 3-27-62 | 129.8 | - 53.2 | |
| | | 4-25-62 | 146.5 | - 69.9 | |
| | | 5-23-62 | 158.3 | - 81.7 | |
| | | 6-26-62 | ¤ | | |
| 6S/02W-35C01 M | 142.9 | 5-01-61 | 217.7* | - 74.8 | 2400 |
| | | 6-00-61 | 253.6 | - 110.7 | |
| | | 7-00-61 | 260.1 | - 117.2 | |
| | | 8-00-61 | 262.0 | - 119.1 | |
| | | 9-00-61 | 264.0 | - 121.1 | |
| | | 10-25-61 | 263.3 | - 120.4 | |
| | | 11-27-61 | 265.4 | - 122.5 | |
| | | 12-28-61 | 249.2 | - 106.3 | |
| | | 1-29-62 | 241.1 | - 98.2 | |
| | | 2-26-62 | 251.2* | - 108.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 6S/02W-35C01 M | 142.9 | 3-28-62 | 243.7 | - 100.8 | 2400 |
| CONT. | | 4-26-62 | 258.9 | - 116.0 | |
| | | 5-24-62 | ¤ | | |
| | | 6-27-62 | 273.9 | - 131.0 | |
| 7S/01E-01K01 M | 176.0 | 5-01-61 | 205.0 | - 29.0 | 2400 |
| | | 6-00-61 | 207.3 | - 31.3 | |
| | | 7-00-61 | 208.1 | - 32.1 | |
| | | 8-00-61 | 208.0 | - 32.0 | |
| | | 9-00-61 | 209.5 | - 33.5 | |
| | | 10-18-61 | 199.5 | - 23.5 | |
| | | 11-17-61 | 208.8 | - 32.8 | |
| | | 12-19-61 | 207.3 | - 31.3 | |
| | | 1-22-62 | 197.9 | - 21.9 | |
| | | 2-17-62 | 199.4 | - 23.4 | |
| | | 3-22-62 | 202.1 | - 26.1 | |
| | | 4-17-62 | 211.5 | - 35.5 | |
| | | 5-15-62 | 204.7 | - 28.7 | |
| | | 6-21-62 | 203.4 | - 27.4 | |
| 7S/01E-08L01 M | 88.0 | 5-01-61 | 141.2 | - 53.2 | 2400 |
| | | 6-00-61 | 149.2* | - 61.2 | |
| | | 7-00-61 | 167.2 | - 79.2 | |
| | | 8-00-61 | 175.2 | - 87.2 | |
| | | 9-00-61 | 179.7 | - 91.7 | |
| | | 10-17-61 | 178.7 | - 90.7 | |
| | | 11-16-61 | 176.0 | - 88.0 | |
| | | 12-19-61 | 170.9 | - 82.9 | |
| | | 1-23-62 | 165.4 | - 77.4 | |
| | | 2-20-62 | 159.9 | - 71.9 | |
| | | 3-23-62 | 156.1 | - 68.1 | |
| | | 4-24-62 | 163.9 | - 75.9 | |
| | | 5-22-62 | 174.3 | - 86.3 | |
| | | 6-19-62 | 178.0 | - 90.0 | |
| 7S/01E-09D02 M | 95.9 | 5-01-61 | 153.0 | - 57.1 | 2400 |
| | | 6-01-61 | 167.0 | - 71.1 | |
| | | 7-01-61 | 182.0 | - 86.1 | |
| | | 8-01-61 | 194.0 | - 98.1 | |
| | | 9-01-61 | 191.0 | - 95.1 | |
| | | 10-01-61 | 195.0 | - 99.1 | |
| | | 11-01-61 | 187.0 | - 91.1 | |
| | | 12-01-61 | 182.0 | - 86.1 | |
| | | 1-01-62 | 183.0 | - 87.1 | |
| | | 2-01-62 | 178.0 | - 82.1 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 7S/01E-09D02 M CONT. | 95.9 | 3-01-62 | 176.0 | - 80.1 | 2400 |
| | | 4-01-62 | 174.0 | - 78.1 | |
| | | 5-01-62 | □ | | |
| | | 6-01-62 | □ | | |
| 7S/01E-16C05 M | 105.0 | 7-17-61 | 234.8 | - 129.8 | 5000 |
| | | 8-14-61 | 234.7 | - 129.7 | |
| | | 9-11-61 | 241.4 | - 136.4 | |
| | | 10-09-61 | 232.8 | - 127.8 | |
| | | 11-06-61 | 229.7 | - 124.7 | |
| | | 12-04-61 | 212.2 | - 107.2 | |
| | | 1-02-62 | 208.3 | - 103.3 | |
| | | 2-26-62 | 193.8 | - 88.8 | |
| | | 3-27-62 | 197.6 | - 92.6 | |
| | | 4-24-62 | 215.6 | - 110.6 | |
| | | 5-21-62 | 233.5 | - 128.5 | |
| | | 6-18-62 | 243.4 | - 138.4 | |
| 7S/01E-31A02 M | 151.9 | 5-01-61 | 183.3 | - 31.4 | 2400 |
| | | 6-00-61 | 189.5 | - 37.6 | |
| | | 7-00-61 | 188.9 | - 37.0 | |
| | | 8-00-61 | 187.0 | - 35.1 | |
| | | 9-00-61 | 187.0 | - 35.1 | |
| | | 10-31-61 | 191.3 | - 39.4 | |
| | | 11-02-61 | 191.3 | - 39.4 | |
| | | 12-04-61 | 190.5 | - 38.6 | |
| | | 1-03-62 | 194.2 | - 42.3 | |
| | | 2-02-62 | 204.7* | - 52.8 | |
| | | 3-05-62 | 200.5 | - 48.6 | |
| | | 4-05-62 | 201.4 | - 49.5 | |
| | | 5-02-62 | 209.3 | - 57.4 | |
| | | 6-12-62 | 206.8 | - 54.9 | |
| 7S/01E-31R01 M | 160.0 | 7-05-61 | 169.0 | - 9.0 | 2400 |
| | | 8-02-61 | 172.6 | - 12.6 | |
| | | 9-01-61 | 172.8 | - 12.8 | |
| | | 10-03-61 | 174.4 | - 14.4 | |
| | | 11-02-61 | 176.2 | - 16.2 | |
| | | 12-04-61 | 175.7 | - 15.7 | |
| | | 1-04-62 | 173.8 | - 13.8 | |
| | | 2-05-62 | 173.1 | - 13.1 | |
| | | 3-06-62 | 168.7 | - 8.7 | |
| | | 4-05-62 | 161.8 | - 1.8 | |
| | | 5-03-62 | 161.4 | - 1.4 | |
| | | 6-13-62 | 162.7 | - 2.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 7S/02E-07P01 M | 128.5 | 7-17-61 | 139.9 | - 11.4 | 2400 |
| | | 8-16-61 | 138.3 | - 9.8 | |
| | | 9-18-61 | 135.3 | - 6.8 | |
| | | 10-18-61 | 142.9 | - 14.4 | |
| | | 11-17-61 | 147.8 | - 19.3 | |
| | | 12-19-61 | 152.0 | - 23.5 | |
| | | 1-22-62 | 138.0 | - 9.5 | |
| | | 2-19-62 | 133.1 | - 4.6 | |
| | | 3-22-62 | 131.3 | - 2.8 | |
| | | 4-18-62 | 133.8 | - 5.3 | |
| | | 5-15-62 | 137.2 | - 8.7 | |
| | | 6-21-62 | 133.4 | - 4.9 | |
| 7S/02E-17H01 M | 349.0 | 5-01-61 | 93.3 | 255.7 | 2400 |
| | | 6-00-61 | 94.6 | 254.4 | |
| | | 7-00-61 | 95.3 | 253.7 | |
| | | 8-00-61 | 97.3 | 251.7 | |
| | | 9-00-61 | 99.3 | 249.7 | |
| | | 10-18-61 | 98.6 | 250.4 | |
| | | 11-16-61 | 98.5 | 250.5 | |
| | | 12-19-61 | 96.6 | 252.4 | |
| | | 1-22-62 | 95.6 | 253.4 | |
| | | 2-17-62 | 98.4 | 250.6 | |
| | | 3-19-62 | 97.6 | 251.4 | |
| | | 4-17-62 | 102.7 | 246.3 | |
| | | 5-15-62 | 101.4 | 247.6 | |
| | | 6-21-62 | 103.5 | 245.5 | |
| 7S/02E-33C01 M | 462.0 | 5-01-61 | 19.5 | 442.5 | 2400 |
| | | 6-00-61 | 19.6 | 442.4 | |
| | | 7-00-61 | 22.1* | 439.9 | |
| | | 8-00-61 | 20.0 | 442.0 | |
| | | 9-01-61 | 22.0 | 440.0 | |
| | | 10-17-61 | 23.0 | 439.0 | |
| | | 11-16-61 | 21.3 | 440.7 | |
| | | 12-18-61 | 22.4 | 439.6 | |
| | | 1-15-62 | 21.1 | 440.9 | |
| | | 2-17-62 | 19.7 | 442.3 | |
| | | 3-19-62 | 19.3 | 442.7 | |
| | | 4-16-62 | 18.5 | 443.5 | |
| | | 5-14-62 | 17.7 | 444.3 | |
| | | 6-20-62 | 20.5 | 441.5 | |
| 7S/01W-13K02 M | 124.0 | 7-17-61 | 180.2 | - 56.2 | 5000 |
| | | 8-14-61 | 182.0 | - 58.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 7S/01W-13K02 M | 124.0 | 9-11-61 | 183.2 | - 59.2 | 5000 |
| CONT. | | 10-09-61 | 185.4 | - 61.4 | |
| | | 11-06-61 | ¤ | | |
| | | 12-04-61 | ¤ | | |
| | | 1-02-62 | # | | |
| 7S/01W-35C01 M | 200.0 | 5-01-61 | 254.0 | - 54.0 | 2400 |
| | | 6-00-61 | 262.0 | - 62.0 | |
| | | 7-00-61 | 272.0 | - 72.0 | |
| | | 8-00-61 | 277.0 | - 77.0 | |
| | | 9-00-61 | 284.0 | - 84.0 | |
| | | 10-02-61 | 290.0 | - 90.0 | |
| | | 11-01-61 | 295.0 | - 95.0 | |
| | | 12-01-61 | 293.0 | - 93.0 | |
| | | 1-01-62 | 290.0 | - 90.0 | |
| | | 2-02-62 | 290.0 | - 90.0 | |
| | | 3-01-62 | 288.0 | - 88.0 | |
| | | 4-01-62 | 283.0 | - 83.0 | |
| | | 5-01-62 | 270.0 | - 70.0 | |
| | | 6-01-62 | 255.0 | - 55.0 | |
| 7S/02W-03001 M | 217.5 | 5-01-61 | 324.0 | - 106.5 | 2400 |
| | | 6-00-61 | 342.0 | - 124.5 | |
| | | 7-00-61 | 344.6 | - 127.1 | |
| | | 8-00-61 | 345.0 | - 127.5 | |
| | | 9-00-61 | 350.0 | - 132.5 | |
| | | 10-15-61 | 355.0 | - 137.5 | |
| | | 11-01-61 | 355.0 | - 137.5 | |
| | | 12-01-61 | 348.0 | - 130.5 | |
| | | 1-01-62 | 335.0 | - 117.5 | |
| | | 2-03-62 | 329.0 | - 111.5 | |
| | | 3-03-62 | 324.0 | - 106.5 | |
| | | 4-01-62 | 322.0 | - 104.5 | |
| | | 5-05-62 | 337.0 | - 119.5 | |
| | | 6-02-62 | 349.0 | - 131.5 | |
| 7S/02W-04B01 M | 218.0 | 7-26-61 | 262.1 | - 44.1 | 2400 |
| | | 8-22-61 | 264.8 | - 46.8 | |
| | | 9-26-61 | 264.2 | - 46.2 | |
| | | 10-26-61 | 268.0 | - 50.0 | |
| | | 11-28-61 | 265.6 | - 47.6 | |
| | | 12-28-61 | 262.6 | - 44.6 | |
| | | 1-30-62 | 268.4 | - 50.4 | |
| | | 2-27-62 | 266.7 | - 48.7 | |
| | | 3-28-62 | 253.2 | - 35.2 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 7S/02W-04R01 M | 218.0 | 4-27-62 | 229.9* | - 11.9 | 2400 |
| CONT. | | 5-25-62 | 243.8 | - 25.8 | |
| | | 6-27-62 | 246.4 | - 28.4 | |
| 7S/02W-22A01 M | 340.0 | 5-01-61 | 34.3 | 305.7 | 2400 |
| | | 6-00-61 | 56.2* | 283.8 | |
| | | 7-00-61 | 43.2 | 296.8 | |
| | | 8-00-61 | 57.0* | 283.0 | |
| | | 9-00-61 | 43.0 | 297.0 | |
| | | 10-26-61 | 62.8* | 277.2 | |
| | | 11-28-61 | 87.5* | 252.5 | |
| | | 12-29-61 | 27.2 | 312.8 | |
| | | 1-30-62 | 24.8 | 315.2 | |
| | | 2-27-62 | 23.1 | 316.9 | |
| | | 3-29-62 | 23.4 | 316.6 | |
| | | 4-27-62 | ¤ | | |
| | | 5-25-62 | 24.7 | 315.3 | |
| | | 6-28-62 | ¤ | | |
| 8S/01E-07H02 M | 208.5 | 5-01-61 | 126.5 | 82.0 | 2400 |
| | | 6-00-61 | 131.3 | 77.2 | |
| | | 7-00-61 | 132.3 | 76.2 | |
| | | 8-00-61 | 135.5 | 73.0 | |
| | | 9-00-61 | 134.5 | 74.0 | |
| | | 10-26-61 | 142.1 | 66.4 | |
| | | 11-02-61 | 138.4 | 70.1 | |
| | | 12-05-61 | 134.4 | 74.1 | |
| | | 1-30-62 | 147.7* | 60.8 | |
| | | 2-28-62 | 123.3* | 85.2 | |
| | | 3-07-62 | 119.4 | 89.1 | |
| | | 4-06-62 | 107.2 | 101.3 | |
| | | 5-23-62 | ¤ | | |
| | | 6-28-62 | 103.4 | 105.1 | |
| 8S/01E-13H01 M | 185.6 | 5-01-61 | 26.7 | 158.9 | 2400 |
| | | 6-00-61 | 30.7* | 154.9 | |
| | | 7-00-61 | 37.9 | 147.7 | |
| | | 8-00-61 | 40.5 | 145.1 | |
| | | 9-00-61 | 40.0 | 145.6 | |
| | | 10-12-61 | 45.9 | 139.7 | |
| | | 11-06-61 | 50.6 | 135.0 | |
| | | 12-06-61 | 49.1 | 136.5 | |
| | | 1-08-62 | 49.7 | 135.9 | |
| | | 2-28-62 | 50.7 | 134.9 | |
| | | 3-08-62 | 50.1 | 135.5 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| NORTH SANTA CLARA COUNTY | | 2-09.02 | | | |
| 8S/01E-13H01 M | 185.6 | 4-09-62 | 49.5 | 136.1 | 2400 |
| CONT. | | 5-07-62 | 52.0 | 133.6 | |
| | | 6-14-62 | 55.8 | 129.8 | |
| 8S/01E-21D01 M | 219.6 | 8-03-61 | 36.6 | 183.0 | 2400 |
| | | 9-01-61 | 32.8 | 186.8 | |
| | | 10-04-61 | 38.3 | 181.3 | |
| 8S/02E-20F03 M | 209.8 | 5-01-61 | 30.6 | 179.2 | 2400 |
| | | 6-00-61 | 32.5 | 177.3 | |
| | | 7-00-61 | 37.7 | 172.1 | |
| | | 8-00-61 | 44.0 | 165.8 | |
| | | 9-00-61 | 48.0 | 161.8 | |
| | | 10-06-61 | 53.6 | 156.2 | |
| | | 11-30-61 | 60.3 | 149.5 | |
| | | 12-07-61 | 60.3 | 149.5 | |
| | | 1-09-62 | 61.7 | 148.1 | |
| | | 2-14-62 | 63.4 | 146.4 | |
| | | 3-09-62 | 61.3 | 148.5 | |
| | | 4-30-62 | 52.5 | 157.3 | |
| | | 5-07-62 | 52.5 | 157.3 | |
| | | 6-29-62 | 45.2 | 164.6 | |
| 8S/02E-22D01 M | 240.0 | 5-01-61 | 15.2 | 224.8 | 2400 |
| | | 6-00-61 | 18.3 | 221.7 | |
| | | 7-00-61 | 26.1 | 213.9 | |
| | | 8-00-61 | 33.2 | 206.8 | |
| | | 9-00-61 | 37.7 | 202.3 | |
| | | 10-06-61 | 44.7 | 195.3 | |
| | | 11-06-61 | 47.5 | 192.5 | |
| | | 12-07-61 | 41.4 | 198.6 | |
| | | 1-09-62 | 39.9 | 200.1 | |
| | | 2-07-62 | 41.9 | 198.1 | |
| | | 3-09-62 | 16.2 | 223.8 | |
| | | 4-10-62 | 13.1 | 226.9 | |
| | | 5-07-62 | 13.6 | 226.4 | |
| | | 6-15-62 | 13.4 | 226.6 | |
| 8S/01W-15R01 M | 331.2 | 5-01-61 | 37.3 | 293.9 | 2400 |
| | | 6-00-61 | 38.1 | 293.1 | |
| | | 7-00-61 | 40.8 | 290.4 | |
| | | 8-00-61 | 38.5 | 292.7 | |
| | | 9-00-61 | 37.5 | 293.7 | |
| | | 10-03-61 | 36.6 | 294.6 | |
| | | 11-02-61 | 38.2 | 293.0 | |
| | | 12-04-61 | 36.5 | 294.7 | |
| | | 1-04-62 | 35.7 | 295.5 | |
| | | 2-05-62 | 35.1 | 296.1 | |
| | | 3-00-62 | ▫ | | |
| | | 4-05-62 | 34.0 | 297.2 | |
| | | 5-02-62 | 32.5 | 298.7 | |
| | | 6-12-62 | 34.7 | 296.5 | |
| 9S/02E-01J01 M | 315.0 | 5-01-61 | 46.8 | 268.2 | 2400 |
| | | 6-00-61 | 58.9 | 256.1 | |
| | | 7-00-61 | 68.6 | 246.4 | |
| | | 8-00-61 | 73.4 | 241.6 | |
| | | 9-00-61 | 72.9 | 242.1 | |
| | | 10-10-61 | 82.7 | 232.3 | |
| | | 11-14-61 | 84.8 | 230.2 | |
| | | 12-11-61 | 81.6 | 233.4 | |
| | | 1-11-62 | 77.6 | 237.4 | |
| | | 2-15-62 | 70.8 | 244.2 | |
| | | 3-14-62 | 36.7 | 278.3 | |
| | | 4-12-62 | 34.6 | 280.4 | |
| | | 5-10-62 | 38.7 | 276.3 | |
| | | 6-18-62 | 37.4 | 277.6 | |
| 9S/02E-01M01 M | 288.1 | 5-01-61 | 32.3 | 255.8 | 2400 |
| | | 6-00-61 | 38.7 | 249.4 | |
| | | 7-00-61 | 44.3 | 243.8 | |
| | | 8-00-61 | 49.5 | 238.6 | |
| | | 9-00-61 | 51.0 | 237.1 | |
| | | 10-06-61 | 58.3 | 229.8 | |
| | | 11-07-61 | 62.5 | 225.5 | |
| | | 12-07-61 | 55.8 | 232.3 | |
| | | 1-09-62 | 53.5 | 234.6 | |
| | | 2-14-62 | 50.6 | 237.5 | |
| | | 3-12-62 | 36.9 | 251.2 | |
| | | 4-10-62 | ▫ | | |
| | | 5-08-62 | 28.2 | 259.9 | |
| | | 6-16-62 | 26.9 | 261.2 | |
| LIVERMORE VALLEY | | | 2-10.00 | | |
| 2S/02E-25N01 M | 555.3 | 10-01-61 | 12.7 | 542.6 | 5100 |
| | | 3-01-62 | 12.3 | 543.0 | |
| 2S/01W-26C01 M | 416.9 | 10-01-61 | 84.7 | 332.2 | 5100 |
| | | 3-01-62 | 75.2 | 341.7 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| LIVERMORE VALLEY | | | 2-10.00 | | |
| 3S/01E-02F01 M | 361.0 | 10-01-61 | □ | | 5100 |
| | | 3-01-62 | □ | | |
| 3S/01E-11H01 M | 372.9 | 10-01-61 | 133.0 | 239.9 | 5100 |
| | | 3-01-62 | 121.5 | 251.4 | |
| 3S/02E-02R01 M | 562.2 | 10-01-61 | 125.4 | 436.8 | 5100 |
| | | 3-01-62 | 105.0 | 457.2 | |
| 3S/02E-10H01 M | 551.0 | 10-01-61 | □ | | 5100 |
| | | 3-01-62 | 89.0 | 462.0 | |
| HALF MOON BAY TERRACE | | | 2-22.00 | | |
| 5S/05W-20L01 M | 73.0 | 7-19-61 | 29.1 | 43.9 | 5050 |
| | | 8-23-61 | 28.4 | 44.6 | |
| | | 9-20-61 | 28.9 | 44.1 | |
| | | 10-20-61 | 30.3 | 42.7 | |
| | | 11-22-61 | 30.7 | 42.3 | |
| | | 12-21-61 | 27.4 | 45.6 | |
| | | 1-24-62 | 26.3 | 46.7 | |
| | | 2-20-62 | □ | | |
| | | 3-20-62 | 24.1 | 48.9 | |
| | | 4-19-62 | 18.4 | 54.6 | |
| | | 5-23-62 | 21.6 | 51.4 | |
| | | 6-19-62 | 23.1 | 49.9 | |
| 5S/05W-29F03 M | 50.0 | 3-22-62 | 19.0 | 31.0 | 5050 |
| 5S/05W-29N01 M | 46.0 | 3-22-62 | 31.6 | 14.4 | 5050 |
| 6S/05W-08B01 M | 108.0 | 3-22-62 | 58.2 | 49.8 | 5050 |
| SAN GREGORIO VALLEY | | | 2-24.00 | | |
| 7S/05W-13F01 M | 80.0 | 7-19-61 | 13.0 | 67.0 | 5050 |
| | | 8-23-61 | 14.3 | 65.7 | |
| | | 9-20-61 | 14.6 | 65.4 | |
| | | 10-20-61 | 14.9 | 65.1 | |
| | | 11-22-61 | 14.8 | 65.2 | |
| | | 12-21-61 | 13.4 | 66.6 | |
| | | 1-24-62 | 12.2 | 67.8 | |
| | | 2-20-62 | 9.9 | 70.1 | |
| | | 3-20-62 | 8.2 | 71.8 | |
| | | 4-19-62 | 11.1 | 68.9 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| SAN FRANCISCO BAY REGION | | | | | |
| SAN GREGORIO VALLEY | | | 2-24.00 | | |
| 7S/05W-13E01 M | 80.0 | 5-23-62 | 11.6 | 68.4 | 5050 |
| CONT. | | 6-19-62 | □ | | |
| 7S/05W-15C01 M | 80.0 | 3-22-62 | 7.4 | 72.6 | 5050 |
| 7S/05W-15F01 M | 75.2 | 3-22-62 | 4.5 | 70.7 | 5050 |
| 7S/05W-15F02 M | 30.0 | 7-19-61 | 14.3 | 15.7 | 5050 |
| | | 8-23-61 | 14.5 | 15.5 | |
| | | 9-20-61 | 14.6 | 15.4 | |
| | | 10-20-61 | 15.2 | 14.8 | |
| | | 11-22-61 | 14.8 | 15.2 | |
| | | 12-21-61 | 13.4 | 16.6 | |
| | | 1-24-62 | 13.0 | 17.0 | |
| | | 2-20-62 | 9.5 | 20.5 | |
| | | 3-20-62 | 11.6 | 18.4 | |
| | | 3-22-62 | 11.6 | 18.4 | |
| | | 4-19-62 | 12.9 | 17.1 | |
| | | 5-23-62 | 13.3 | 16.7 | |
| | | 6-19-62 | □ | | |
| 7S/05W-15H02 M | 40.0 | 3-22-62 | 12.8 | 27.2 | 5050 |
| PESCADERO VALLEY | | | 2-26.00 | | |
| 8S/05W-09H01 M | 20.0 | 7-19-61 | 6.0 | 14.0 | 5050 |
| | | 8-23-61 | □ | | |
| | | 9-20-61 | □ | | |
| | | 10-20-61 | □ | | |
| | | 11-22-61 | 8.1 | 11.9 | |
| | | 12-21-61 | 5.9 | 14.1 | |
| | | 1-24-62 | 5.1 | 14.9 | |
| | | 2-20-62 | 4.3 | 15.7 | |
| | | 3-20-62 | 4.6 | 15.4 | |
| | | 3-22-62 | 4.6 | 15.4 | |
| | | 4-19-62 | 5.1 | 14.9 | |
| | | 5-23-62 | 5.0 | 15.0 | |
| | | 6-19-62 | 5.3 | 14.7 | |
| 8S/05W-11M01 M | 45.0 | 3-22-62 | 8.2 | 36.8 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | |
| SOQUEL VALLEY | | | 3-01.00 | | |
| 11S/01W-09L01 M | 124.2 | 7-19-61 | 59.8 | 64.4 | 5050 |
| | | 8-23-61 | 58.6 | 65.6 | |
| | | 9-19-61 | 57.9 | 66.3 | |
| | | 10-19-61 | 58.1 | 66.1 | |
| | | 11-21-61 | 58.4 | 65.8 | |
| | | 12-20-61 | 61.0 | 63.2 | |
| | | 1-23-62 | 58.9 | 65.3 | |
| | | 2-20-62 | 61.7 | 62.5 | |
| | | 3-28-62 | 58.6 | 65.6 | |
| | | 4-19-62 | 58.9 | 65.3 | |
| | | 5-23-62 | 58.7 | 65.5 | |
| | | 6-19-62 | 58.3 | 65.9 | |
| 11S/01W-15H01 M | 91.7 | 11-09-61 | 45.5 | 46.2 | 5050 |
| | | 3-29-62 | ⊛ | | |
| | | 4-19-62 | 60.7 | 31.0 | |
| PAJARO VALLEY | | | 3-02.00 | | |
| 12S/01E-24G01 M | 9.4 | 7-18-61 | 30.6* - | 21.2 | 5050 |
| | | 8-23-61 | 19.0 - | 9.6 | |
| | | 9-19-61 | 15.5 - | 6.1 | |
| | | 10-19-61 | □ | | |
| | | 11-21-61 | 8.8 | 0.6 | |
| | | 12-20-61 | 6.1 | 3.3 | |
| | | 1-23-62 | 5.5 | 3.9 | |
| | | 2-20-62 | 4.1 | 5.3 | |
| | | 3-20-62 | 4.6 | 4.8 | |
| | | 4-19-62 | 10.2 - | 0.8 | |
| | | 5-23-62 | □ | | |
| | | 6-19-62 | 19.3 - | 9.9 | |
| 12S/02E-16J01 M | 20.5 | 7-18-61 | 34.3* - | 13.8 | 5050 |
| | | 8-23-61 | 24.6 - | 4.1 | |
| | | 9-19-61 | 22.9 - | 2.4 | |
| | | 10-19-61 | 19.7 | 0.8 | |
| | | 11-21-61 | 17.8 | 2.7 | |
| | | 12-20-61 | 14.7 | 5.8 | |
| | | 1-23-62 | 13.5 | 7.0 | |
| | | 2-20-62 | 12.1 | 8.4 | |
| | | 3-20-62 | 11.1 | 9.4 | |
| | | 4-19-62 | 17.4 | 3.1 | |
| | | 5-23-62 | □ | | |
| | | 6-19-62 | 25.4 - | 4.9 | |
| 12S/02E-31K01 M | 30.0 | 7-18-61 | □ | | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | |
| PAJARO VALLEY | | | 3-02.00 | | |
| 12S/02E-31K01 M | 30.0 | 8-23-61 | □ | | 5050 |
| CONT. | | 9-19-61 | □ | | |
| | | 10-19-61 | 32.0 - | 2.0 | |
| | | 11-21-61 | 37.3* - | 7.3 | |
| | | 12-14-61 | 29.3 | 0.7 | 5100 |
| | | 12-20-61 | 31.4 - | 1.4 | 5050 |
| | | 1-23-62 | 30.8 - | 0.8 | |
| | | 2-20-62 | 26.8 | 3.2 | |
| | | 3-20-62 | 26.4 | 3.6 | |
| | | 3-22-62 | 26.4 | 3.6 | 5100 |
| | | 4-19-62 | □ | | 5050 |
| | | 5-23-62 | □ | | |
| | | 6-19-62 | □ | | |
| 13S/02E-05R01 M | 136.0 | 7-18-61 | 138.4* - | 2.4 | 5050 |
| | | 8-23-61 | 146.8 - | 10.8 | |
| | | 9-19-61 | 140.1 - | 4.1 | |
| | | 10-19-61 | 139.9 - | 3.9 | |
| | | 11-21-61 | 139.5 - | 3.5 | |
| | | 12-20-61 | 147.1 - | 11.1 | |
| | | 1-23-62 | 147.1 - | 11.1 | |
| | | 2-20-62 | 135.8 | 0.2 | |
| | | 3-21-62 | 135.0 | 1.0 | |
| | | 4-19-62 | 134.8 | 1.2 | |
| | | 5-23-62 | 140.2 - | 4.2 | |
| | | 6-19-62 | 137.0 - | 1.0 | |
| GILROY-HOLLISTER VALLEY | | | 3-03.00 | | |
| SOUTH SANTA CLARA COUNTY | | | 3-03.01 | | |
| 9S/03E-27C02 M | 347.0 | 10-09-61 | 110.8 | 236.2 | 2400 |
| | | 11-13-61 | 113.7 | 233.3 | |
| | | 12-08-61 | 116.3 | 230.7 | |
| | | 1-10-62 | 114.5 | 232.5 | |
| | | 2-14-62 | 112.4 | 234.6 | |
| | | 3-13-62 | 110.2 | 236.8 | |
| | | 4-11-62 | 108.6 | 238.4 | |
| | | 5-09-62 | □ | | |
| | | 6-18-62 | 119.5* | 227.5 | |
| 9S/03E-29R01 M | 397.6 | 3-20-62 | 16.1 | 381.5 | 5050 |
| 10S/03E-13R01 M | 246.9 | 6-12-62 | 41.1* | 205.8 | 5400 |
| 10S/03E-34L01 M | 249.3 | 7-18-61 | 19.4 | 229.9 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | |
| SOUTH SANTA CLARA COUNTY | | | 3-03.01 | | |
| 10S/03E-34L01 M | 249.3 | 8-22-61 | 21.6 | 227.7 | 5050 |
| CONT. | | 9-19-61 | 26.8 | 222.5 | |
| | | 10-18-61 | 30.2 | 219.1 | |
| | | 11-20-61 | 31.4 | 217.9 | |
| | | 12-19-61 | 31.3 | 218.0 | |
| | | 1-22-62 | 29.2 | 220.1 | |
| | | 2-19-62 | 6.5 | 242.8 | |
| | | 3-19-62 | 7.6 | 241.7 | |
| | | 4-19-62 | 8.1 | 241.2 | |
| | | 5-25-62 | 7.9 | 241.4 | |
| | | 6-18-62 | 7.9 | 241.4 | |
| 10S/04E-18G02 M | 259.5 | 7-18-61 | 117.0 | 142.5 | 5050 |
| | | 8-22-61 | 110.1 | 149.4 | |
| | | 9-19-61 | 112.2 | 147.3 | |
| | | 10-18-61 | 116.1 | 143.4 | |
| | | 11-20-61 | 117.3 | 142.2 | |
| | | 12-19-61 | 116.7 | 142.8 | |
| | | 1-22-62 | 121.6 | 137.9 | |
| | | 2-19-62 | 119.8 | 139.7 | |
| | | 3-20-62 | 105.3 | 154.2 | |
| | | 4-20-62 | 87.5 | 172.0 | |
| | | 5-25-62 | 92.1 | 167.4 | |
| | | 6-12-62 | 93.5 | 166.0 | |
| 10S/04E-35E01 M | 248.0 | 3-20-62 | 95.3 | 152.7 | 5050 |
| 11S/03E-01B01 M | 227.0 | 7-00-61 | 75.7 | 151.3 | 5400 |
| SAN BENITO COUNTY | | | 3-03.02 | | |
| 11S/05E-13D01 M | 255.7 | 7-18-61 | 44.6 | 211.1 | 5050 |
| | | 8-22-61 | 45.2 | 210.5 | |
| | | 9-09-61 | 45.0 | 210.7 | |
| | | 10-18-61 | 56.7 | 199.0 | |
| | | 11-20-61 | 52.6 | 203.1 | |
| | | 12-19-61 | 60.0 | 195.7 | |
| | | 1-22-62 | 66.1 | 189.6 | |
| | | 2-19-62 | 54.7 | 201.0 | |
| | | 3-21-62 | 27.1 | 228.6 | |
| | | 4-00-62 | 24.6 | 231.1 | 5101 |
| | | 4-18-62 | 22.5 | 233.2 | 5050 |
| | | 5-24-62 | 23.6 | 232.1 | |
| | | 6-18-62 | ¤ | | |
| 12S/04E-20C01 M | 152.9 | 4-00-62 | 25.5 | 127.4 | 5101 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | |
| SAN BENITO COUNTY | | | 3-03.02 | | |
| 12S/05E-12F01 M | 216.3 | 7-18-61 | 90.6 | 125.7 | 5050 |
| | | 8-22-61 | 80.8 | 135.5 | |
| | | 9-19-61 | 76.6* | 139.7 | |
| | | 10-18-61 | 77.0* | 139.3 | |
| | | 11-20-61 | 82.2* | 134.1 | |
| | | 12-19-61 | 83.9 | 132.4 | |
| | | 1-22-62 | 77.9 | 138.4 | |
| | | 2-19-62 | 78.8 | 137.5 | |
| | | 3-21-62 | 75.2 | 141.1 | |
| | | 4-00-62 | 76.8 | 139.5 | 5101 |
| | | 4-18-62 | 77.2 | 139.1 | 5050 |
| | | 5-24-62 | 79.4 | 136.9 | |
| | | 6-18-62 | 84.8 | 131.5 | |
| 12S/05E-33A01 M | 280.0 | 7-18-61 | 92.5 | 187.5 | 5050 |
| | | 8-22-61 | 89.9* | 190.1 | |
| | | 9-19-61 | 84.6 | 195.4 | |
| | | 10-18-61 | 85.4 | 194.6 | |
| | | 11-20-61 | 90.5 | 189.5 | |
| | | 12-19-61 | 92.3 | 187.7 | |
| | | 1-23-62 | 89.6 | 190.4 | |
| | | 2-20-62 | 82.9 | 197.1 | |
| | | 3-21-62 | 80.3 | 199.7 | |
| | | 4-18-62 | 77.1 | 202.9 | |
| | | 5-24-62 | 82.8 | 197.2 | |
| | | 6-18-62 | 86.0 | 194.0 | |
| 13S/05E-11Q01 M | 325.5 | 4-00-62 | 62.4 | 263.1 | 5101 |
| SALINAS VALLEY | | | 3-04.00 | | |
| PRESSURE AREA 180 FOOT AQUIFER | | | 3-04.01 | | |
| 14S/02E-03C01 M | 10.6 | 12-19-61 | ¤ | | 2100 |
| | | 3-26-62 | ¤ | | |
| 14S/02E-15L01 M | 23.0 | 12-19-61 | 21.6 | 1.4 | 2100 |
| | | 3-28-62 | 17.5 | 5.5 | |
| 15S/02E-01Q01 M | 42.0 | 7-19-61 | ¤ | | 2100 |
| | | 8-17-61 | 62.3 | - 20.3 | |
| | | 9-20-61 | ¤ | | |
| | | 10-18-61 | 52.6 | - 10.6 | |
| | | 11-17-61 | 44.7 | - 2.7 | |
| | | 12-15-61 | 35.2 | 6.8 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | |
| PRESSURE AREA 180 FOOT AQUIFER | | | 3-04.01 | | |
| 15S/02E-01Q01 M | 42.0 | 1-17-62 | 37.0 | 5.0 | 2100 |
| CONT. | | 2-20-62 | 30.2 | 11.8 | |
| | | 3-29-62 | ▫ | | |
| | | 4-20-62 | 50.2 | - 8.2 | |
| | | 5-18-62 | ▫ | | |
| | | 6-19-62 | ▫ | | |
| 15S/03E-16M01 M | 58.0 | 12-08-61 | 44.0 | 14.0 | 2100 |
| | | 3-15-62 | 35.5 | 22.5 | |
| 15S/04E-33A01 M | 125.0 | 12-06-61 | 92.0 | 33.0 | 2100 |
| | | 3-15-62 | 87.5 | 37.5 | |
| 16S/04E-11D01 M | 110.0 | 12-05-61 | 57.0 | 53.0 | 2100 |
| | | 3-14-62 | 54.6 | 55.4 | |
| PRESSURE AREA 400 FOOT AQUIFER | | | 3-04.01 | | |
| 13S/02E-31Q01 M | 11.0 | 3-28-62 | 6.7 | 4.3 | 2100 |
| 14S/03E-18J01 M | 69.0 | 7-19-61 | 84.5 | - 15.5 | 2100 |
| | | 8-17-61 | 83.8 | - 14.8 | |
| | | 9-20-61 | 80.4 | - 11.4 | |
| | | 10-18-61 | 77.2 | - 8.2 | |
| | | 11-17-61 | 72.2 | - 3.2 | |
| | | 12-18-61 | 65.7 | 3.3 | |
| | | 1-17-62 | 67.6 | 1.4 | |
| | | 2-20-62 | 61.3 | 7.7 | |
| | | 3-28-62 | 60.4 | 8.6 | |
| | | 4-20-62 | 74.4 | - 5.4 | |
| | | 5-18-62 | 82.8 | - 13.8 | |
| | | 6-20-62 | ▫ | | |
| EAST SIDE AREA | | | 3-04.02 | | |
| 16S/05E-17R01 M | 181.0 | 12-04-61 | 118.0 | 63.0 | 2100 |
| | | 3-14-62 | 108.5 | 72.5 | |
| FOREBAY AREA | | | 3-04.03 | | |
| 17S/05E-11C01 M | 172.0 | 7-18-61 | ▫ | | 2100 |
| | | 8-16-61 | ▫ | | |
| | | 9-19-61 | ▫ | | |
| | | 10-17-61 | 64.1 | 107.9 | |
| | | 11-16-61 | 63.7 | 108.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL COASTAL REGION | | | | | |
| FOREBAY AREA | | | 3-04.03 | | |
| 17S/05E-11C01 M | 172.0 | 12-28-61 | 63.3 | 108.7 | 2100 |
| CONT. | | 1-16-62 | ▫ | | |
| | | 2-21-62 | 62.0 | 110.0 | |
| | | 3-12-62 | 60.6 | 111.4 | |
| | | 4-18-62 | ▫ | | |
| | | 5-18-62 | 61.4 | 110.6 | |
| | | 6-19-62 | 61.4 | 110.6 | |
| 18S/07E-18P01 M | 222.0 | 12-05-61 | ▫ | | 2100 |
| | | 3-09-62 | # | | |
| ARROYO SECO CONE | | | 3-04.04 | | |
| 18S/06E-15M01 M | 277.0 | 12-07-61 | 118.5 | 158.5 | 2100 |
| | | 3-07-62 | 97.6 | 179.4 | |
| 19S/06E-11C01 M | 375.0 | 7-17-61 | ▫ | | 2100 |
| | | 8-16-61 | ▫ | | |
| | | 9-19-61 | ▫ | | |
| | | 10-16-61 | 198.4 | 176.6 | |
| | | 11-15-61 | 194.4 | 180.6 | |
| | | 12-04-61 | 191.0 | 184.0 | |
| | | 1-16-62 | 193.0 | 182.0 | |
| | | 2-21-62 | 181.5 | 193.5 | |
| | | 3-06-62 | 172.8 | 202.2 | |
| | | 4-18-62 | 177.6 | 197.4 | |
| | | 5-18-62 | 179.2 | 195.8 | |
| | | 6-18-62 | ▫ | | |
| UPPER VALLEY AREA | | | 3-04.05 | | |
| 19S/07E-10P01 M | 315.0 | 7-17-61 | ▫ | | 2100 |
| | | 8-16-61 | ▫ | | |
| | | 9-18-61 | 98.7 | 216.3 | |
| | | 10-16-61 | 98.7 | 216.3 | |
| | | 11-15-61 | 93.5 | 221.5 | |
| | | 12-11-61 | 108.8* | 206.2 | |
| | | 1-16-62 | 93.5 | 221.5 | |
| | | 2-21-62 | 87.8 | 227.2 | |
| | | 3-05-62 | 92.1 | 222.9 | |
| | | 4-18-62 | 89.5 | 225.5 | |
| | | 5-17-62 | ▫ | | |
| | | 6-18-62 | 99.5 | 215.5 | |
| 20S/08E-05R01 M | 337.0 | 12-11-61 | 78.0 | 259.0 | 2100 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| **CENTRAL COASTAL REGION** | | | | | |
| UPPER VALLEY AREA | | | 3-04.05 | | |
| 20S/08E-05R01 M | 337.0 | 3-07-62 | 68.6 | 268.4 | 2100 |
| CONT. | | | | | |
| 21S/09E-06K01 M | 344.0 | 12-13-61 | 13.2 | 330.8 | 2100 |
| | | 3-08-62 | 10.6 | 333.4 | |
| 21S/10E-32N01 M | 400.0 | 12-13-61 | 22.4 | 377.6 | 2100 |
| | | 3-08-62 | 19.4 | 380.6 | |
| 22S/10E-16K01 M | 472.0 | 12-12-61 | 72.8 | 399.2 | 2100 |
| | | 3-08-62 | 69.5 | 402.5 | |
| CARMEL VALLEY | | | 3-07.00 | | |
| 16S/01E-25B01 M | 140.0 | 7-18-61 | 17.6 | 122.4 | 5050 |
| | | 8-22-61 | 17.9 | 122.1 | |
| | | 9-19-61 | 19.5 | 120.5 | |
| | | 10-19-61 | 27.9* | 112.1 | |
| | | 11-21-61 | 28.0* | 112.0 | |
| | | 12-20-61 | 30.7 | 109.3 | |
| | | 1-23-62 | ¤ | | |
| | | 2-15-62 | 22.4 | 117.6 | |
| | | 3-15-62 | 14.1 | 125.9 | |
| | | 4-17-62 | ¤ | | |
| | | 5-17-62 | 15.1 | 124.9 | |
| | | 6-19-62 | 15.1 | 124.9 | |
| WEST SANTA CRUZ TERRACE | | | 3-26.00 | | |
| 11S/02W-22K01 M | 30.0 | 12-22-61 | 79.2 | - 49.2 | 5050 |
| | | 4-08-62 | 76.2 | - 46.2 | |
| | | 4-19-62 | 74.5 | - 44.5 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| **CENTRAL VALLEY REGION** | | | | | |
| GOOSE LAKE VALLEY | | | 5-01.00 | | |
| 45N/14E-17P01 M | 4796.9 | 7-26-61 | 53.4 | 4743.5 | 5050 |
| | | 8-23-61 | 53.5 | 4743.4 | |
| | | 9-20-61 | 55.2 | 4741.7 | |
| | | 10-24-61 | 55.0 | 4741.9 | |
| | | 11-28-61 | 51.3 | 4745.6 | |
| | | 12-12-61 | 51.0 | 4745.9 | |
| | | 1-17-62 | 51.2 | 4745.7 | |
| | | 2-27-62 | 50.6 | 4746.3 | |
| | | 3-21-62 | 49.9 | 4747.0 | |
| | | 4-24-62 | 50.0 | 4746.9 | |
| | | 5-22-62 | 53.6 | 4743.3 | |
| | | 6-18-62 | 51.6 | 4745.3 | |
| 48N/14E-24A03 M | 4847.3 | 7-26-61 | 16.4 | 4830.9 | 5050 |
| | | 8-23-61 | 16.7 | 4830.6 | |
| | | 9-20-61 | 20.2 | 4827.1 | |
| | | 10-24-61 | 20.3 | 4827.0 | |
| | | 11-28-61 | 20.1 | 4827.2 | |
| | | 12-12-61 | 19.5 | 4827.8 | |
| | | 1-17-62 | 19.5 | 4827.8 | |
| | | 2-27-62 | 18.9 | 4828.4 | |
| | | 3-21-62 | 19.7 | 4827.6 | |
| | | 4-24-62 | 16.1 | 4831.2 | |
| | | 5-22-62 | 14.2 | 4833.1 | |
| | | 6-18-62 | 14.1 | 4833.2 | |
| ALTURAS BASIN | | | 5-02.00 | | |
| 39N/13E-08K04 M | 4453.4 | 7-26-61 | 24.9 | 4428.5 | 50 |
| | | 8-23-61 | 25.3 | 4428.1 | |
| | | 9-20-61 | 21.0 | 4432.4 | |
| | | 10-24-61 | 22.1 | 4431.3 | |
| | | 11-28-61 | 23.2 | 4430.2 | |
| | | 12-11-61 | 23.7 | 4429.7 | |
| | | 1-18-62 | 22.9 | 4430.5 | |
| | | 2-28-62 | 21.8* | 4431.6 | |
| | | 3-21-62 | 25.6 | 4427.8 | |
| | | 4-25-62 | 24.4 | 4429.0 | |
| | | 5-28-62 | 21.4 | 4432.0 | |
| | | 6-19-62 | 20.4 | 4433.0 | |
| 41N/11E-05E01 M | 4315.1 | 7-25-61 | 6.6 | 4308.5 | 5050 |
| | | 8-21-61 | 6.6 | 4308.5 | |
| | | 9-19-61 | 7.0 | 4308.1 | |
| | | 10-23-61 | 6.8 | 4308.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| ALTURAS BASIN | | | 5-02.00 | | |
| 41N/11E-05E01 M | 4315.1 | 11-27-61 | 6.7 | 4308.4 | 5050 |
| CONT. | | 12-12-61 | 6.2 | 4308.9 | |
| | | 1-17-62 | 6.0 | 4309.1 | |
| | | 2-26-62 | 6.2 | 4308.9 | |
| | | 3-20-62 | 6.1 | 4309.0 | |
| | | 4-24-62 | 6.0 | 4309.1 | |
| | | 5-22-62 | 6.0 | 4309.1 | |
| | | 6-18-62 | 6.1 | 4309.0 | |
| 41N/12E-11D01 M | 4382.6 | 7-25-61 | 59.8* | 4322.8 | 5050 |
| | | 8-23-61 | 41.2 | 4341.4 | |
| | | 9-20-61 | 40.3 | 4342.3 | |
| | | 10-24-61 | 26.6 | 4356.0 | |
| | | 11-28-61 | 25.6 | 4357.0 | |
| | | 12-12-61 | 25.2 | 4357.4 | |
| | | 1-18-62 | 24.7 | 4357.9 | |
| | | 2-27-62 | 24.4 | 4358.2 | |
| | | 3-20-62 | 24.0 | 4358.6 | |
| | | 4-24-62 | 58.5* | 4324.1 | |
| | | 5-22-62 | 58.3* | 4324.3 | |
| | | 6-19-62 | 46.2* | 4336.4 | |
| 42N/09E-36B01 M | 4308.7 | 7-25-61 | 11.3 | 4297.4 | 5050 |
| | | 8-21-61 | 11.8 | 4296.9 | |
| | | 9-19-61 | 16.5* | 4292.2 | |
| | | 10-23-61 | 16.9* | 4291.8 | |
| | | 11-27-61 | □ | | |
| | | 12-12-61 | 17.0 | 4291.7 | |
| | | 1-17-62 | 16.9 | 4291.8 | |
| | | 2-26-62 | 13.4 | 4295.3 | |
| | | 3-20-62 | 12.4 | 4296.3 | |
| | | 4-24-62 | 18.2* | 4290.5 | |
| | | 5-22-62 | 15.3 | 4293.4 | |
| | | 6-18-62 | 12.8 | 4295.9 | |
| 42N/12E-10G01 M | 4389.5 | 7-25-61 | 39.0 | 4350.5 | 5050 |
| | | 8-21-61 | 39.7 | 4349.8 | |
| | | 9-20-61 | 38.4 | 4351.1 | |
| | | 10-24-61 | 38.2 | 4351.3 | |
| | | 11-28-61 | 37.9 | 4351.6 | |
| | | 12-12-61 | 38.0 | 4351.5 | |
| | | 1-18-62 | 37.7 | 4351.8 | |
| | | 2-27-62 | 38.0 | 4351.5 | |
| | | 3-20-62 | 37.8 | 4351.7 | |
| | | 4-24-62 | 37.8 | 4351.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| ALTURAS BASIN | | | 5-02.00 | | |
| 42N/12E-10G01 M | 4389.5 | 5-22-62 | 37.7 | 4351.8 | 5050 |
| CONT. | | 6-18-62 | 38.7 | 4350.8 | |
| 42N/13E-06P01 M | 4398.0 | 7-25-61 | 9.3 | 4388.7 | 5050 |
| | | 8-23-61 | 9.6 | 4388.4 | |
| | | 9-20-61 | 10.1 | 4387.9 | |
| | | 10-24-61 | 9.9 | 4388.1 | |
| | | 11-28-61 | 9.2 | 4388.8 | |
| | | 12-12-61 | 9.0 | 4389.0 | |
| | | 1-17-62 | 9.1 | 4388.9 | |
| | | 2-27-62 | 8.6 | 4389.4 | |
| | | 3-20-62 | 8.5 | 4389.5 | |
| | | 4-24-62 | 8.5 | 4389.5 | |
| | | 5-22-62 | 8.3 | 4389.7 | |
| | | 6-18-62 | 9.1 | 4388.9 | |
| 42N/13E-34M01 M | 4431.1 | 7-25-61 | 12.1 | 4419.0 | 5050 |
| | | 8-23-61 | 12.7 | 4418.4 | |
| | | 9-20-61 | 12.4 | 4418.7 | |
| | | 10-24-61 | 12.3 | 4418.8 | |
| | | 11-28-61 | 11.8 | 4419.3 | |
| | | 12-11-61 | 11.6 | 4419.5 | |
| | | 1-18-62 | 11.4 | 4419.7 | |
| | | 2-27-62 | 10.2 | 4420.9 | |
| | | 3-20-62 | 10.5 | 4420.6 | |
| | | 4-24-62 | 10.5 | 4420.6 | |
| | | 5-23-62 | 10.3 | 4420.8 | |
| | | 6-18-62 | 10.3 | 4420.8 | |
| BIG VALLEY | | | 5-04.00 | | |
| 38N/07E-33K01 M | 4115.2 | 7-25-61 | 9.6 | 4105.6 | 5050 |
| | | 8-21-61 | 9.8 | 4105.4 | |
| | | 9-19-61 | 10.0 | 4105.2 | |
| | | 10-23-61 | 9.8 | 4105.4 | |
| | | 11-27-61 | 9.7 | 4105.5 | |
| | | 12-12-61 | 9.6 | 4105.6 | |
| | | 1-17-62 | 9.5 | 4105.7 | |
| | | 2-26-62 | 9.3 | 4105.9 | |
| | | 3-20-62 | 9.1 | 4106.1 | |
| | | 4-24-62 | 9.3 | 4105.9 | |
| | | 5-22-62 | 9.2 | 4106.0 | |
| | | 6-18-62 | 9.8 | 4105.4 | |
| 38N/08E-17K01 M | 4149.9 | 7-25-61 | 11.8 | 4138.1 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BIG VALLEY | | | 5-04.00 | | |
| 38N/08E-17K01 M | 4149.9 | 8-21-61 | 12.5 | 4137.4 | 5050 |
| CONT. | | 9-19-61 | 11.1 | 4138.8 | |
| | | 10-23-61 | 11.5 | 4138.4 | |
| | | 11-27-61 | 11.2 | 4138.7 | |
| | | 12-12-61 | 10.9 | 4139.0 | |
| | | 1-17-62 | 10.7 | 4139.2 | |
| | | 2-26-62 | 10.5 | 4139.4 | |
| | | 3-20-62 | 10.1 | 4139.8 | |
| | | 4-24-62 | 10.2 | 4139.7 | |
| | | 5-22-62 | 10.5 | 4139.4 | |
| | | 6-18-62 | 10.4 | 4139.5 | |
| 39N/09E-28F01 M | 4203.2 | 7-25-61 | 7.9 | 4195.3 | 5050 |
| | | 8-21-61 | 7.7 | 4195.5 | |
| | | 9-19-61 | 7.2 | 4196.0 | |
| | | 10-23-61 | 6.8 | 4196.4 | |
| | | 11-27-61 | 6.6 | 4196.6 | |
| | | 12-12-61 | 6.6 | 4196.6 | |
| | | 1-17-62 | 6.4 | 4196.8 | |
| | | 2-26-62 | 6.0 | 4197.2 | |
| | | 3-20-62 | 5.6 | 4197.6 | |
| | | 4-24-62 | 6.3 | 4196.9 | |
| | | 5-22-62 | 6.2 | 4197.0 | |
| | | 6-18-62 | 6.5 | 4196.7 | |
| ROUND VALLEY | | | 5-36.00 | | |
| 39N/09E-10K01 M | 4242.4 | 7-25-61 | 10.5 | 4231.9 | 5050 |
| | | 8-21-61 | ¤ | | |
| | | 9-19-61 | 9.4 | 4233.0 | |
| | | 10-23-61 | 9.4 | 4233.0 | |
| | | 11-27-61 | 11.9 | 4230.5 | |
| | | 12-12-61 | 11.3 | 4231.1 | |
| | | 1-17-62 | 11.1 | 4231.3 | |
| | | 2-26-62 | 6.1* | 4236.3 | |
| | | 3-20-62 | 4.4 | 4238.0 | |
| | | 4-24-62 | 5.2 | 4237.2 | |
| | | 5-22-62 | 6.1 | 4236.3 | |
| | | 6-18-62 | 6.5 | 4235.9 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FALL RIVER VALLEY | | | 5-05.00 | | |
| 37N/05E-01J01 M | 3322.7 | 7-25-61 | 20.2 | 3302.5 | 5050 |
| | | 8-21-61 | 17.4 | 3305.3 | |
| | | 9-19-61 | 13.0 | 3309.7 | |
| | | 10-23-61 | 11.0 | 3311.7 | |
| | | 11-27-61 | 10.1 | 3312.6 | |
| | | 12-12-61 | 10.7 | 3312.0 | |
| | | 1-17-62 | 10.7 | 3312.0 | |
| | | 2-26-62 | 9.6 | 3313.1 | |
| | | 3-20-62 | 9.2 | 3313.5 | |
| | | 4-24-62 | 13.3 | 3309.4 | |
| | | 5-22-62 | 11.7 | 3311.0 | |
| | | 6-18-62 | 17.9 | 3304.8 | |
| 37N/05E-30K02 M | 3328.6 | 7-25-61 | 50.0 | 3278.6 | 5050 |
| | | 8-21-61 | 49.8 | 3278.8 | |
| | | 9-19-61 | 49.5 | 3279.1 | |
| | | 10-23-61 | 49.8 | 3278.8 | |
| | | 11-27-61 | 49.8 | 3278.8 | |
| | | 12-12-61 | 48.4 | 3280.2 | |
| | | 1-17-62 | 49.6 | 3279.0 | |
| | | 2-26-62 | 50.0 | 3278.6 | |
| | | 3-20-62 | 50.0 | 3278.6 | |
| | | 4-24-62 | 49.9 | 3278.7 | |
| | | 5-22-62 | 49.9 | 3278.7 | |
| | | 6-18-62 | 50.0 | 3278.6 | |
| 38N/04E-33F01 M | 3318.0 | 7-25-61 | 6.6 | 3311.4 | 5050 |
| | | 8-21-61 | 6.6 | 3311.4 | |
| | | 9-19-61 | 7.2 | 3310.8 | |
| | | 10-23-61 | 7.1 | 3310.9 | |
| | | 11-27-61 | 6.7 | 3311.3 | |
| | | 12-12-61 | 6.5 | 3311.5 | |
| | | 1-17-62 | 6.2 | 3311.8 | |
| | | 2-26-62 | 5.5 | 3312.5 | |
| | | 3-20-62 | 5.1 | 3312.9 | |
| | | 4-24-62 | 5.0 | 3313.0 | |
| | | 5-22-62 | 5.0 | 3313.0 | |
| | | 6-18-62 | 5.8 | 3312.2 | |
| REDDING BASIN | | | 5-06.00 | | |
| 29N/03W-01A01 M | 454.0 | 3-03-62 | ¤ | | 5050 |
| 29N/03W-04R01 M | 397.0 | 3-03-62 | ¤ | | 5050 |
| 29N/04W-11G04 M | 425.0 | 3-03-62 | ¤ | | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| REDDING BASIN | | | 5-06.00 | | |
| 29N/04W-30L01 M | 489.9 | 3-03-62 | ▫ | | 5050 |
| 29N/05W-11A02 M | 512.0 | 7-25-61 | 61.3 | 450.7 | 5050 |
| | | 8-17-61 | 61.7 | 450.3 | |
| | | 9-26-61 | 61.5 | 450.5 | |
| | | 10-18-61 | 59.2 | 452.8 | |
| | | 11-14-61 | 51.0 | 461.0 | |
| | | 12-13-61 | 52.9 | 459.1 | |
| | | 1-17-62 | 49.9 | 462.1 | |
| | | 2-27-62 | 47.9 | 464.1 | |
| | | 3-19-62 | 47.3 | 464.7 | |
| | | 4-23-62 | ▫ | | |
| | | 5-21-62 | 67.9 | 444.1 | |
| | | 6-20-62 | 62.4 | 449.6 | |
| 30N/03W-06J01 M | 403.3 | 3-03-62 | ▫ | | 5050 |
| 30N/03W-17N03 M | 389.0 | 7-25-61 | 7.3 | 381.7 | 5050 |
| | | 8-17-61 | 7.0 | 382.0 | |
| | | 9-26-61 | 6.8 | 382.2 | |
| | | 10-18-61 | ▫ | | |
| | | 11-14-61 | # | | |
| 30N/04W-03Q01 M | 473.3 | 4-09-55 | 65.1 | 408.2 | 5050 |
| | | 11-07-55 | 66.5 | 406.8 | |
| | | 10-15-56 | 66.4 | 406.9 | |
| | | 3-25-57 | 67.4 | 405.9 | |
| | | 10-16-57 | 68.7 | 404.6 | |
| | | 4-09-58 | 64.2 | 409.1 | |
| | | 10-06-58 | 69.1 | 404.2 | |
| | | 3-05-59 | 65.6 | 407.7 | |
| | | 10-07-59 | 67.6 | 405.7 | |
| | | 1-13-60 | 68.2 | 405.1 | |
| | | 3-08-60 | 65.8 | 407.5 | |
| | | 10-05-60 | 69.0 | 404.3 | |
| | | 3-01-61 | 65.7 | 407.6 | |
| | | 3-12-62 | 67.4 | 405.9 | |
| | | 5-21-62 | 78.5* | 394.8 | |
| | | 6-20-62 | 67.3 | 406.0 | |
| 30N/04W-06B03 M | 450.0 | 7-25-61 | 46.7 | 403.3 | 5050 |
| | | 8-17-61 | 46.5 | 403.5 | |
| | | 9-26-61 | 46.1 | 403.9 | |
| | | 10-18-61 | 51.9 | 398.1 | |
| | | 11-14-61 | 54.3 | 395.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| REDDING BASIN | | | 5-06.00 | | |
| 30N/04W-06B03 M CONT. | 450.0 | 12-13-61 | 49.4 | 400.6 | 5050 |
| | | 1-17-62 | 48.6 | 401.4 | |
| | | 2-27-62 | 45.8 | 404.2 | |
| | | 3-19-62 | 45.4 | 404.6 | |
| | | 4-23-62 | 46.7 | 403.3 | |
| | | 5-21-62 | 47.8 | 402.2 | |
| | | 6-20-62 | 53.7 | 396.3 | |
| 30N/05W-03001 M | 739.5 | 3-03-62 | ▫ | | 5050 |
| 31N/03W-12F01 M | 524.2 | 3-03-62 | ▫ | | 5050 |
| 31N/03W-18R01 M | 450.0 | 3-03-62 | ▫ | | 5050 |
| 31N/03W-29N01 M | 416.4 | 7-25-61 | 22.8 | 393.6 | 5050 |
| | | 8-17-61 | 23.0 | 393.4 | |
| | | 9-26-61 | 22.9 | 393.5 | |
| | | 10-18-61 | 21.8 | 394.6 | |
| | | 11-15-61 | 19.6 | 396.8 | |
| | | 12-13-61 | 20.4 | 396.0 | |
| | | 1-17-62 | 20.2 | 396.2 | |
| | | 2-27-62 | 18.7 | 397.7 | |
| | | 3-19-62 | 18.2 | 398.2 | |
| | | 4-23-62 | 19.4 | 397.0 | |
| | | 5-21-62 | 22.6 | 393.8 | |
| | | 6-20-62 | 22.3 | 394.1 | |
| 31N/04W-11C03 M | 516.0 | 3-03-62 | ▫ | | 5050 |
| 31N/04W-15K01 M | 515.0 | 7-25-61 | ▫ | | 5050 |
| | | 8-16-61 | ▫ | | |
| | | 9-26-61 | ▫ | | |
| | | 10-18-61 | ▫ | | |
| | | 11-15-61 | 99.2 | 415.8 | |
| | | 12-13-61 | 100.8 | 414.2 | |
| | | 1-17-62 | 99.1 | 415.9 | |
| | | 2-27-62 | 103.1 | 411.9 | |
| | | 3-19-62 | 105.9 | 409.1 | |
| | | 4-23-62 | 100.6 | 414.4 | |
| | | 5-21-62 | ▫ | | |
| | | 6-20-62 | ▫ | | |
| 31N/04W-21M01 M | 453.0 | 3-03-62 | ▫ | | 5050 |
| 32N/03W-32F02 M | 534.0 | 3-03-62 | ▫ | | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| REDDING BASIN | | | 5-06.00 | | |
| 32N/04W-25R01 M | 642.0 | 3-03-62 | ▫ | | 5050 |
| 32N/04W-34P01 M | 622.0 | 3-03-62 | ▫ | | 5050 |
| MOHAWK VALLEY | | | 5-11.00 | | |
| 22N/12E-09P01 M | 4352.2 | 10-17-61 | 20.0 | 4332.2 | 5050 |
| SIERRA VALLEY | | | 5-12.00 | | |
| 20N/14E-13Q02 M | 4985.6 | 7-27-61 | 2.7 | 4982.9 | 5050 |
| | | 8-24-61 | 2.8 | 4982.8 | |
| | | 9-21-61 | 3.3 | 4982.3 | |
| | | 10-20-61 | 4.2 | 4981.4 | |
| | | 12-05-61 | 1.5 | 4984.1 | |
| | | 12-28-61 | 1.7 | 4983.9 | |
| | | 1-26-62 | 1.7 | 4983.9 | |
| | | 2-27-62 | .4 | 4985.2 | |
| | | 3-31-62 | - .3 | 4985.9 | |
| | | 4-30-62 | 1.1 | 4984.5 | |
| | | 6-01-62 | 1.8 | 4983.8 | |
| | | 6-29-62 | 2.1 | 4983.5 | |
| 21N/14E-25N01 M | 4932.0 | 7-27-61 | 19.8 | 4912.2 | 5050 |
| | | 8-24-61 | 18.7 | 4913.3 | |
| | | 9-21-61 | 18.3 | 4913.7 | |
| | | 10-19-61 | 20.3 | 4911.7 | |
| | | 12-05-61 | DRY | | |
| | | 12-28-61 | DRY | | |
| | | 1-26-62 | DRY | | |
| | | 2-27-62 | 14.5 | 4917.5 | |
| | | 3-31-62 | 13.1 | 4918.9 | |
| | | 4-30-62 | 8.6 | 4923.4 | |
| | | 6-01-62 | 8.0 | 4924.0 | |
| | | 6-29-62 | 9.0 | 4923.0 | |
| 21N/14E-32G01 M | 4957.5 | 7-27-61 | 12.1 | 4945.4 | 5050 |
| | | 8-24-61 | 11.8 | 4945.7 | |
| | | 9-21-61 | 11.8 | 4945.7 | |
| | | 10-20-61 | 11.2 | 4946.3 | |
| | | 12-05-61 | 11.8 | 4945.7 | |
| | | 12-28-61 | 11.9 | 4945.6 | |
| | | 1-26-62 | 11.8 | 4945.7 | |
| | | 2-27-62 | 11.4 | 4946.1 | |
| | | 3-31-62 | 11.1 | 4946.4 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SIERRA VALLEY | | | 5-12.00 | | |
| 21N/14E-32G01 M | 4957.5 | 4-30-62 | 11.5 | 4946.0 | 5050 |
| CONT. | | 6-01-62 | 11.3 | 4946.2 | |
| | | 6-29-62 | 11.3 | 4946.2 | |
| 21N/15E-12C01 M | 4918.8 | 7-27-61 | 9.0 | 4909.8 | 5050 |
| | | 8-24-61 | 9.4 | 4909.4 | |
| | | 9-21-61 | 10.0 | 4908.8 | |
| | | 12-05-61 | 12.3 | 4906.5 | |
| | | 12-28-61 | 10.5 | 4908.3 | |
| | | 1-26-62 | 10.8 | 4908.0 | |
| | | 2-27-62 | 10.4 | 4908.4 | |
| | | 3-31-62 | 5.2 | 4913.6 | |
| | | 4-30-62 | 7.1 | 4911.7 | |
| | | 6-01-62 | 8.0 | 4910.8 | |
| | | 6-29-62 | 9.6 | 4909.2 | |
| 22N/16E-32E03 M | 4949.6 | 10-18-61 | ▫ | | 5050 |
| 23N/14E-25K01 M | 4891.1 | 7-27-61 | 9.3 | 4881.8 | 5050 |
| | | 8-24-61 | 9.6 | 4881.5 | |
| | | 9-21-61 | 10.7 | 4880.4 | |
| | | 10-17-61 | 11.1 | 4880.0 | |
| | | 12-05-61 | 11.1 | 4880.0 | |
| | | 12-28-61 | 11.3 | 4879.8 | |
| | | 1-26-62 | 11.4 | 4879.7 | |
| | | 2-27-62 | 7.4 | 4883.7 | |
| | | 3-31-62 | 1.5 | 4889.6 | |
| | | 4-30-62 | 4.0 | 4887.1 | |
| | | 6-01-62 | 5.1 | 4886.0 | |
| | | 6-29-62 | 6.6 | 4884.5 | |
| 23N/16E-34H01 M | 4964.9 | 7-27-61 | 6.3 | 4958.6 | 5050 |
| | | 8-24-61 | 6.1 | 4958.8 | |
| | | 9-21-61 | 6.6 | 4958.3 | |
| | | 10-18-61 | 6.7 | 4958.2 | |
| | | 12-05-61 | 6.2 | 4958.7 | |
| | | 12-28-61 | 6.2 | 4958.7 | |
| | | 1-26-62 | 6.1 | 4958.8 | |
| | | 2-27-62 | 5.4 | 4959.5 | |
| | | 3-31-62 | 4.8 | 4960.1 | |
| | | 4-30-62 | 4.8 | 4960.1 | |
| | | 6-01-62 | 4.1 | 4960.8 | |
| | | 6-29-62 | 4.5 | 4960.4 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| UPPER LAKE VALLEY | | | 5-13.00 | | |
| 15N/09W-07G01 M | 1346.4 | 7-17-61 | 25.4 | 1321.0 | 5050 |
| | | 8-22-61 | 30.2* | 1316.2 | |
| | | 9-20-61 | 27.3 | 1319.1 | |
| | | 10-25-61 | 20.7* | 1325.7 | 5111 |
| | | 10-26-61 | 13.7 | 1332.7 | 5050 |
| | | 11-24-61 | 10.3 | 1336.1 | |
| | | 12-21-61 | 8.6 | 1337.8 | |
| | | 1-23-62 | 7.9 | 1338.5 | |
| | | 2-20-62 | 3.7 | 1342.7 | |
| | | 3-07-62 | 3.1 | 1343.3 | 5111 |
| | | 3-23-62 | 3.4 | 1343.0 | 5050 |
| | | 4-19-62 | 5.3 | 1341.1 | |
| | | 5-25-62 | 19.0 | 1327.4 | |
| | | 6-22-62 | 22.2 | 1324.2 | |
| 15N/10W-03D01 M | 1362.0 | 10-24-61 | 9.3 | 1352.7 | 5111 |
| | | 3-07-62 | 1.6 | 1360.4 | |
| 16N/09W-31001 M | 1387.5 | 10-24-61 | 13.6 | 1373.9 | 5111 |
| | | 3-07-62 | 6.2 | 1381.3 | |
| SCOTT VALLEY | | | 5-14.00 | | |
| 14N/10W-10001 M | 1430.7 | 10-24-61 | 17.3 | 1413.4 | 5111 |
| | | 11-24-61 | 14.1 | 1416.6 | 5050 |
| | | 12-21-61 | 11.1 | 1419.6 | |
| | | 1-23-62 | 9.6 | 1421.1 | |
| | | 2-20-62 | 3.6 | 1427.1 | |
| | | 3-09-62 | 2.4 | 1428.3 | 5111 |
| | | 3-23-62 | 3.2 | 1427.5 | 5050 |
| | | 4-19-62 | 4.6 | 1426.1 | |
| | | 5-25-62 | 6.8 | 1423.9 | |
| | | 6-22-62 | 10.6 | 1420.1 | |
| 14N/10W-14E02 M | 1441.6 | 10-24-61 | 22.2 | 1419.4 | 5111 |
| | | 3-09-62 | 1.2 | 1440.4 | |
| 14N/10W-14F01 M | 1440.0 | 7-17-61 | □ | | 5050 |
| | | 8-22-61 | 28.8 | 1411.2 | |
| | | 9-20-61 | 20.8 | 1419.2 | |
| | | 10-24-61 | 21.2 | 1418.8 | 5111 |
| | | 10-26-61 | 21.5 | 1418.5 | 5050 |
| | | 11-24-61 | 19.7 | 1420.3 | |
| | | 12-21-61 | 3.9 | 1436.1 | |
| | | 1-23-62 | 3.1 | 1436.9 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SCOTT VALLEY | | | 5-14.00 | | |
| 14N/10W-14F01 M CONT. | 1440.0 | 2-20-62 | .1 | 1439.9 | 5050 |
| | | 3-09-62 | 0.0 | 1440.0 | 5111 |
| | | 3-23-62 | 1.7 | 1438.3 | 5050 |
| | | 4-19-62 | 2.4 | 1437.6 | |
| | | 5-25-62 | 12.4 | 1427.6 | |
| | | 6-22-62 | 20.4* | 1419.6 | |
| 14N/10W-22A01 M | 1463.8 | 10-24-61 | 43.6 | 1420.2 | 5111 |
| | | 3-09-62 | 22.0 | 1441.8 | |
| KELSEYVILLE VALLEY | | | 5-15.00 | | |
| 13N/09W-02C02 M | 1345.0 | 10-31-61 | 23.5 | 1321.5 | 5111 |
| | | 3-09-62 | 10.4 | 1334.6 | |
| 13N/09W-20P01 M | 1413.0 | 7-17-61 | 11.1 | 1401.9 | 5050 |
| | | 8-22-61 | 13.9 | 1399.1 | |
| | | 9-20-61 | 15.2 | 1397.8 | |
| | | 10-25-61 | 14.5 | 1398.5 | 5111 |
| | | 10-26-61 | 14.5 | 1398.5 | 5050 |
| | | 11-24-61 | 13.8 | 1399.2 | |
| | | 12-21-61 | 6.8 | 1406.2 | |
| | | 1-23-62 | 6.6 | 1406.4 | |
| | | 2-20-62 | 4.0 | 1409.0 | |
| | | 3-09-62 | 3.9 | 1409.1 | 5111 |
| | | 3-23-62 | 4.5 | 1408.5 | 5050 |
| | | 4-19-62 | 5.2 | 1407.8 | |
| | | 5-25-62 | 7.6 | 1405.4 | |
| | | 6-22-62 | 11.5* | 1401.5 | |
| 14N/09W-32M01 M | 1335.2 | 10-31-61 | 14.6 | 1320.6 | 5111 |
| | | 3-09-62 | 4.9 | 1330.3 | |
| 14N/09W-33K01 M | 1335.3 | 7-17-61 | 11.0 | 1324.3 | 5050 |
| | | 8-22-61 | 12.9 | 1322.4 | |
| | | 9-20-61 | 14.2 | 1321.1 | |
| | | 10-26-61 | 14.0 | 1321.3 | |
| | | 10-31-61 | 14.0 | 1321.3 | 5111 |
| | | 11-24-61 | 13.9 | 1321.4 | 5050 |
| | | 12-21-61 | 12.3 | 1323.0 | |
| | | 1-23-62 | 10.8 | 1324.5 | |
| | | 2-20-62 | 5.2 | 1330.1 | |
| | | 3-09-62 | 3.9 | 1331.4 | 5111 |
| | | 3-23-62 | 5.3 | 1330.0 | 5050 |
| | | 4-19-62 | 6.0 | 1329.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| KELSEYVILLE VALLEY | | | 5-15.00 | | |
| 14N/09W-33K01 M | 1335.3 | 5-25-62 | 7.5 | 1327.8 | 5050 |
| CONT. | | 6-22-62 | 9.9 | 1325.4 | |
| LONG VALLEY | | | 5-31.00 | | |
| 14N/07W-06F01 M | 1330.0 | 3-23-62 | 7.9 | 1322.1 | 5050 |
| HIGH VALLEY | | | 5-16.00 | | |
| 14N/07W-19M01 M | 1730.0 | 10-30-61 | 28.9 | 1701.1 | 5111 |
| | | 3-08-62 | 24.0 | 1706.0 | |
| 14N/07W-19M02 M | 1730.0 | 7-07-61 | 44.2 | 1685.8 | 5000 |
| | | 8-08-61 | 52.5 | 1677.5 | |
| | | 9-07-61 | 51.8 | 1678.2 | |
| | | 10-04-61 | 51.2 | 1678.8 | |
| | | 11-07-61 | □ | | |
| | | 12-05-61 | 49.1 | 1680.9 | |
| | | 1-12-62 | 48.1 | 1681.9 | |
| | | 2-13-62 | 45.0 | 1685.0 | |
| | | 3-09-62 | 43.0 | 1687.0 | |
| | | 4-19-62 | 41.8 | 1688.2 | |
| | | 5-10-62 | 45.3* | 1684.7 | |
| | | 6-12-62 | 49.7 | 1680.3 | |
| BURNS VALLEY | | | 5-17.00 | | |
| 13N/07W-15Q01 M | 1385.0 | 7-07-61 | 6.9 | 1378.1 | 5000 |
| | | 8-08-61 | 8.9 | 1376.1 | |
| | | 9-07-61 | 9.1 | 1375.9 | |
| | | 10-04-61 | 8.4 | 1376.6 | |
| | | 11-07-61 | 8.7 | 1376.3 | |
| | | 12-05-61 | 7.1 | 1377.9 | |
| | | 1-12-62 | 4.3 | 1380.7 | |
| | | 2-13-62 | 1.6 | 1383.4 | |
| | | 3-09-62 | 1.3 | 1383.7 | |
| | | 4-19-62 | 1.9 | 1383.1 | |
| | | 5-10-62 | 2.6 | 1382.4 | |
| | | 6-12-62 | 4.2 | 1380.8 | |
| 13N/07W-28R01 M | 1330.0 | 10-30-61 | 8.5 | 1321.5 | 5111 |
| | | 3-08-62 | 2.8 | 1327.2 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| LOWER LAKE AREA | | | 5-30.00 | | |
| 12N/07W-03J01 M | 1375.0 | 10-30-61 | 22.2 | 1352.8 | 5111 |
| | | 3-08-62 | 12.9 | 1362.1 | |
| 12N/07W-13N01 M | 1360.0 | 7-07-61 | 16.7 | 1343.3 | 5000 |
| | | 8-08-61 | 18.1 | 1341.9 | |
| | | 9-07-61 | 12.4 | 1347.6 | |
| | | 10-04-61 | 19.5 | 1340.5 | |
| | | 11-07-61 | 19.5 | 1340.5 | |
| | | 12-05-61 | 17.6 | 1342.4 | |
| | | 1-12-62 | 17.0 | 1343.0 | |
| | | 2-13-62 | 14.4 | 1345.6 | |
| | | 3-09-62 | 10.4 | 1349.6 | |
| | | 4-19-62 | 13.8 | 1346.2 | |
| | | 5-10-62 | 14.4 | 1345.6 | |
| | | 6-12-62 | 15.5 | 1344.5 | |
| COYOTE VALLEY | | | 5-18.00 | | |
| 11N/06W-19G01 M | 967.8 | 7-07-61 | □ | | 5000 |
| | | 8-08-61 | 15.5 | 952.3 | |
| | | 9-07-61 | 24.6* | 943.2 | |
| | | 10-04-61 | 18.4 | 949.4 | |
| | | 11-07-61 | 16.3 | 951.5 | |
| | | 12-04-61 | 10.9 | 956.9 | |
| | | 1-12-62 | 12.3 | 955.5 | |
| | | 2-13-62 | 9.3 | 958.5 | |
| | | 3-09-62 | 9.2 | 958.6 | |
| | | 4-19-62 | 12.1 | 955.7 | |
| | | 5-10-62 | □ | | |
| | | 6-12-62 | □ | | |
| COLLAYOMI VALLEY | | | 5-19.00 | | |
| 10N/07W-03A02 M | 1107.7 | 7-07-61 | 21.1 | 1086.6 | 5000 |
| | | 8-08-61 | 26.4 | 1081.3 | |
| | | 9-07-61 | 35.1 | 1072.6 | |
| | | 10-04-61 | 32.1 | 1075.6 | |
| | | 11-07-61 | 31.1 | 1076.6 | |
| | | 12-05-61 | 13.2 | 1094.5 | |
| | | 1-12-62 | 13.4 | 1094.3 | |
| | | 2-13-62 | 10.3 | 1097.4 | |
| | | 3-09-62 | 11.3 | 1096.4 | |
| | | 4-19-62 | 13.7 | 1094.0 | |
| | | 5-10-62 | 13.8 | 1093.9 | |
| | | 6-12-62 | 17.7 | 1090.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| COLLAYOMI VALLEY | | | 5-19.00 | | |
| 11N/07W-35E01 M | 1077.0 | 10-30-61 | 13.7 | 1063.3 | 5111 |
| | | 3-08-62 | 5.9 | 1071.1 | |
| SACRAMENTO VALLEY | | | 5-21.00 | | |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 23N/02W-22N02 M | 181.0 | 10-18-61 | 36.6 | 144.4 | 5100 |
| | | 3-11-62 | 27.3 | 153.7 | |
| 23N/03W-05G01 M | 277.0 | 9-30-61 | 55.8 | 221.2 | 5100 |
| | | 3-11-62 | 45.0 | 232.0 | |
| 23N/03W-13C02 M | 211.0 | 7-20-61 | 28.9 | 182.1 | 5050 |
| | | 8-17-61 | 29.4 | 181.6 | |
| | | 9-26-61 | 29.2 | 181.8 | |
| | | 9-30-61 | 31.6 | 179.4 | 5100 |
| | | 10-17-61 | 32.5 | 178.5 | 5050 |
| | | 11-15-61 | 32.3 | 178.7 | |
| | | 12-14-61 | 27.2 | 183.8 | |
| | | 1-16-62 | 26.4 | 184.6 | |
| | | 2-27-62 | 23.9 | 187.1 | |
| | | 3-11-62 | 20.0 | 191.0 | |
| | | 4-23-62 | 18.7 | 192.3 | |
| | | 5-21-62 | 20.8 | 190.2 | |
| | | 6-20-62 | 23.2 | 187.8 | |
| 24N/02W-02N01 M | 205.0 | 9-30-61 | 7.6 | 197.4 | 5100 |
| | | 3-10-62 | 6.8 | 198.2 | |
| 24N/02W-03G01 M | 200.4 | 7-20-61 | ▫ | | 5050 |
| | | 8-17-61 | 12.5 | 187.9 | |
| | | 9-26-61 | 12.7 | 187.7 | |
| | | 9-30-61 | 13.6 | 186.8 | 5100 |
| | | 10-18-61 | 14.0 | 186.4 | 5050 |
| | | 11-16-61 | 13.8 | 186.6 | |
| | | 12-13-61 | 13.4 | 187.0 | |
| | | 1-16-62 | 13.5 | 186.9 | |
| | | 2-26-62 | 11.4 | 189.0 | |
| | | 3-10-62 | 11.2 | 189.2 | 5100 |
| | | 4-23-62 | 12.9 | 187.5 | 5050 |
| | | 5-21-62 | 14.6 | 185.8 | |
| | | 6-20-62 | 14.3 | 186.1 | |
| 24N/02W-28G01 M | 188.4 | 9-30-61 | 31.1 | 157.3 | 5100 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 24N/02W-28G01 M | 188.4 | 3-10-62 | 25.9 | 162.5 | 5100 |
| 24N/03W-03J01 M | 276.0 | 7-20-61 | 25.7 | 250.3 | 5050 |
| | | 8-17-61 | 28.9 | 247.1 | |
| | | 9-26-61 | 28.7 | 247.3 | |
| | | 10-17-61 | 31.0 | 245.0 | |
| | | 11-15-61 | 30.6 | 245.4 | |
| | | 12-14-61 | 30.2 | 245.8 | |
| | | 1-16-62 | 29.5 | 246.5 | |
| | | 2-27-62 | 27.7 | 248.3 | |
| | | 3-20-62 | 27.3 | 248.7 | |
| | | 4-23-62 | 24.3 | 251.7 | |
| | | 5-21-62 | 25.1 | 250.9 | |
| | | 6-20-62 | 29.0 | 247.0 | |
| 24N/03W-03N02 M | 285.8 | 9-26-61 | 49.6 | 236.2 | 5100 |
| | | 3-08-62 | 36.9 | 248.9 | |
| 24N/03W-16R01 M | 284.0 | 7-20-61 | ▫ | | 5050 |
| | | 8-17-61 | ▫ | | |
| | | 9-26-61 | ▫ | | |
| | | 10-17-61 | ▫ | | |
| | | 11-15-61 | 37.7 | 246.3 | |
| | | 12-14-61 | 28.1 | 255.9 | |
| | | 1-16-62 | 29.0 | 255.0 | |
| | | 2-27-62 | 27.4 | 256.6 | |
| | | 3-19-62 | 23.9 | 260.1 | |
| | | 4-23-62 | 23.9 | 260.1 | |
| | | 5-21-62 | 34.3 | 249.7 | |
| | | 6-20-62 | 37.2 | 246.8 | |
| 24N/04W-02N01 M | 379.2 | 9-26-61 | 15.4 | 363.8 | 5100 |
| | | 3-09-62 | 11.7 | 367.5 | |
| 25N/01W-31M01 M | 280.0 | 9-30-61 | 55.3 | 224.7 | 5100 |
| | | 3-10-62 | 45.6 | 234.4 | |
| 25N/02W-18D01 M | 213.0 | 10-01-61 | 14.0 | 199.0 | 5100 |
| | | 3-09-62 | 5.4 | 207.6 | |
| 25N/03W-09K01 M | 285.6 | 10-01-61 | 73.1 | 212.5 | 5100 |
| | | 3-08-62 | 28.4 | 257.2 | |
| 25N/03W-13C01 M | 236.5 | 7-20-61 | 39.9 | 196.6 | 5050 |
| | | 8-17-61 | 41.2 | 195.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 25N/03W-13C01 M | 236.5 | 9-26-61 | 41.1 | 195.4 | 5050 |
| CONT. | | 10-01-61 | 39.9 | 196.6 | 5100 |
| | | 10-17-61 | 39.9 | 196.6 | 5050 |
| | | 11-15-61 | 38.6 | 197.9 | |
| | | 12-14-61 | 36.7 | 199.8 | |
| | | 1-16-62 | 37.1 | 199.4 | |
| | | 2-27-62 | 35.7 | 200.8 | |
| | | 3-09-62 | 31.4 | 205.1 | 5100 |
| | | 4-23-62 | 35.1 | 201.4 | 5050 |
| | | 5-21-62 | 35.5 | 201.0 | |
| | | 6-20-62 | 36.6 | 199.9 | |
| 25N/03W-22L01 M | 275.0 | 10-06-61 | 64.4 | 210.6 | 5100 |
| | | 3-08-62 | 36.3 | 238.7 | |
| 26N/02W-05D01 M | 252.0 | 7-20-61 | 24.2 | 227.8 | 5050 |
| | | 8-17-61 | 26.3 | 225.7 | |
| | | 9-26-61 | 25.9 | 226.1 | |
| | | 10-18-61 | 23.3 | 228.7 | |
| | | 11-16-61 | 23.3 | 228.7 | |
| | | 12-13-61 | 22.4 | 229.6 | |
| | | 1-16-62 | 21.4 | 230.6 | |
| | | 2-26-62 | 20.8 | 231.2 | |
| | | 3-19-62 | 19.8 | 232.2 | |
| | | 4-23-62 | 20.9 | 231.1 | |
| | | 5-21-62 | 21.1 | 230.9 | |
| | | 6-20-62 | 21.5 | 230.5 | |
| 26N/02W-14G01 M | 311.7 | 9-30-61 | 80.2 | 231.5 | 5100 |
| | | 3-10-62 | 60.0 | 251.7 | |
| 26N/02W-34K02 M | 299.7 | 9-30-61 | 39.6 | 260.1 | 5100 |
| | | 3-10-62 | 42.3 | 257.4 | |
| 26N/03W-04K01 M | 295.0 | 10-01-61 | 74.0 | 221.0 | 5100 |
| | | 3-08-62 | 65.1 | 229.9 | |
| 26N/03W-21P01 M | 284.5 | 7-20-61 | 85.0 | 199.5 | 5050 |
| | | 8-16-61 | ¤ | | |
| | | 9-26-61 | ¤ | | |
| | | 9-26-61 | 71.5 | 213.0 | 5100 |
| | | 10-17-61 | 61.8 | 222.7 | 5050 |
| | | 11-15-61 | 62.7 | 221.8 | |
| | | 12-14-61 | 58.0 | 226.5 | |
| | | 1-16-62 | 56.2 | 228.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TEHAMA COUNTY | | | 5-21.01 | | |
| 26N/03W-21P01 M | 284.5 | 2-27-62 | 50.8 | 233.7 | 5050 |
| CONT. | | 3-08-62 | 47.6 | 236.9 | 5100 |
| | | 3-19-62 | 50.5 | 234.0 | 5050 |
| | | 4-23-62 | 58.3 | 226.2 | |
| | | 5-21-62 | ¤ | | |
| | | 6-20-62 | 72.8 | 211.7 | |
| 26N/03W-34P01 M | 272.9 | 10-07-61 | 65.7 | 207.2 | 5100 |
| | | 3-09-62 | 37.9 | 235.0 | |
| 27N/02W-29E01 M | 294.3 | 7-20-61 | 90.7 | 203.6 | 5050 |
| | | 8-17-61 | ¤ | | |
| | | 9-26-61 | ¤ | | |
| | | 9-30-61 | 58.0 | 236.3 | 5100 |
| | | 10-18-61 | 56.8 | 237.5 | 5050 |
| | | 11-16-61 | 54.7 | 239.6 | |
| | | 12-13-61 | 54.6 | 239.7 | |
| | | 1-16-62 | 55.1 | 239.2 | |
| | | 2-26-62 | 52.7 | 241.6 | |
| | | 3-10-62 | 49.5 | 244.8 | 5100 |
| | | 3-19-62 | 52.3 | 242.0 | 5050 |
| | | 4-23-62 | 52.3 | 242.0 | |
| | | 5-21-62 | 52.4 | 241.9 | |
| | | 6-20-62 | 53.0 | 241.3 | |
| 27N/02W-31P01 M | 255.0 | 10-01-61 | 20.6 | 234.4 | 5100 |
| | | 3-10-62 | 17.8 | 237.2 | |
| 27N/03W-32A04 M | 298.0 | 9-26-61 | 68.4 | 229.6 | 5100 |
| | | 3-08-62 | 59.5 | 238.5 | |
| GLENN COUNTY | | | 5-21.02 | | |
| 18N/01W-03J01 M | 77.5 | 10-12-61 | 13.2 | 64.3 | 5105 |
| | | 4-04-62 | 9.2 | 68.3 | |
| 18N/03W-10L01 M | 95.0 | 7-20-61 | 6.3 | 88.7 | 5050 |
| | | 8-16-61 | 6.3 | 88.7 | |
| | | 9-25-61 | 5.8 | 89.2 | |
| | | 10-10-61 | 5.7 | 89.3 | 5105 |
| | | 10-17-61 | 5.5 | 89.5 | 5050 |
| | | 11-15-61 | 5.2 | 89.8 | |
| | | 12-15-61 | 4.7 | 90.3 | |
| | | 1-15-62 | 4.4 | 90.6 | |
| | | 2-26-62 | 3.9 | 91.1 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| GLENN COUNTY | | | 5-21.02 | | |
| 18N/03W-10L01 M | 95.0 | 3-16-62 | 4.4 | 90.6 | 5050 |
| CONT. | | 4-02-62 | 5.0 | 90.0 | 5105 |
| | | 4-23-62 | 4.5 | 90.5 | 5050 |
| | | 5-21-62 | 3.7 | 91.3 | |
| | | 6-21-62 | 3.4 | 91.6 | |
| 18N/04W-11B01 M | 150.0 | 10-10-61 | # | | 5105 |
| 18N/04W-11B03 M | 151.0 | 10-11-59 | 30.0 | 121.0 | 5105 |
| | | 3-16-60 | 27.7 | 123.3 | |
| | | 10-11-60 | 30.0 | 121.0 | |
| | | 3-09-61 | 27.2 | 123.8 | |
| | | 10-10-61 | 29.2 | 121.8 | |
| | | 3-30-62 | 30.0 | 121.0 | |
| 19N/01E-08R01 M | 91.0 | 10-12-61 | 8.1 | 82.9 | 5105 |
| | | 3-03-62 | 4.9 | 86.1 | |
| 19N/01W-14K01 M | 87.0 | 10-12-61 | 10.7 | 76.3 | 5105 |
| | | 4-03-62 | 10.5 | 76.5 | |
| 19N/02W-13J01 M | 86.0 | 7-20-61 | 11.4 | 74.6 | 5050 |
| | | 8-16-61 | 11.9 | 74.1 | |
| | | 9-25-61 | 10.4 | 75.6 | |
| | | 10-11-61 | 10.9 | 75.1 | 5105 |
| | | 10-17-61 | 11.4 | 74.6 | 5050 |
| | | 11-15-61 | 12.0 | 74.0 | |
| | | 12-14-61 | 10.9 | 75.1 | |
| | | 1-15-62 | 10.4 | 75.6 | |
| | | 2-26-62 | 7.8 | 78.2 | |
| | | 3-16-62 | 8.3 | 77.7 | |
| | | 3-29-62 | 9.3 | 76.7 | 5105 |
| | | 4-23-62 | 9.5 | 76.5 | 5050 |
| | | 5-21-62 | 9.4 | 76.6 | |
| | | 6-21-62 | 9.4 | 76.6 | |
| 19N/02W-19D01 M | 103.0 | 10-06-61 | 4.8 | 98.2 | 5105 |
| | | 3-29-62 | 5.5 | 97.5 | |
| 19N/03W-18D01 M | 153.0 | 10-06-61 | 44.1 | 108.9 | 5105 |
| | | 4-02-62 | 34.4 | 118.6 | |
| | | 4-17-62 | 41.8 | 111.2 | 5050 |
| | | 5-21-62 | 45.7 | 107.3 | |
| | | 6-21-62 | 49.5 | 103.5 | |
| 19N/04W-35C01 M | 165.0 | 10-10-61 | 47.7 | 117.3 | 5105 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| GLENN COUNTY | | | 5-21.02 | | |
| 19N/04W-35C01 M | 165.0 | 3-30-62 | 44.7 | 120.3 | 5105 |
| 20N/02W-07A01 M | 141.0 | 10-05-61 | 11.1 | 129.9 | 5105 |
| | | 3-28-62 | 11.1 | 129.9 | |
| 20N/02W-27J01 M | 102.0 | 10-04-61 | 8.6 | 93.4 | 5105 |
| | | 3-26-62 | 5.8 | 96.2 | |
| 20N/02W-29G01 M | 117.0 | 12-20-41 | 8.5 | 108.5 | 5001 |
| | | 2-19-42 | 7.6 | 109.4 | |
| | | 3-19-42 | 7.6 | 109.4 | |
| | | 4-21-42 | 7.6 | 109.4 | |
| | | 5-19-42 | 6.8 | 110.2 | |
| | | 6-30-42 | 6.4 | 110.6 | |
| | | 8-04-42 | 6.3 | 110.7 | |
| | | 9-09-42 | 6.9 | 110.1 | |
| | | 11-21-42 | 7.0 | 110.0 | |
| | | 3-10-43 | 5.7 | 111.3 | |
| | | 10-13-43 | 5.8 | 111.2 | |
| | | 12-07-43 | 7.0 | 110.0 | |
| | | 1-10-44 | 6.9 | 110.1 | |
| | | 2-05-44 | 6.8 | 110.2 | |
| | | 3-20-44 | 7.3 | 109.7 | |
| | | 4-08-44 | 7.1 | 109.9 | |
| | | 7-26-44 | 5.2 | 111.8 | |
| | | 11-16-44 | 6.7 | 110.3 | |
| | | 8-22-45 | 5.4 | 111.6 | |
| | | 12-14-45 | 8.6 | 108.4 | |
| | | 2-04-46 | 7.8 | 109.2 | |
| | | 7-29-46 | ¤ | | |
| | | 11-06-46 | 7.2 | 109.8 | |
| | | 4-08-47 | 7.6 | 109.4 | |
| | | 9-02-47 | 6.2 | 110.8 | |
| | | 12-01-47 | 7.5 | 109.5 | |
| | | 2-26-48 | 7.9 | 109.1 | |
| | | 11-13-51 | 7.5 | 109.5 | |
| | | 4-07-52 | 7.5 | 109.5 | |
| | | 9-22-52 | 6.0 | 111.0 | |
| | | 4-21-53 | 4.9 | 112.1 | |
| | | 10-28-53 | 7.8 | 109.2 | 5050 |
| | | 4-06-54 | 7.5 | 109.5 | |
| | | 11-16-54 | 5.3 | 111.7 | 5001 |
| | | 11-26-57 | 7.9 | 109.1 | 5050 |
| | | 3-05-58 | 6.5 | 110.5 | |
| | | 9-30-58 | 7.6 | 109.4 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| GLENN COUNTY | | | 5-21.02 | | |
| 20N/02W-29G01 M | 117.0 | 3-17-59 | 7.8 | 109.2 | 5050 |
| CONT. | | 10-12-59 | 6.0 | 111.0 | 5105 |
| | | 3-11-60 | 8.8 | 108.2 | |
| | | 10-07-60 | 9.5 | 107.5 | |
| | | 3-08-61 | 7.8 | 109.2 | |
| | | 10-04-61 | 6.0 | 111.0 | |
| | | 3-28-62 | 7.9 | 109.1 | |
| | | 4-13-62 | 6.7 | 110.3 | 5050 |
| | | 5-21-62 | 4.9 | 112.1 | |
| | | 6-21-62 | 5.2 | 111.8 | |
| 20N/03W-29R01 M | 143.0 | 10-17-61 | 41.9* | 101.1 | 5001 |
| | | 3-28-62 | 26.6 | 116.4 | |
| 21N/01W-17F01 M | 132.5 | 10-13-61 | 20.2 | 112.3 | 5105 |
| | | 3-28-62 | 14.7 | 117.8 | |
| 21N/01W-31E01 M | 129.8 | 10-04-61 | 11.1 | 118.7 | 5105 |
| | | 3-28-62 | 14.0 | 115.8 | |
| 21N/02W-02B02 M | 161.0 | 10-07-61 | 28.9 | 132.1 | 5105 |
| | | 3-27-62 | 18.4 | 142.6 | |
| 21N/02W-31F01 M | 161.0 | 10-04-61 | 38.7 | 122.3 | 5105 |
| | | 3-22-62 | 30.0 | 131.0 | |
| 21N/03W-02B01 M | 205.0 | 7-20-61 | □ | | 5050 |
| | | 8-16-61 | □ | | |
| | | 9-25-61 | 29.1 | 175.9 | |
| | | 10-13-61 | 47.9* | 157.1 | 5105 |
| | | 10-17-61 | □ | | 5050 |
| | | 11-15-61 | 27.0 | 178.0 | |
| | | 12-15-61 | 20.2 | 184.8 | |
| | | 1-15-62 | 20.6 | 184.4 | |
| | | 2-26-62 | 19.4 | 185.6 | |
| | | 3-16-62 | 20.9 | 184.1 | |
| | | 3-27-62 | 20.1 | 184.9 | 5105 |
| | | 4-23-62 | 20.9 | 184.1 | 5050 |
| | | 5-21-62 | □ | | |
| | | 6-21-62 | □ | | |
| 21N/03W-10J01 M | 207.5 | 8-26-59 | 26.6 | 180.9 | 5050 |
| | | 9-14-59 | 26.0 | 181.5 | 5105 |
| | | 3-03-60 | 21.6 | 185.9 | |
| | | 10-04-60 | 27.4 | 180.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| GLENN COUNTY | | | 5-21.02 | | |
| 21N/03W-10J01 M | 207.5 | 3-06-61 | 21.8 | 185.7 | 5105 |
| CONT. | | 10-09-61 | 27.0 | 180.5 | |
| | | 3-23-62 | 22.1 | 185.4 | |
| | | 4-13-62 | 22.3 | 185.2 | 5050 |
| | | 5-21-62 | 25.9 | 181.6 | |
| | | 6-21-62 | 27.9 | 179.6 | |
| 22N/02W-08B02 M | 205.0 | 5-18-62 | 41.0 | 164.0 | 5050 |
| | | 5-21-62 | 41.2 | 163.8 | |
| | | 6-21-62 | 46.7 | 158.3 | |
| 22N/02W-16C01 M | 196.0 | 10-03-61 | 17.6 | 178.4 | 5105 |
| | | 3-22-62 | 10.8 | 185.2 | |
| 22N/02W-31Q01 M | 198.6 | 10-07-61 | 20.7 | 177.9 | 5105 |
| | | 3-27-62 | 14.7 | 183.9 | |
| 22N/03W-05F01 M | 293.0 | 10-18-61 | 42.2 | 250.8 | 5001 |
| | | 3-29-62 | 44.0 | 249.0 | |
| 22N/03W-21F01 M | 262.0 | 7-20-61 | 19.3 | 242.7 | 5050 |
| | | 8-16-61 | 19.6 | 242.4 | |
| | | 9-25-61 | 18.7 | 243.3 | |
| | | 10-17-61 | 18.4 | 243.6 | |
| | | 10-18-61 | 18.4 | 243.6 | 5001 |
| | | 11-15-61 | 18.5 | 243.5 | 5050 |
| | | 12-14-61 | 19.4 | 242.6 | |
| | | 1-15-62 | 19.1 | 242.9 | |
| | | 2-26-62 | 19.0 | 243.0 | |
| | | 3-16-62 | 19.8 | 242.2 | |
| | | 3-29-62 | 19.2 | 242.8 | 5001 |
| | | 4-23-62 | 17.7 | 244.3 | 5050 |
| | | 5-21-62 | 17.2 | 244.8 | |
| | | 6-21-62 | 18.4 | 243.6 | |
| BUTTE COUNTY | | | 5-21.03 | | |
| 17N/02E-08D01 M | 74.5 | 10-10-61 | 5.7 | 68.8 | 5106 |
| | | 3-19-62 | 5.4 | 69.1 | |
| 18N/01E-33N03 M | 64.0 | 7-19-61 | 3.7 | 60.3 | 5050 |
| | | 8-18-61 | 3.9 | 60.1 | |
| | | 9-27-61 | 3.8 | 60.2 | |
| | | 10-09-61 | 7.1 | 56.9 | 5106 |
| | | 10-19-61 | 7.4 | 56.6 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUTTE COUNTY | | | 5-21.03 | | |
| 18N/01E-33N03 M | 64.0 | 11-17-61 | 7.0 | 57.0 | 5050 |
| CONT. | | 12-14-61 | 7.1 | 56.9 | |
| | | 1-16-62 | 5.6 | 58.4 | |
| | | 2-28-62 | 5.1 | 58.9 | |
| | | 3-16-62 | 5.6 | 58.4 | |
| | | 3-19-62 | 6.4 | 57.6 | 5106 |
| | | 4-24-62 | 7.8 | 56.2 | 5050 |
| | | 5-22-62 | 3.4* | 60.6 | |
| | | 6-22-62 | 3.9* | 60.1 | |
| 18N/02E-16F01 M | 80.0 | 10-09-61 | 6.4 | 73.6 | 5106 |
| | | 3-27-62 | 6.5 | 73.5 | |
| 18N/02E-35P01 M | 84.0 | 7-19-61 | 2.8 | 81.2 | 5050 |
| | | 8-18-61 | 2.9 | 81.1 | |
| | | 9-27-61 | 3.1 | 80.9 | |
| | | 10-19-61 | 2.6 | 81.4 | |
| | | 11-17-61 | 2.4 | 81.6 | |
| | | 12-14-61 | 3.4 | 80.6 | |
| | | 1-16-62 | 2.8 | 81.2 | |
| | | 2-28-62 | 2.9 | 81.1 | |
| | | 3-16-62 | 3.2 | 80.8 | |
| | | 4-24-62 | 3.2 | 80.8 | |
| | | 5-22-62 | 1.6 | 82.4 | |
| | | 6-22-62 | 2.7 | 81.3 | |
| 18N/03E-06M01 M | 107.0 | 7-19-61 | 15.5 | 91.5 | 5050 |
| | | 8-18-61 | 15.3 | 91.7 | |
| | | 9-27-61 | 14.8 | 92.2 | |
| | | 10-09-61 | 14.7 | 92.3 | 5106 |
| | | 10-19-61 | 15.0 | 92.0 | 5050 |
| | | 11-17-61 | 14.8 | 92.2 | |
| | | 12-14-61 | 14.5 | 92.5 | |
| | | 1-16-62 | 13.9 | 93.1 | |
| | | 2-28-62 | 12.0 | 95.0 | |
| | | 3-19-62 | 12.4 | 94.6 | |
| | | 3-26-62 | 13.3 | 93.7 | 5106 |
| | | 4-24-62 | 12.7 | 94.3 | 5050 |
| | | 5-22-62 | 12.5 | 94.5 | |
| | | 6-22-62 | 12.9 | 94.1 | |
| 18N/03E-11G01 M | 124.0 | 7-19-61 | 34.3 | 89.7 | 5050 |
| | | 8-18-61 | 34.2 | 89.8 | |
| | | 9-27-61 | 34.7 | 89.3 | |
| | | 10-09-61 | 32.3 | 91.7 | 5106 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUTTE COUNTY | | | 5-21.03 | | |
| 18N/03E-11G01 M | 124.0 | 10-19-61 | 31.9 | 92.1 | 5050 |
| CONT. | | 11-17-61 | 31.7 | 92.3 | |
| | | 12-14-61 | 30.4 | 93.6 | |
| | | 1-16-62 | 29.1 | 94.9 | |
| | | 2-28-62 | 26.0 | 98.0 | |
| | | 3-19-62 | 25.8 | 98.2 | |
| | | 3-20-62 | 25.9 | 98.1 | 5106 |
| | | 4-24-62 | 27.8 | 96.2 | 5050 |
| | | 5-22-62 | 29.0 | 95.0 | |
| | | 6-22-62 | 33.6 | 90.4 | |
| 18N/03E-16E02 M | 105.0 | 10-09-61 | ¤ | | 5106 |
| | | 3-26-62 | # | | |
| 18N/04E-28L01 M | 135.0 | 10-09-61 | ¤ | | 5106 |
| | | 3-20-62 | 45.0 | 90.0 | |
| 19N/01E-28R01 M | 80.0 | 7-19-61 | 4.1 | 75.9 | 5050 |
| | | 8-18-61 | 5.7 | 74.3 | |
| | | 9-27-61 | 6.4 | 73.6 | |
| | | 10-06-61 | 5.8 | 74.2 | 5106 |
| | | 10-19-61 | 7.0 | 73.0 | 5050 |
| | | 11-17-61 | 6.4 | 73.6 | |
| | | 12-14-61 | 5.3 | 74.7 | |
| | | 1-16-62 | 5.2 | 74.8 | |
| | | 2-28-62 | 3.7 | 76.3 | |
| | | 3-16-62 | 4.7 | 75.3 | |
| | | 3-26-62 | 5.1 | 74.9 | 5106 |
| | | 4-24-62 | 5.9 | 74.1 | 5050 |
| | | 5-22-62 | 3.9 | 76.1 | |
| | | 6-22-62 | 4.9 | 75.1 | |
| 19N/02E-01A01 M | 125.0 | 7-19-61 | 37.9* | 87.1 | 5050 |
| | | 8-18-61 | 39.3* | 85.7 | |
| | | 9-27-61 | 15.2 | 109.8 | |
| | | 10-06-61 | 14.5 | 110.5 | 5106 |
| | | 10-19-61 | 13.8 | 111.2 | 5050 |
| | | 11-17-61 | 13.4 | 111.6 | |
| | | 12-14-61 | 13.5 | 111.5 | |
| | | 1-16-62 | 11.5 | 113.5 | |
| | | 2-28-62 | 9.7 | 115.3 | |
| | | 3-19-62 | 8.6 | 116.4 | |
| | | 4-23-62 | 12.7 | 112.3 | |
| | | 5-22-62 | 27.1* | 97.9 | |
| | | 6-22-62 | 19.8* | 105.2 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUTTE COUNTY | | 5-21.03 | | | |
| 19N/02F-10B09 M | 112.0 | 10-06-61 | 3.0 | 109.0 | 5106 |
| | | 3-26-62 | 1.9 | 110.1 | |
| 19N/02E-16N01 M | 99.0 | 7-19-61 | 3.9 | 95.1 | 5050 |
| | | 8-18-61 | 2.3 | 96.7 | |
| | | 9-27-61 | 3.4 | 95.6 | |
| | | 10-06-61 | 4.3 | 94.7 | 5106 |
| | | 10-19-61 | 4.9 | 94.1 | 5050 |
| | | 11-17-61 | 5.5 | 93.5 | |
| | | 12-14-61 | 3.6 | 95.4 | |
| | | 1-16-62 | 3.6 | 95.4 | |
| | | 2-28-62 | 2.7 | 96.3 | |
| | | 3-16-62 | 3.1 | 95.9 | |
| | | 3-26-62 | 3.5 | 95.5 | 5106 |
| | | 4-24-62 | 3.8 | 95.2 | 5050 |
| | | 5-22-62 | 3.6 | 95.4 | |
| | | 6-22-62 | 3.7 | 95.3 | |
| 19N/03F-16P01 M | 170.0 | 10-06-61 | ▫ | | 5106 |
| | | 3-27-62 | ▫ | | |
| 19N/03E-19M01 M | 125.0 | 10-06-61 | 27.4 | 97.6 | 5106 |
| | | 3-26-62 | 15.6 | 109.4 | |
| 20N/01E-27P01 M | 101.0 | 10-05-61 | 5.6 | 95.4 | 5106 |
| | | 3-23-62 | 4.6 | 96.4 | |
| 20N/02F-29R01 M | 118.0 | 10-05-61 | 6.3 | 111.7 | 5106 |
| | | 3-26-62 | 3.4 | 114.6 | |
| 20N/03E-32D01 M | 141.0 | 10-05-61 | 33.9 | 107.1 | 5106 |
| | | 3-26-62 | 28.0 | 113.0 | |
| 20N/01W-15A01 M | 107.0 | 10-05-61 | 13.6 | 93.4 | 5106 |
| | | 3-23-62 | ▫ | | |
| 21N/01E-05G01 M | 149.0 | 7-19-61 | 27.4 | 121.6 | 5050 |
| | | 8-16-61 | 29.0 | 120.0 | |
| | | 9-25-61 | 27.9 | 121.1 | |
| | | 10-18-61 | 22.5 | 126.5 | |
| | | 11-16-61 | 22.9 | 126.1 | |
| | | 12-13-61 | 20.3 | 128.7 | |
| | | 1-16-62 | 20.1 | 128.9 | |
| | | 2-27-62 | 16.4 | 132.6 | |
| | | 3-16-62 | 14.8 | 134.2 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUTTE COUNTY | | 5-21.03 | | | |
| 21N/01E-05G01 M | 149.0 | 4-23-62 | 14.6 | 134.4 | 5050 |
| CONT. | | 5-22-62 | 17.0 | 132.0 | |
| | | 6-22-62 | 20.6 | 128.4 | |
| 21N/01E-31L01 M | 115.0 | 7-19-61 | 7.9 | 107.1 | 5050 |
| | | 8-18-61 | 8.0 | 107.0 | |
| | | 9-27-61 | 7.9 | 107.1 | |
| | | 10-18-61 | 7.4 | 107.6 | |
| | | 11-17-61 | 7.6 | 107.4 | |
| | | 12-13-61 | 6.7 | 108.3 | |
| | | 1-16-62 | 6.5 | 108.5 | |
| | | 2-27-62 | 3.2 | 111.8 | |
| | | 3-16-62 | 2.9 | 112.1 | |
| | | 4-23-62 | 4.7 | 110.3 | |
| | | 5-22-62 | 6.1 | 108.9 | |
| | | 6-22-62 | 7.5 | 107.5 | |
| 21N/01E-33A01 M | 135.0 | 3-22-61 | 18.0 | 117.0 | 5106 |
| | | 10-04-61 | 13.0 | 122.0 | |
| 21N/02E-08E01 M | 205.0 | 10-04-61 | 7.0 | 198.0 | 5106 |
| | | 3-23-62 | 6.7 | 198.3 | |
| 21N/02E-26E02 M | 177.0 | 7-19-61 | 33.5 | 143.5 | 5050 |
| | | 8-18-61 | 33.7 | 143.3 | |
| | | 9-27-61 | 34.2 | 142.8 | |
| | | 10-04-61 | 38.8 | 138.2 | 5106 |
| | | 10-17-61 | 38.5 | 138.5 | 5050 |
| | | 11-17-61 | 39.2 | 137.8 | |
| | | 12-13-61 | 37.7 | 139.3 | |
| | | 1-16-62 | 35.8 | 141.2 | |
| | | 2-28-62 | 24.2 | 152.8 | |
| | | 3-19-62 | 22.1 | 154.9 | |
| | | 3-23-62 | 22.9 | 154.1 | 5106 |
| | | 4-23-62 | 24.1 | 152.9 | 5050 |
| | | 5-22-62 | 26.9 | 150.1 | |
| | | 6-22-62 | 29.2 | 147.8 | |
| 21N/01W-01E01 M | 130.0 | 10-04-61 | 18.2 | 111.8 | 5106 |
| | | 3-22-62 | 15.7 | 114.3 | |
| 21N/01W-26K01 M | 115.3 | 10-04-61 | ▫ | | 5106 |
| | | 3-22-62 | 13.0 | 102.3 | |
| 22N/01E-20K01 M | 165.5 | 7-19-61 | 38.5 | 127.0 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUTTE COUNTY | | | 5-21.03 | | |
| 22N/01E-20K01 M | 165.5 | 8-16-61 | 39.1 | 126.4 | 5050 |
| CONT. | | 9-25-61 | 38.5 | 127.0 | |
| | | 10-18-61 | 38.3 | 127.2 | |
| | | 11-16-61 | 37.1 | 128.4 | |
| | | 12-13-61 | 32.3 | 133.2 | |
| | | 1-16-62 | 32.6 | 132.9 | |
| | | 2-26-62 | 32.0 | 133.5 | |
| | | 3-16-62 | 25.1 | 140.4 | |
| | | 4-23-62 | 24.5 | 141.0 | |
| | | 5-22-62 | 28.2 | 137.3 | |
| | | 6-22-62 | 32.6 | 132.9 | |
| 22N/01E-21E01 M | 155.0 | 10-03-61 | 19.4* | 135.6 | 5106 |
| | | 3-22-62 | 16.1 | 138.9 | |
| 22N/02E-17E01 M | 281.0 | 10-03-61 | 65.6 | 215.4 | 5106 |
| | | 3-21-62 | 65.9 | 215.1 | |
| 23N/01E-32P01 M | 189.0 | 7-19-61 | 37.5 | 151.5 | 5050 |
| | | 8-16-61 | 37.9 | 151.1 | |
| | | 9-25-61 | 38.1 | 150.9 | |
| | | 10-02-61 | 29.1 | 159.9 | 5106 |
| | | 10-18-61 | 28.3 | 160.7 | 5050 |
| | | 11-16-61 | 29.7 | 159.3 | |
| | | 12-13-61 | 27.5 | 161.5 | |
| | | 1-16-62 | 27.3 | 161.7 | |
| | | 2-26-62 | 26.1 | 162.9 | |
| | | 3-16-62 | 22.1 | 166.9 | |
| | | 3-21-62 | 22.0 | 167.0 | 5106 |
| | | 4-23-62 | 24.8 | 164.2 | 5050 |
| | | 5-22-62 | 26.2 | 162.8 | |
| | | 6-22-62 | 29.2 | 159.8 | |
| 23N/01W-10J02 M | 196.5 | 10-02-61 | 30.7 | 165.8 | 5106 |
| | | 3-21-62 | 27.6 | 168.9 | |
| 23N/01W-14R01 M | 189.0 | 7-19-61 | 35.6 | 153.4 | 5050 |
| | | 8-16-61 | 33.6 | 155.4 | |
| | | 9-26-61 | 33.1 | 155.9 | |
| | | 10-02-61 | 31.3 | 157.7 | 5106 |
| | | 10-18-61 | 33.8 | 155.2 | 5050 |
| | | 11-16-61 | 34.9 | 154.1 | |
| | | 12-13-61 | 28.7 | 160.3 | |
| | | 1-16-62 | 28.0 | 161.0 | |
| | | 2-26-62 | 28.2 | 160.8 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUTTE COUNTY | | | 5-21.03 | | |
| 23N/01W-14R01 M | 189.0 | 3-16-62 | 26.8 | 162.2 | 5050 |
| CONT. | | 3-21-62 | 26.8 | 162.2 | 5106 |
| | | 4-23-62 | 26.9 | 162.1 | 5050 |
| | | 5-22-62 | 28.4 | 160.6 | |
| | | 6-22-62 | 29.8 | 159.2 | |
| 23N/01W-33A01 M | 153.0 | 10-02-61 | 18.3 | 134.7 | 5106 |
| | | 3-22-62 | 6.9 | 146.1 | |
| COLUSA COUNTY | | | 5-21.04 | | |
| 13N/01E-05A01 M | 27.6 | 7-20-61 | 3.2 | 24.4 | 5050 |
| | | 8-16-61 | 3.5 | 24.1 | |
| | | 9-25-61 | 4.4 | 23.2 | |
| | | 10-17-61 | 4.6 | 23.0 | |
| | | 11-15-61 | 3.6 | 24.0 | |
| | | 12-15-61 | 2.8 | 24.8 | |
| | | 1-15-62 | 5.9 | 21.7 | |
| | | 2-26-62 | 4.0 | 23.6 | |
| | | 3-16-62 | 4.0 | 23.6 | |
| | | 3-27-62 | □ | | 5101 |
| | | 4-23-62 | 5.3 | 22.3 | 5050 |
| | | 5-21-62 | 6.7 | 20.9 | |
| | | 6-21-62 | 5.1 | 22.5 | |
| 13N/01W-34P01 M | 75.3 | 10-16-61 | 51.3 | 24.0 | 5001 |
| | | 3-27-62 | 52.0 | 23.3 | |
| 13N/02W-22H01 M | 245.0 | 7-20-61 | 129.9 | 115.1 | 5050 |
| | | 8-16-61 | 130.8 | 114.2 | |
| | | 9-25-61 | 130.8 | 114.2 | |
| | | 10-16-61 | 131.1 | 113.9 | 5001 |
| | | 10-17-61 | 130.9 | 114.1 | 5050 |
| | | 11-15-61 | 131.3 | 113.7 | |
| | | 12-15-61 | 131.6 | 113.4 | |
| | | 1-15-62 | 131.4 | 113.6 | |
| | | 2-26-62 | 132.7 | 112.3 | |
| | | 3-16-62 | 132.4 | 112.6 | |
| | | 3-27-62 | 132.4 | 112.6 | 5001 |
| | | 4-23-62 | 132.5 | 112.5 | 5050 |
| | | 5-21-62 | 132.7 | 112.3 | |
| | | 6-21-62 | 133.2 | 111.8 | |
| 13N/02W-34R01 M | 299.0 | 10-16-61 | 108.6 | 190.4 | 5001 |
| | | 3-27-62 | 103.1 | 195.9 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| COLUSA COUNTY | | | 5-21.04 | | |
| 14N/01W-32R01 M | 33.0 | 10-16-61 | 12.5 | 20.5 | 5001 |
| | | 3-27-62 | 6.7 | 26.3 | |
| 14N/02W-16N02 M | 118.0 | 7-20-61 | 47.7 | 70.3 | 5050 |
| | | 8-16-61 | 48.5 | 69.5 | |
| | | 9-25-61 | 57.4 | 60.6 | |
| | | 10-16-61 | 49.0 | 69.0 | 5001 |
| | | 10-17-61 | 48.6 | 69.4 | 5050 |
| | | 11-15-61 | 48.3 | 69.7 | |
| | | 12-15-61 | 44.1 | 73.9 | |
| | | 1-15-62 | 44.7 | 73.3 | |
| | | 2-26-62 | 42.5 | 75.5 | |
| | | 3-15-62 | 43.0 | 75.0 | |
| | | 3-27-62 | 44.2 | 73.8 | 5001 |
| | | 4-23-62 | 48.8 | 69.2 | 5050 |
| | | 5-21-62 | 49.9 | 68.1 | |
| | | 6-21-62 | 50.7 | 67.3 | |
| 14N/03W-12F01 M | 123.0 | 10-16-61 | 42.8 | 80.2 | 5001 |
| | | 3-27-62 | 38.0 | 85.0 | |
| 15N/01W-06J02 M | 46.0 | 10-10-57 | 10.3 | 35.7 | 5001 |
| | | 3-26-58 | 2.2 | 43.8 | |
| | | 3-31-59 | 7.3 | 38.7 | 5050 |
| | | 10-28-59 | 15.8 | 30.2 | |
| | | 3-03-60 | 9.0 | 37.0 | |
| | | 10-10-60 | 11.2 | 34.8 | |
| | | 3-06-61 | 8.9 | 37.1 | 5101 |
| | | 3-27-62 | 8.6 | 37.4 | |
| | | 4-18-62 | 9.1 | 36.9 | 5050 |
| | | 5-21-62 | 10.0 | 36.0 | |
| | | 6-21-62 | 10.6 | 35.4 | |
| 15N/03W-32R01 M | 150.0 | 7-25-61 | # | | 5050 |
| | | 10-16-61 | 30.1 | 119.9 | 5001 |
| | | 3-27-62 | 32.1 | 117.9 | |
| 16N/01W-05K01 M | 63.0 | 3-28-62 | 12.0 | 51.0 | 5101 |
| 16N/01W-20F01 M | 59.0 | 3-28-62 | 14.7 | 44.3 | 5101 |
| 16N/02W-26L01 M | 47.0 | 3-28-62 | 3.4 | 43.6 | 5101 |
| 16N/03W-01A01 M | 62.8 | 3-29-62 | 3.6 | 59.2 | 5101 |
| 16N/03W-20P01 M | 91.0 | 1-06-61 | 6.6 | 84.4 | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| COLUSA COUNTY | | | 5-21.04 | | |
| 16N/03W-20P01 M | 91.0 | 3-29-62 | 7.0 | 84.0 | 5101 |
| CONT. | | 4-17-62 | 5.9 | 85.1 | 5050 |
| | | 5-21-62 | 3.7 | 87.3 | |
| | | 6-21-62 | 3.8 | 87.2 | |
| 16N/03W-35N02 M | 73.0 | 7-24-61 | # | | 5050 |
| | | 3-29-62 | 5.2 | 67.8 | 5101 |
| 16N/04W-11A01 M | 139.5 | 3-29-62 | 16.1 | 123.4 | 5101 |
| 16N/04W-35J01 M | 125.0 | 3-29-62 | 6.7 | 118.3 | 5101 |
| 17N/01W-06R01 M | 70.0 | 3-28-62 | 8.4 | 61.6 | 5101 |
| 17N/02W-11K01 M | 63.0 | 7-20-61 | 5.4 | 57.6 | 5050 |
| | | 8-16-61 | 5.8 | 57.2 | |
| | | 9-25-61 | 6.3 | 56.7 | |
| | | 10-17-61 | 7.2 | 55.8 | |
| | | 11-15-61 | 7.0 | 56.0 | |
| | | 12-15-61 | 6.9 | 56.1 | |
| | | 1-15-62 | 6.8 | 56.2 | |
| | | 2-26-62 | 5.9 | 57.1 | |
| | | 3-05-62 | 4.2 | 58.8 | |
| | | 3-30-62 | 4.9 | 58.1 | 5101 |
| | | 4-23-62 | 3.4 | 59.6 | 5050 |
| | | 5-21-62 | 3.2 | 59.8 | |
| | | 6-21-62 | 3.7 | 59.3 | |
| 17N/02W-33R02 M | 50.0 | 10-27-53 | 8.6 | 41.4 | 5001 |
| | | 4-05-54 | 7.0 | 43.0 | |
| | | 3-31-55 | 7.5 | 42.5 | |
| | | 10-12-55 | 8.4 | 41.6 | |
| | | 10-08-56 | 9.6 | 40.4 | |
| | | 3-21-57 | 7.9 | 42.1 | |
| | | 9-27-57 | 9.3 | 40.7 | 5101 |
| | | 3-12-58 | 3.1 | 46.9 | |
| | | 9-28-58 | 5.8 | 44.2 | |
| | | 3-06-59 | 1.0 | 49.0 | |
| | | 10-15-59 | 9.3 | 40.7 | |
| | | 3-09-60 | 7.6 | 42.4 | |
| | | 10-07-60 | 10.5 | 39.5 | |
| | | 3-08-61 | 7.3 | 42.7 | |
| | | 5-23-61 | 9.7 | 40.3 | 5050 |
| | | 6-19-61 | 10.3 | 39.7 | |
| | | 7-20-61 | 13.0 | 37.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| COLUSA COUNTY | | | 5-21.04 | | |
| 17N/02W-33R02 M | 50.0 | 8-16-61 | 13.4 | 36.6 | 5050 |
| CONT. | | 9-25-61 | 9.9 | 40.1 | |
| | | 10-17-61 | 11.9 | 38.1 | |
| | | 11-15-61 | 10.0 | 40.0 | |
| | | 12-15-61 | 8.7 | 41.3 | |
| | | 1-15-62 | 8.5 | 41.5 | |
| | | 2-26-62 | 7.1 | 42.9 | |
| | | 3-16-62 | 6.6 | 43.4 | |
| | | 4-23-62 | 6.0 | 44.0 | |
| | | 5-09-62 | ◎ | | |
| 17N/03W-10C01 M | 94.2 | 3-30-62 | 6.1 | 88.1 | 5101 |
| 17N/03W-27M01 M | 89.1 | 7-20-61 | 4.8 | 84.3 | 5050 |
| | | 8-16-61 | 5.8 | 83.3 | |
| | | 9-25-61 | 6.0 | 83.1 | |
| | | 10-17-61 | 4.8 | 84.3 | |
| | | 11-15-61 | 4.6 | 84.5 | |
| | | 12-15-61 | 6.0 | 83.1 | |
| | | 1-15-62 | 6.1 | 83.0 | |
| | | 2-26-62 | 5.6 | 83.5 | |
| | | 3-15-62 | 5.9 | 83.2 | |
| | | 3-29-62 | 6.4 | 82.7 | 5101 |
| | | 4-23-62 | 4.1 | 85.0 | 5050 |
| | | 5-21-62 | 3.8 | 85.3 | |
| | | 6-21-62 | 3.9 | 85.2 | |
| 17N/04W-34G01 M | 175.0 | 3-29-62 | 12.8 | 162.2 | 5101 |
| 18N/01W-18001 M | 76.5 | 3-30-62 | 9.5 | 67.0 | 5101 |
| 18N/02W-15N01 M | 69.7 | 3-30-62 | 3.1 | 66.6 | 5101 |
| SUTTER COUNTY | | | 5-21.05 | | |
| 11N/03E-15C01 M | 23.0 | 10-04-61 | 16.6 | 6.4 | 5102 |
| | | 3-07-62 | 2.8 | 20.2 | |
| 11N/04E-01M01 M | 40.5 | 10-04-61 | 59.0 - | 18.5 | 5102 |
| | | 3-07-62 | 52.0 - | 11.5 | |
| 11N/04E-01M02 M | 40.5 | 7-24-61 | 56.3 - | 15.8 | 5050 |
| | | 9-28-61 | 58.2 - | 17.7 | |
| | | 10-25-61 | 58.0 - | 17.5 | |
| | | 11-28-61 | 55.1 - | 14.6 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SUTTER COUNTY | | | 5-21.05 | | |
| 11N/04E-01M02 M | 40.5 | 12-27-61 | 54.0 - | 13.5 | 5050 |
| CONT. | | 1-29-62 | 53.1 - | 12.6 | |
| | | 2-27-62 | 52.4 - | 11.9 | |
| | | 3-29-62 | 50.9 - | 10.4 | |
| | | 4-23-62 | 51.5 - | 11.0 | |
| | | 5-28-62 | 55.7 - | 15.2 | |
| | | 6-25-62 | 57.9 - | 17.4 | |
| 11N/04E-09D02 M | 28.0 | 7-24-61 | 26.0* | 2.0 | 5050 |
| | | 8-28-61 | 25.5* | 2.5 | |
| | | 9-28-61 | 17.5 | 10.5 | |
| | | 10-25-61 | 17.1 | 10.9 | |
| | | 11-29-61 | 17.7 | 10.3 | |
| | | 12-27-61 | 17.8 | 10.2 | |
| | | 1-29-62 | □ | | |
| | | 2-27-62 | 12.0 | 16.0 | |
| | | 3-29-62 | 12.9 | 15.1 | |
| | | 4-23-62 | 17.6* | 10.4 | |
| | | 5-28-62 | 16.3 | 11.7 | |
| | | 6-25-62 | 19.7 | 8.3 | |
| 11N/04E-33J01 M | 25.6 | 10-04-61 | 24.4 | 1.2 | 5102 |
| | | 3-07-62 | 21.2 | 4.4 | |
| 12N/01E-01A01 M | 26.9 | 10-02-61 | 4.5 | 22.4 | 5102 |
| | | 3-08-62 | 5.5 | 21.4 | |
| 12N/02E-20P01 M | 25.0 | 9-28-61 | 10.5 | 14.5 | 5050 |
| | | 10-03-61 | 9.8 | 15.2 | 5102 |
| | | 10-30-61 | 10.4 | 14.6 | 5050 |
| | | 11-29-61 | 10.1 | 14.9 | |
| | | 12-27-61 | 8.4 | 16.6 | |
| | | 1-29-62 | 9.0 | 16.0 | |
| | | 3-07-62 | □ | | 5102 |
| 12N/02E-23K01 M | 20.0 | 7-24-61 | 2.9 | 17.1 | 5050 |
| | | 8-25-61 | 1.9 | 18.1 | |
| | | 9-28-61 | 3.3 | 16.7 | |
| | | 10-30-61 | 5.0 | 15.0 | |
| | | 11-29-61 | 5.2 | 14.8 | |
| | | 12-27-61 | 4.3 | 15.7 | |
| | | 1-29-62 | 4.6 | 15.4 | |
| | | 2-26-62 | 2.0 | 18.0 | |
| | | 3-29-62 | 4.3 | 15.7 | |
| | | 4-25-62 | 2.4 | 17.6 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SUTTER COUNTY | | 5-21.05 | | | |
| 12N/02E-23K01 M | 20.0 | 5-29-62 | 1.4 | 18.6 | 5050 |
| CONT. | | 6-28-62 | 1.6 | 18.4 | |
| 12N/02E-23P01 M | 18.0 | 10-03-61 | □ | | 5102 |
| 12N/03E-23N01 M | 25.3 | 10-04-61 | □ | | 5102 |
| | | 3-08-62 | 3.9 | 21.4 | |
| 12N/04E-03R01 M | 52.0 | 9-28-61 | 58.3 | - 6.3 | 5050 |
| | | 10-04-61 | 57.1 | - 5.1 | 5102 |
| | | 10-25-61 | 55.8 | - 3.8 | 5050 |
| | | 11-28-61 | 54.2 | - 2.2 | |
| | | 12-27-61 | 53.1 | - 1.1 | |
| | | 1-29-62 | 50.8 | 1.2 | |
| | | 2-27-62 | 50.4 | 1.6 | |
| | | 3-08-62 | 49.8 | 2.2 | 5102 |
| | | 3-29-62 | 49.0 | 3.0 | 5050 |
| | | 4-23-62 | 53.7 | - 1.7 | |
| | | 5-28-62 | 55.8 | - 3.8 | |
| 12N/04E-17J01 M | 32.0 | 7-24-61 | 34.4 | - 2.4 | 5050 |
| | | 8-25-61 | 37.3 | - 5.3 | |
| | | 9-28-61 | 37.1 | - 5.1 | |
| | | 10-04-61 | 36.0 | - 4.0 | 5102 |
| | | 10-25-61 | 35.0 | - 3.0 | 5050 |
| | | 11-29-61 | 32.8 | - 0.8 | |
| | | 12-27-61 | 32.1 | - 0.1 | |
| | | 1-29-62 | 31.0 | 1.0 | |
| | | 2-27-62 | 29.9 | 2.1 | |
| | | 3-08-62 | 29.0 | 3.0 | 5102 |
| | | 3-29-62 | 28.4 | 3.6 | 5050 |
| | | 4-23-62 | 28.0 | 4.0 | |
| | | 5-28-62 | 31.2 | 0.8 | |
| | | 6-25-62 | 32.4 | - 0.4 | |
| 12N/04E-33L01 M | 31.0 | 10-04-61 | 23.3 | 7.7 | 5102 |
| | | 3-07-62 | 18.8 | 12.2 | |
| 13N/01E-01J01 M | 39.0 | 10-02-61 | 12.3 | 26.7 | 5102 |
| | | 3-08-62 | 1.2 | 37.8 | |
| 13N/02E-04J01 M | 27.5 | 10-02-61 | 5.8 | 21.7 | 5102 |
| | | 3-08-62 | 5.6 | 21.9 | |
| 13N/02E-34M01 M | 21.0 | 7-24-61 | 4.2 | 16.8 | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SUTTER COUNTY | | 5-21.05 | | | |
| 13N/02E-34M01 M | 21.0 | 8-24-61 | 3.6 | 17.4 | 5050 |
| CONT. | | 10-02-61 | 6.3 | 14.7 | 5102 |
| | | 10-30-61 | 7.6 | 13.4 | 5050 |
| | | 11-29-61 | 7.2 | 13.8 | |
| | | 12-27-61 | 8.8 | 12.2 | |
| | | 1-25-62 | 7.4 | 13.6 | |
| | | 2-26-62 | 6.0 | 15.0 | |
| | | 3-08-62 | 6.1 | 14.9 | 5102 |
| | | 3-29-62 | 6.2 | 14.8 | 5050 |
| | | 4-25-62 | 4.8 | 16.2 | |
| | | 5-29-62 | 4.1 | 16.9 | |
| | | 6-28-62 | 4.2 | 16.8 | |
| 13N/03E-14C02 M | 36.0 | 10-03-61 | 17.2 | 18.8 | 5102 |
| | | 3-08-62 | 11.5 | 24.5 | |
| 13N/03E-16A01 M | 34.6 | 10-03-61 | 18.0 | 16.6 | 5102 |
| | | 3-08-62 | 11.0 | 23.6 | |
| 13N/04E-22G01 M | 54.5 | 10-04-61 | 52.4 | 2.1 | 5102 |
| | | 3-13-62 | 42.0 | 12.5 | |
| 13N/05E-07K01 M | 73.5 | 10-04-61 | 72.3 | 1.2 | 5102 |
| | | 3-13-62 | 54.9 | 18.6 | |
| 14N/01E-08A06 M | 39.0 | 10-02-61 | 5.1 | 33.9 | 5102 |
| | | 3-08-62 | 4.9 | 34.1 | |
| 14N/01E-14G01 M | 37.0 | 7-24-61 | 4.2 | 32.8 | 5050 |
| | | 8-25-61 | 5.3 | 31.7 | |
| | | 9-28-61 | 6.9 | 30.1 | |
| | | 10-02-61 | 7.2 | 29.8 | 5102 |
| | | 10-27-61 | 8.0 | 29.0 | 5050 |
| | | 11-29-61 | 8.4 | 28.6 | |
| | | 12-27-61 | 7.8 | 29.2 | |
| | | 1-25-62 | 8.4 | 28.6 | |
| | | 2-26-62 | 4.7 | 32.3 | |
| | | 3-08-62 | 4.4 | 32.6 | 5102 |
| | | 3-29-62 | 5.8 | 31.2 | 5050 |
| | | 4-24-62 | 5.0 | 32.0 | |
| | | 5-29-62 | 4.4 | 32.6 | |
| | | 6-28-62 | 4.5 | 32.5 | |
| 14N/02E-13R01 M | 35.0 | 10-03-61 | □ | | 5102 |
| | | 3-08-62 | 2.5 | 32.5 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SUTTER COUNTY | | | 5-21.05 | | |
| 14N/03E-05C01 M | 49.1 | 7-24-61 | □ | | 5050 |
| | | 8-25-61 | □ | | |
| | | 9-28-61 | 38.1 | 11.0 | |
| | | 10-03-61 | 43.8 | 5.3 | 5102 |
| | | 10-27-61 | 35.4 | 13.7 | 5050 |
| | | 11-29-61 | 33.2 | 15.9 | |
| | | 12-27-61 | 32.2 | 16.9 | |
| | | 1-25-62 | 31.7 | 17.4 | |
| | | 2-26-62 | 30.5 | 18.6 | |
| | | 3-08-62 | 29.8 | 19.3 | 5102 |
| | | 3-28-62 | 29.9 | 19.2 | 5050 |
| | | 4-24-62 | □ | | |
| | | 5-29-62 | 39.1 | 10.0 | |
| | | 6-29-62 | □ | | |
| 14N/03E-31B01 M | 38.0 | 10-03-61 | 15.5 | 22.5 | 5102 |
| | | 3-08-62 | 12.9 | 25.1 | |
| 15N/01E-13A01 M | 56.0 | 9-28-61 | 29.0 | 27.0 | 5050 |
| | | 10-02-61 | 28.1 | 27.9 | 5102 |
| | | 10-27-61 | 26.2 | 29.8 | 5050 |
| | | 3-08-62 | 21.7 | 34.3 | 5102 |
| 15N/01E-14E01 M | 51.0 | 10-02-61 | 15.3 | 35.7 | 5102 |
| | | 3-13-62 | 13.0 | 38.0 | |
| 15N/01E-16R01 M | 40.5 | 7-24-61 | 5.8 | 34.7 | 5050 |
| | | 8-25-61 | 5.8 | 34.7 | |
| | | 9-28-61 | 7.0 | 33.5 | |
| | | 10-27-61 | 7.8 | 32.7 | |
| | | 11-29-61 | 8.0 | 32.5 | |
| | | 12-27-61 | 6.7 | 33.8 | |
| | | 1-25-62 | 6.8 | 33.7 | |
| | | 2-26-62 | 4.0 | 36.5 | |
| | | 3-29-62 | 5.2 | 35.3 | |
| | | 4-24-62 | 5.3 | 35.2 | |
| | | 5-29-62 | 5.7 | 34.8 | |
| | | 6-28-62 | 5.6 | 34.9 | |
| 15N/02E-24B01 M | 51.0 | 10-03-61 | 14.0 | 37.0 | 5102 |
| | | 3-08-62 | 13.5 | 37.5 | |
| 15N/02E-35D01 M | 39.0 | 10-03-61 | 6.5 | 32.5 | 5102 |
| | | 3-08-62 | 6.0 | 33.0 | |
| 15N/03E-05D02 M | 59.6 | 9-28-61 | 28.0 | 31.6 | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SUTTER COUNTY | | | 5-21.05 | | |
| 15N/03E-05D02 M | 59.6 | 10-02-61 | 26.5 | 33.1 | 5102 |
| CONT. | | 10-25-61 | 24.4 | 35.2 | 5050 |
| | | 11-29-61 | 22.5 | 37.1 | |
| | | 12-27-61 | 21.8 | 37.8 | |
| | | 1-25-62 | 21.2 | 38.4 | |
| | | 2-26-62 | 18.7 | 40.9 | |
| | | 3-13-62 | 17.1 | 42.5 | 5102 |
| | | 3-28-62 | □ | | 5050 |
| | | 4-24-62 | 32.0 | 27.6 | |
| | | 5-29-62 | 23.8 | 35.8 | |
| 15N/03E-34L01 M | 49.1 | 10-03-61 | □ | | 5102 |
| | | 3-08-62 | □ | | |
| 15N/01W-25A01 M | 50.0 | 10-02-61 | 17.1 | 32.9 | 5102 |
| | | 3-08-62 | 12.0 | 38.0 | |
| 16N/01E-31H01 M | 71.0 | 10-02-61 | 32.8 | 38.2 | 5102 |
| | | 3-13-62 | 28.2 | 42.8 | |
| 16N/02E-26Q01 M | 67.0 | 10-02-61 | 14.8 | 52.2 | 5102 |
| | | 3-13-62 | 14.2 | 52.8 | |
| 16N/03E-05A01 M | 78.0 | 7-19-61 | 9.3 | 68.7 | 5050 |
| | | 8-25-61 | 9.8 | 68.2 | |
| | | 9-28-61 | 10.2 | 67.8 | |
| | | 10-02-61 | 10.2 | 67.8 | 5102 |
| | | 10-25-61 | 10.4 | 67.6 | 5050 |
| | | 11-29-61 | 11.3 | 66.7 | |
| | | 12-27-61 | 11.2 | 66.8 | |
| | | 1-25-62 | 11.4 | 66.6 | |
| | | 2-26-62 | 8.7 | 69.3 | |
| | | 3-13-62 | 8.6 | 69.4 | 5102 |
| | | 3-28-62 | 8.4 | 69.6 | 5050 |
| | | 4-24-62 | 8.3 | 69.7 | |
| | | 5-29-62 | @ | | |
| 16N/03E-33J02 M | 65.4 | 10-02-61 | 31.4 | 34.0 | 5102 |
| | | 3-13-62 | 25.5 | 39.9 | |
| 17N/01E-25J01 M | 75.5 | 10-02-61 | □ | | 5102 |
| | | 3-13-62 | 22.1 | 53.4 | |
| 17N/02E-34A01 M | 74.0 | 10-02-61 | □ | | 5102 |
| | | 3-13-62 | 4.2 | 69.8 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| **CENTRAL VALLEY REGION** | | | | | |
| SUTTER COUNTY | | | 5-21.05 | | |
| 17N/02E-34A01 M | 74.0 | 6-28-62 | 1.6 | 72.4 | 5050 |
| 17N/03E-30N01 M | 77.8 | 10-02-61 | 8.8 | 69.0 | 5102 |
| | | 3-13-62 | 5.4 | 72.4 | |
| YUBA COUNTY | | | 5-21.06 | | |
| 13N/04E-07E01 M | 38.7 | 10-02-61 | 16.1 | 22.6 | 5103 |
| | | 2-26-62 | 21.1 | 17.6 | |
| | | 3-22-62 | 12.2 | 26.5 | 5050 |
| 14N/03E-24B01 M | 48.0 | 10-02-61 | 39.0 | 9.0 | 5103 |
| | | 2-26-62 | 24.9 | 23.1 | |
| | | 3-22-62 | 30.7 | 17.3 | 5050 |
| 14N/04E-13C01 M | 73.1 | 7-19-61 | 94.2 | - 21.1 | 5050 |
| | | 8-24-61 | ▫ | | |
| | | 9-22-61 | 91.5 | - 18.4 | |
| | | 10-04-61 | 86.2 | - 13.1 | 5103 |
| | | 10-25-61 | 81.8 | - 8.7 | 5050 |
| | | 11-28-61 | 79.6 | - 6.5 | |
| | | 12-26-61 | 75.5 | - 2.4 | |
| | | 1-25-62 | 73.8 | - 0.7 | |
| | | 2-26-62 | 72.8 | 0.3 | |
| | | 2-28-62 | 74.0 | - 0.9 | 5103 |
| | | 3-20-62 | 70.6 | 2.5 | 5050 |
| | | 3-28-62 | 70.0 | 3.1 | |
| | | 4-24-62 | ▫ | | |
| | | 5-29-62 | ▫ | | |
| | | 6-26-62 | ▫ | | |
| 14N/04E-15C05 M | 64.0 | 7-19-61 | 58.8 | 5.2 | 5050 |
| | | 8-24-61 | 60.0 | 4.0 | |
| | | 9-22-61 | 61.1* | 2.9 | |
| | | 10-03-61 | 68.0 | - 4.0 | 5103 |
| | | 10-25-61 | 60.0 | 4.0 | 5050 |
| | | 11-28-61 | 59.2 | 4.8 | |
| | | 12-26-61 | 58.4 | 5.6 | |
| | | 1-25-62 | 57.8 | 6.2 | |
| | | 2-26-62 | 55.4 | 8.6 | |
| | | 2-27-62 | 55.3 | 8.7 | 5103 |
| | | 3-20-62 | 52.2 | 11.8 | 5050 |
| | | 3-28-62 | 54.2 | 9.8 | |
| | | 4-24-62 | 55.1 | 8.9 | |
| | | 5-29-62 | 59.1 | 4.9 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| **CENTRAL VALLEY REGION** | | | | | |
| YUBA COUNTY | | | 5-21.06 | | |
| 14N/04E-15C05 M | 64.0 | 6-26-62 | 60.2 | 3.8 | 5050 |
| 14N/04E-18C01 M | 51.5 | 9-22-61 | 55.3 | - 3.8 | 5050 |
| | | 10-03-61 | 46.0 | 5.5 | 5103 |
| | | 10-25-61 | 42.6 | 8.9 | 5050 |
| | | 11-28-61 | 39.1 | 12.4 | |
| | | 12-27-61 | 38.1 | 13.4 | |
| | | 1-29-62 | 37.0 | 14.5 | |
| | | 2-26-62 | 35.1 | 16.4 | |
| | | 2-26-62 | 34.4 | 17.1 | 5103 |
| | | 3-28-62 | 35.9 | 15.6 | 5050 |
| 14N/04E-30N01 M | 45.0 | 7-19-61 | 34.2 | 10.8 | 5050 |
| | | 8-24-61 | 36.6 | 8.4 | |
| | | 9-22-61 | 36.4 | 8.6 | |
| | | 10-25-61 | 35.7 | 9.3 | |
| | | 11-28-61 | ▫ | | |
| | | 12-27-61 | 25.1 | 19.9 | |
| | | 1-29-62 | 24.5 | 20.5 | |
| | | 2-26-62 | 22.9 | 22.1 | |
| | | 3-28-62 | 24.5 | 20.5 | |
| | | 4-24-62 | 27.2 | 17.8 | |
| | | 5-29-62 | ▫ | | |
| | | 6-26-62 | 45.0 | 0.0 | |
| 14N/05E-06R01 M | 77.8 | 10-04-61 | 82.6 | - 4.8 | 5103 |
| | | 2-28-62 | 72.4 | 5.4 | |
| | | 3-20-62 | 70.8 | 7.0 | 5050 |
| 14N/05E-30Q01 M | 77.2 | 7-19-61 | 89.3 | - 12.1 | 5050 |
| | | 8-24-61 | 89.7 | - 12.5 | |
| | | 9-22-61 | 87.4 | - 10.2 | |
| | | 10-03-61 | 85.9 | - 8.7 | 5103 |
| | | 10-25-61 | 88.0 | - 10.8 | 5050 |
| | | 11-28-61 | 78.2 | - 1.0 | |
| | | 12-26-61 | 76.3 | 0.9 | |
| | | 1-25-62 | 74.4 | 2.8 | |
| | | 2-26-62 | 72.2 | 5.0 | |
| | | 2-27-62 | 73.4 | 3.8 | 5103 |
| | | 3-19-62 | 70.8 | 6.4 | 5050 |
| | | 3-28-62 | 69.2 | 8.0 | |
| | | 4-24-62 | 77.4 | - 0.2 | |
| | | 5-29-62 | 84.6 | - 7.4 | |
| | | 6-26-62 | 92.6 | - 15.4 | |
| 14N/05E-32R02 M | 74.0 | 7-19-61 | 68.4 | 5.6 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| YUBA COUNTY | | | 5-21.06 | | |
| 14N/05E-32R02 M | 74.0 | 8-24-61 | 65.8 | 8.2 | 5050 |
| CONT. | | 9-22-61 | 64.8 | 9.2 | |
| | | 10-03-61 | 82.6 | - 8.6 | 5103 |
| | | 10-25-61 | 63.4 | 10.6 | 5050 |
| | | 11-28-61 | 59.0 | 15.0 | |
| | | 12-26-61 | 57.2 | 16.8 | |
| | | 1-25-62 | 57.2 | 16.8 | |
| | | 2-26-62 | 57.0 | 17.0 | |
| | | 2-27-62 | 53.3 | 20.7 | 5103 |
| | | 3-19-62 | 49.9 | 24.1 | 5050 |
| | | 3-28-62 | 49.4 | 24.6 | |
| | | 4-24-62 | 58.5 | 15.5 | |
| | | 5-29-62 | 63.7 | 10.3 | |
| | | 6-26-62 | 64.3 | 9.7 | |
| 15N/04E-04R01 M | 85.4 | 10-05-61 | ¤ | | 5103 |
| | | 3-01-62 | 31.3 | 54.1 | |
| | | 3-21-62 | 32.2 | 53.2 | 5050 |
| 15N/04E-08D01 M | 63.5 | 7-19-61 | 13.5 | 50.0 | 5050 |
| | | 8-24-61 | 14.0 | 49.5 | |
| | | 9-22-61 | 14.5 | 49.0 | |
| | | 10-06-61 | 17.6 | 45.9 | 5103 |
| | | 10-25-61 | 16.6 | 46.9 | 5050 |
| | | 11-29-61 | 17.7 | 45.8 | |
| | | 12-27-61 | 18.0 | 45.5 | |
| | | 1-25-62 | 18.3 | 45.2 | |
| | | 2-26-62 | 15.6 | 47.9 | |
| | | 3-03-62 | 17.8 | 45.7 | 5103 |
| | | 3-21-62 | 15.5 | 48.0 | 5050 |
| | | 3-28-62 | 15.5 | 48.0 | |
| | | 4-24-62 | 12.5 | 51.0 | |
| | | 5-29-62 | 10.1 | 53.4 | |
| | | 6-26-62 | 10.1 | 53.4 | |
| 15N/04E-20F01 M | 72.3 | 10-05-61 | 41.6 | 30.7 | 5103 |
| | | 3-01-62 | 33.3 | 39.0 | |
| | | 3-21-62 | ¤ | | 5050 |
| 15N/04E-32D01 M | 64.0 | 7-19-61 | 55.3 | 8.7 | 5050 |
| | | 8-24-61 | 56.2 | 7.8 | |
| | | 9-22-61 | 50.7 | 13.3 | |
| | | 10-02-61 | 50.0 | 14.0 | 5103 |
| | | 10-25-61 | 48.3 | 15.7 | 5050 |
| | | 11-28-61 | 45.3 | 18.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| YUBA COUNTY | | | 5-21.06 | | |
| 15N/04E-32D01 M | 64.0 | 12-26-61 | 43.9 | 20.1 | 5050 |
| CONT. | | 1-25-62 | 43.3 | 20.7 | |
| | | 2-26-62 | 41.5 | 22.5 | |
| | | 2-26-62 | 45.4 | 18.6 | 5103 |
| | | 3-20-62 | 40.8 | 23.2 | 5050 |
| | | 3-28-62 | 41.0 | 23.0 | |
| | | 4-24-62 | 45.0 | 19.0 | |
| | | 5-31-62 | 48.7 | 15.3 | |
| | | 6-26-62 | 53.2 | 10.8 | |
| 15N/05E-19N01 M | 80.0 | 10-04-61 | 78.0 | 2.0 | 5103 |
| | | 3-20-62 | 72.0 | 8.0 | 5050 |
| 16N/03E-01P02 M | 78.0 | 7-19-61 | 29.1 | 48.9 | 5050 |
| | | 8-24-61 | 28.3 | 49.7 | |
| | | 9-22-61 | 29.9 | 48.1 | |
| | | 10-06-61 | 29.6 | 48.4 | 5103 |
| | | 10-25-61 | 29.1 | 48.9 | 5050 |
| | | 11-29-61 | 27.8 | 50.2 | |
| | | 12-27-61 | 27.2 | 50.8 | |
| | | 1-25-62 | 26.6 | 51.4 | |
| | | 2-26-62 | 24.0 | 54.0 | |
| | | 3-03-62 | 30.8 | 47.2 | 5103 |
| | | 3-21-62 | 22.4 | 55.6 | 5050 |
| | | 3-28-62 | 22.1 | 55.9 | |
| | | 4-24-62 | 24.6 | 53.4 | |
| | | 5-29-62 | 25.9 | 52.1 | |
| | | 6-26-62 | 28.9 | 49.1 | |
| 16N/03E-26F01 M | 68.2 | 10-06-61 | 24.3 | 43.9 | 5103 |
| | | 3-03-62 | 20.8 | 47.4 | |
| | | 3-22-62 | 16.0 | 52.2 | 5050 |
| 16N/04E-08A01 M | 91.0 | 9-22-61 | 51.8 | 39.2 | 5050 |
| | | 10-06-61 | 54.8 | 36.2 | 5103 |
| | | 10-25-61 | 52.6 | 38.4 | 5050 |
| | | 11-29-61 | 46.4 | 44.6 | |
| | | 12-27-61 | 45.1 | 45.9 | |
| | | 1-25-62 | 37.8 | 53.2 | |
| | | 2-26-62 | 35.2 | 55.8 | |
| | | 3-03-62 | 35.6 | 55.4 | 5103 |
| | | 3-21-62 | 36.0 | 55.0 | 5050 |
| | | 3-28-62 | 34.5 | 56.5 | |
| | | 4-24-62 | 66.3* | 24.7 | |
| 16N/04E-34Q01 M | 94.6 | 10-06-61 | 17.0 | 77.6 | 5103 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| YUBA COUNTY | | | 5-21.06 | | |
| 16N/04E-34Q01 M | 94.6 | 3-03-62 | 15.2 | 79.4 | 5103 |
| CONT. | | 3-21-62 | 21.3 | 73.3 | 5050 |
| 17N/03E-35H02 M | 82.0 | 7-19-61 | ¤ | | 5050 |
| | | 8-24-61 | 39.0 | 43.0 | |
| | | 9-22-61 | 35.5 | 46.5 | |
| | | 10-06-61 | ¤ | | 5103 |
| | | 10-25-61 | 32.6 | 49.4 | 5050 |
| | | 11-29-61 | 31.1 | 50.9 | |
| | | 12-27-61 | 31.1 | 50.9 | |
| | | 1-25-62 | 29.6 | 52.4 | |
| | | 2-26-62 | 28.9 | 53.1 | |
| | | 3-03-62 | 25.5 | 56.5 | 5103 |
| | | 3-21-62 | 24.3 | 57.7 | 5050 |
| | | 3-28-62 | 23.2 | 58.8 | |
| | | 4-24-62 | 30.0 | 52.0 | |
| | | 5-29-62 | ¤ | | |
| 17N/04E-27F01 M | 106.0 | 10-06-61 | 54.9 | 51.1 | 5103 |
| | | 3-03-62 | 43.9 | 62.1 | |
| | | 3-21-62 | 44.8 | 61.2 | 5050 |
| PLACER COUNTY | | | 5-21.07 | | |
| 10N/06E-05H01 M | 141.0 | 7-19-61 | 102.2 | 38.8 | 5050 |
| | | 8-24-61 | 102.2 | 38.8 | |
| | | 9-22-61 | 102.7 | 38.3 | |
| | | 10-11-61 | 102.8 | 38.2 | 5107 |
| | | 10-25-61 | 102.8 | 38.2 | 5050 |
| | | 11-28-61 | 102.8 | 38.2 | |
| | | 12-26-61 | 102.4 | 38.6 | |
| | | 1-25-62 | 102.7 | 38.3 | |
| | | 2-26-62 | 102.7 | 38.3 | |
| | | 3-09-62 | 102.8 | 38.2 | 5107 |
| | | 3-28-62 | 102.5 | 38.5 | 5050 |
| | | 4-24-62 | 102.7 | 38.3 | |
| | | 5-29-62 | 103.3 | 37.7 | |
| | | 6-26-62 | 103.5 | 37.5 | |
| 11N/05E-03M03 M | 89.3 | 9-22-61 | 84.0 | 5.3 | 5050 |
| | | 10-10-61 | 83.8 | 5.5 | 5107 |
| | | 10-25-61 | 83.0 | 6.3 | 5050 |
| | | 11-28-61 | 81.4 | 7.9 | |
| | | 12-26-61 | 81.1 | 8.2 | |
| | | 1-25-62 | 81.0 | 8.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| PLACER COUNTY | | | 5-21.07 | | |
| 11N/05E-03M03 M | 89.3 | 2-26-62 | 79.3 | 10.0 | 5050 |
| CONT. | | 3-11-62 | 78.8 | 10.5 | 5107 |
| | | 3-28-62 | ¤ | | 5050 |
| | | 4-24-62 | 80.3 | 9.0 | |
| | | 5-29-62 | 81.7 | 7.6 | |
| | | 6-26-62 | 83.9 | 5.4 | |
| 11N/05E-32R01 M | 70.0 | 7-19-61 | 76.8 | - 6.8 | 5050 |
| | | 8-24-61 | 77.7 | - 7.7 | |
| | | 9-22-61 | 73.3 | - 3.3 | |
| | | 10-11-61 | 83.0 | - 13.0 | 5107 |
| | | 10-25-61 | 71.8 | - 1.8 | 5050 |
| | | 11-28-61 | 69.8 | 0.2 | |
| | | 12-26-61 | 68.8 | 1.2 | |
| | | 1-25-62 | 68.0 | 2.0 | |
| | | 2-26-62 | 67.1 | 2.9 | |
| | | 3-09-62 | 66.5 | 3.5 | 5107 |
| | | 3-28-62 | 66.3 | 3.7 | |
| | | 4-24-62 | 70.8 | - 0.8 | 5050 |
| | | 5-29-62 | 72.7 | - 2.7 | |
| | | 6-26-62 | 78.8 | - 8.8 | |
| 11N/05E-34R03 M | 97.0 | 7-19-61 | ¤ | | 5050 |
| | | 8-24-61 | 81.4 | 15.6 | |
| | | 9-22-61 | 81.5 | 15.5 | |
| | | 10-11-61 | 81.4 | 15.6 | 5107 |
| | | 10-25-61 | 80.8 | 16.2 | 5050 |
| | | 11-28-61 | 79.8 | 17.2 | |
| | | 12-26-61 | 79.3 | 17.7 | |
| | | 1-25-62 | 79.0 | 18.0 | |
| | | 2-26-62 | 78.1 | 18.9 | |
| | | 3-09-62 | 77.5 | 19.5 | 5107 |
| | | 3-28-62 | ¤ | | 5050 |
| | | 4-24-62 | 79.3 | 17.7 | |
| 11N/06E-11R01 M | 162.0 | 10-11-61 | 18.4 | 143.6 | 5107 |
| | | 3-09-62 | 16.5 | 145.5 | |
| 12N/05E-12Q01 M | 106.0 | 7-19-61 | 57.1 | 48.9 | 5050 |
| | | 8-24-61 | 59.0 | 47.0 | |
| | | 9-22-61 | 57.0 | 49.0 | |
| | | 10-10-61 | 55.7 | 50.3 | 5107 |
| | | 10-25-61 | 54.6 | 51.4 | 5050 |
| | | 11-28-61 | 53.4 | 52.6 | |
| | | 12-26-61 | 52.3 | 53.7 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| PLACER COUNTY | | | 5-21.07 | | |
| 12N/05E-12Q01 M | 106.0 | 1-25-62 | 51.4 | 54.6 | 5050 |
| CONT. | | 2-26-62 | 50.6 | 55.4 | |
| | | 3-12-62 | 49.8 | 56.2 | 5107 |
| | | 3-28-62 | 49.8 | 56.2 | 5050 |
| | | 4-24-62 | 53.2 | 52.8 | |
| | | 5-29-62 | 54.7 | 51.3 | |
| | | 6-26-62 | 58.7 | 47.3 | |
| 12N/05E-17D01 M | 66.5 | 7-19-61 | 74.6 - | 8.1 | 5050 |
| | | 8-24-61 | 78.1 - | 11.6 | |
| | | 9-22-61 | 75.0 - | 8.5 | |
| | | 10-09-61 | 75.7 - | 9.2 | 5107 |
| | | 10-25-61 | 75.1 - | 8.6 | 5050 |
| | | 11-28-61 | 72.8 - | 6.3 | |
| | | 12-26-61 | 71.3 - | 4.8 | |
| | | 1-25-62 | 69.6 - | 3.1 | |
| | | 2-26-62 | 61.0* | 5.5 | |
| | | 3-12-62 | 68.2 - | 1.7 | 5107 |
| | | 3-28-62 | 67.6 - | 1.1 | 5050 |
| | | 4-24-62 | 67.1 - | 0.6 | |
| | | 5-29-62 | 76.0 - | 9.5 | |
| | | 6-26-62 | 78.8 - | 12.3 | |
| 12N/05E-23H01 M | 103.0 | 10-10-61 | 75.3 | 27.7 | 5107 |
| | | 3-12-62 | 81.2 | 21.8 | |
| 12N/05E-35E02 M | 90.2 | 10-09-61 | 80.3 | 9.9 | 5107 |
| | | 3-09-62 | 74.1 | 16.1 | |
| 13N/05E-34R03 M | 90.0 | 10-09-61 | □ | | 5107 |
| | | 3-14-62 | 58.8 | 31.2 | |
| 13N/06E-09N02 M | 165.0 | 10-09-61 | 26.4 | 138.6 | 5107 |
| | | 3-14-62 | 25.3 | 139.7 | |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 5N/05E-03E01 M | 20.0 | 10-17-61 | DRY | | 5001 |
| | | 3-28-62 | DRY | | |
| 5N/05E-04C01 M | 13.0 | 7-18-61 | 47.8 - | 34.8 | 5050 |
| | | 8-23-61 | 49.2 - | 36.2 | |
| | | 9-28-61 | 47.7 - | 34.7 | |
| | | 10-02-61 | 47.9 - | 34.9 | |
| | | 10-23-61 | 46.9 - | 33.9 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 5N/05E-04C01 M | 13.0 | 11-27-61 | 44.9 - | 31.9 | 5050 |
| CONT. | | 12-26-61 | 44.1 - | 31.1 | |
| | | 1-24-62 | 43.5 - | 30.5 | |
| | | 2-23-62 | 41.2 - | 28.2 | |
| | | 3-05-62 | 41.8 - | 28.8 | |
| | | 3-27-62 | 41.3 - | 28.3 | |
| | | 4-20-62 | 44.9 - | 31.9 | |
| | | 5-28-62 | 45.6 - | 32.6 | |
| | | 6-22-62 | 46.9 - | 33.9 | |
| 5N/06E-26K02 M | 50.0 | 7-18-61 | 67.9 - | 17.9 | 5050 |
| | | 8-23-61 | 70.2 - | 20.2 | |
| | | 9-26-61 | 70.8* - | 20.8 | |
| | | 10-03-61 | 70.6 - | 20.6 | |
| | | 10-24-61 | 70.8 - | 20.8 | |
| | | 11-27-61 | 71.0 - | 21.0 | |
| | | 12-22-61 | 71.6* - | 21.6 | |
| | | 1-24-62 | 70.5* - | 20.5 | |
| | | 2-23-62 | 69.3* - | 19.3 | |
| | | 3-05-62 | 69.2 - | 19.2 | |
| | | 3-26-62 | 65.7 - | 15.7 | |
| | | 4-23-62 | 64.5 - | 14.5 | |
| | | 5-24-62 | □ | | |
| | | 6-22-62 | 67.3 - | 17.3 | |
| 5N/07E-27D01 M | 88.8 | 10-19-61 | DRY | | 5001 |
| | | 3-30-62 | DRY | | |
| 6N/05E-01C01 M | 39.7 | 7-18-61 | 86.9 - | 47.2 | 5050 |
| | | 8-23-61 | 88.7 - | 49.0 | |
| | | 9-28-61 | 89.8 - | 50.1 | |
| | | 10-23-61 | 88.6 - | 48.9 | |
| | | 11-27-61 | 86.9 - | 47.2 | |
| | | 12-26-61 | 87.5 - | 47.8 | |
| | | 1-24-62 | 84.2 - | 44.5 | |
| | | 2-23-62 | 82.9 - | 43.2 | |
| | | 3-27-62 | 82.1 - | 42.4 | |
| | | 4-23-62 | 83.9 - | 44.2 | |
| | | 5-28-62 | 86.0 - | 46.3 | |
| | | 6-22-62 | 90.9 - | 51.2 | |
| 6N/05E-17E01 M | 16.0 | 10-17-61 | 61.3 - | 45.3 | 5001 |
| | | 3-29-62 | 52.5 - | 36.5 | |
| 6N/06E-20D01 M | 45.0 | 10-18-61 | 67.6 - | 22.6 | 5001 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | 5-21.08 | | | |
| 6N/06E-20D01 M | 45.0 | 3-29-62 | 61.3 | - 16.3 | 5001 |
| 6N/07E-28F01 M | 71.0 | 7-18-61 | 64.5 | 6.5 | 5050 |
| | | 8-23-61 | 68.1 | 2.9 | |
| | | 9-26-61 | 64.0 | 7.0 | |
| | | 10-24-61 | 62.5 | 8.5 | |
| | | 11-27-61 | 61.0 | 10.0 | |
| | | 12-22-61 | 59.8 | 11.2 | |
| | | 1-24-62 | 59.1 | 11.9 | |
| | | 2-23-62 | 58.3 | 12.7 | |
| | | 3-26-62 | 57.8 | 13.2 | |
| | | 4-23-62 | 63.2 | 7.8 | |
| | | 5-24-62 | 66.0 | 5.0 | |
| | | 6-22-62 | 68.3 | 2.7 | |
| 6N/08E-15J01 M | 214.0 | 10-04-61 | ▫ | | 5050 |
| | | 3-07-62 | 122.5 | 91.5 | |
| 7N/05E-01H02 M | 45.0 | 7-18-61 | 77.8 | - 32.8 | 5050 |
| | | 8-23-61 | 78.3 | - 33.3 | |
| | | 9-28-61 | 78.8 | - 33.8 | |
| | | 10-04-61 | 78.8 | - 33.8 | |
| | | 10-23-61 | 78.7 | - 33.7 | |
| | | 11-28-61 | 77.9 | - 32.9 | |
| | | 12-26-61 | 78.1 | - 33.1 | |
| | | 1-24-62 | 76.2 | - 31.2 | |
| | | 2-23-62 | 76.0 | - 31.0 | |
| | | 3-06-62 | 75.8 | - 30.8 | |
| | | 3-27-62 | 75.5 | - 30.5 | |
| | | 4-23-62 | 76.0 | - 31.0 | |
| | | 5-28-62 | 77.5 | - 32.5 | |
| | | 6-25-62 | 78.3 | - 33.3 | |
| 7N/05E-05L01 M | 15.5 | 7-18-61 | 69.5 | - 54.0 | 5050 |
| | | 8-23-61 | 69.5 | - 54.0 | |
| | | 9-28-61 | 69.8* | - 54.3 | |
| | | 10-02-61 | 69.9 | - 54.4 | |
| | | 10-23-61 | 58.6 | - 43.1 | |
| | | 11-28-61 | 55.2 | - 39.7 | |
| | | 12-26-61 | 53.7 | - 38.2 | |
| | | 1-24-62 | 53.3 | - 37.8 | |
| | | 2-23-62 | 52.5 | - 37.0 | |
| | | 3-05-62 | 52.1 | - 36.6 | |
| | | 3-27-62 | 52.6 | - 37.1 | |
| | | 4-20-62 | 62.2* | - 46.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | 5-21.08 | | | |
| 7N/05E-05L01 M | 15.5 | 5-28-62 | 70.5* | - 55.0 | 5050 |
| CONT. | | 6-22-62 | 72.0* | - 56.5 | |
| 7N/05E-32K01 M | 19.5 | 7-18-61 | 56.7 | - 37.2 | 5050 |
| | | 8-23-61 | 58.4 | - 38.9 | |
| | | 9-28-61 | 58.9 | - 39.4 | |
| | | 10-02-61 | 58.9 | - 39.4 | |
| | | 10-23-61 | 59.0 | - 39.5 | |
| | | 11-27-61 | 57.9 | - 38.4 | |
| | | 12-26-61 | 57.6 | - 38.1 | |
| | | 1-24-62 | 57.1 | - 37.6 | |
| | | 2-23-62 | 56.6 | - 37.1 | |
| | | 3-05-62 | 56.3 | - 36.8 | |
| | | 3-27-62 | 55.8 | - 36.3 | |
| | | 4-20-62 | 56.2 | - 36.7 | |
| | | 5-28-62 | 57.2 | - 37.7 | |
| | | 6-22-62 | 58.0 | - 38.5 | |
| 7N/06E-06C01 M | 49.0 | 9-28-61 | 84.0 | - 35.0 | 5050 |
| | | 10-04-61 | 86.6 | - 37.6 | |
| | | 10-23-61 | 83.4 | - 34.4 | |
| | | 11-28-61 | ▫ | | |
| | | 12-26-61 | 81.6 | - 32.6 | |
| | | 1-24-62 | 80.7 | - 31.7 | |
| | | 2-23-62 | 79.1 | - 30.1 | |
| | | 3-06-62 | 81.5 | - 32.5 | |
| | | 3-27-62 | 79.6 | - 30.6 | |
| | | 4-23-62 | 80.7 | - 31.7 | |
| | | 5-28-62 | 82.6 | - 33.6 | |
| 7N/07E-07N01 M | 100.5 | 7-18-61 | 76.1 | 24.4 | 5050 |
| | | 8-23-61 | 78.4 | 22.1 | |
| | | 9-26-61 | 79.0 | 21.5 | |
| | | 10-03-61 | 77.8 | 22.7 | |
| | | 10-23-61 | 78.0 | 22.5 | |
| | | 10-24-61 | 75.0 | 25.5 | 5001 |
| | | 11-27-61 | 74.8 | 25.7 | 5050 |
| | | 12-26-61 | 73.1 | 27.4 | |
| | | 1-24-62 | 72.4 | 28.1 | |
| | | 2-23-62 | 71.7 | 28.8 | |
| | | 3-05-62 | 71.1 | 29.4 | |
| | | 3-27-62 | 70.7 | 29.8 | |
| | | 4-05-62 | 71.1 | 29.4 | 5001 |
| | | 4-23-62 | 73.7* | 26.8 | 5050 |
| | | 5-28-62 | 77.3 | 23.2 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 7N/07E-07N01 M | 100.5 | 6-22-62 | 78.7* | 21.8 | 5050 |
| 7N/07E-27P01 M | 100.0 | 10-25-61 | 68.5 | 31.5 | 5001 |
| | | 4-04-62 | 65.3 | 34.7 | |
| 7N/08E-13A01 M | 260.0 | 10-03-61 | 15.7 | 244.3 | 5050 |
| | | 3-07-62 | 12.5 | 247.5 | |
| 8N/04E-24M01 M | 25.0 | 7-18-61 | 49.7 | - 24.7 | 5050 |
| | | 8-28-61 | 47.9 | - 22.9 | |
| | | 9-29-61 | 48.0 | - 23.0 | |
| | | 10-02-61 | 48.1 | - 23.1 | |
| | | 10-23-61 | 47.6 | - 22.6 | |
| | | 11-30-61 | 46.2 | - 21.2 | |
| | | 12-26-61 | 44.6 | - 19.6 | |
| | | 1-24-62 | 44.1 | - 19.1 | |
| | | 2-23-62 | 42.2 | - 17.2 | |
| | | 3-05-62 | 41.6 | - 16.6 | |
| | | 3-27-62 | 40.9 | - 15.9 | |
| | | 4-23-62 | 42.1 | - 17.1 | |
| | | 5-28-62 | 44.1 | - 19.1 | |
| | | 6-25-62 | 46.0 | - 21.0 | |
| 8N/04E-27P01 M | 12.0 | 10-02-61 | ◎ | | 5050 |
| 8N/05E-21H02 M | 39.5 | 10-04-61 | 67.0 | - 27.5 | 5050 |
| | | 3-06-62 | 62.9 | - 23.4 | |
| 8N/05E-27A01 M | 35.0 | 7-18-61 | 69.5 | - 34.5 | 5050 |
| | | 8-23-61 | 70.8 | - 35.8 | |
| | | 9-28-61 | 71.1 | - 36.1 | |
| | | 10-04-61 | 71.0 | - 36.0 | |
| | | 10-23-61 | 70.9 | - 35.9 | |
| | | 11-28-61 | 70.3 | - 35.3 | |
| | | 12-26-61 | 69.6 | - 34.6 | |
| | | 1-24-62 | 69.5 | - 34.5 | |
| | | 2-23-62 | 69.1 | - 34.1 | |
| | | 3-06-62 | 69.0 | - 34.0 | |
| | | 3-27-62 | 69.0 | - 34.0 | |
| | | 4-23-62 | 69.3 | - 34.3 | |
| | | 5-28-62 | 70.5 | - 35.5 | |
| | | 6-25-62 | 71.5 | - 36.5 | |
| 8N/06E-05L01 M | 58.0 | 10-05-61 | 45.5 | 12.5 | 5050 |
| | | 3-09-62 | 39.9 | 18.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | | 5-21.08 | | |
| 8N/06E-11C01 M | 90.1 | 10-05-61 | 64.0 | 26.1 | 5050 |
| | | 3-09-62 | 58.0 | 32.1 | |
| 8N/06E-20J01 M | 64.3 | 10-04-61 | 68.7 | - 4.4 | 5050 |
| | | 3-07-62 | 62.4 | 1.9 | |
| 8N/07E-31H01 M | 122.0 | 10-03-61 | □ | | 5050 |
| | | 3-07-62 | 81.1 | 40.9 | |
| 9N/04E-01R01 M | 19.5 | 9-28-61 | 24.3 | - 4.8 | 5050 |
| | | 10-12-61 | 21.9 | - 2.4 | |
| | | 10-25-61 | □ | | |
| | | 11-28-61 | 19.9 | - 0.4 | |
| | | 12-26-61 | 19.4 | 0.1 | |
| | | 2-23-62 | 16.7 | 2.8 | |
| | | 3-13-62 | 15.2 | 4.3 | |
| | | 3-27-62 | 15.0 | 4.5 | |
| | | 4-23-62 | 18.3 | 1.2 | |
| | | 5-28-62 | 24.5 | - 5.0 | |
| | | 6-25-62 | 26.0 | - 6.5 | |
| 9N/05E-21M01 M | 34.0 | 7-18-61 | 40.5 | - 6.5 | 5050 |
| | | 8-28-61 | 40.7 | - 6.7 | |
| | | 9-28-61 | 41.2 | - 7.2 | |
| | | 10-06-61 | 41.2 | - 7.2 | |
| | | 10-25-61 | 41.2 | - 7.2 | |
| | | 11-28-61 | 42.1 | - 8.1 | |
| | | 12-26-61 | 40.6 | - 6.6 | |
| | | 1-24-62 | 40.1 | - 6.1 | |
| | | 2-23-62 | 39.4 | - 5.4 | |
| | | 3-13-62 | 39.3 | - 5.3 | |
| | | 3-27-62 | 39.0 | - 5.0 | |
| | | 4-23-62 | 39.6 | - 5.6 | |
| | | 5-28-62 | 39.9 | - 5.9 | |
| | | 6-25-62 | 40.9 | - 6.9 | |
| 9N/05E-25Q01 M | 58.0 | 7-18-61 | 68.7* | - 10.7 | 5050 |
| | | 8-28-61 | 67.1 | - 9.1 | |
| | | 9-28-61 | 63.6 | - 5.6 | |
| | | 10-05-61 | 63.6 | - 5.6 | |
| | | 10-23-61 | 63.4 | - 5.4 | |
| | | 11-28-61 | 61.9 | - 3.9 | |
| | | 12-26-61 | 60.7 | - 2.7 | |
| | | 1-24-62 | 60.2 | - 2.2 | |
| | | 2-23-62 | 59.6 | - 1.6 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | 5-21.08 | | | |
| 9N/05E-25Q01 M | 58.0 | 3-12-62 | 59.3 | - 1.3 | 5050 |
| CONT. | | 3-27-62 | 59.3 | - 1.3 | |
| | | 4-23-62 | 59.8 | - 1.8 | |
| | | 5-28-62 | 61.4 | - 3.4 | |
| | | 6-25-62 | ▫ | | |
| 9N/07E-12L01 M | 290.0 | 10-05-61 | 49.1 | 240.9 | 5050 |
| | | 3-09-62 | 49.0 | 241.0 | |
| 9N/07E-16Q01 M | 144.5 | 9-26-61 | 31.3 | 113.2 | 5050 |
| | | 10-05-61 | 32.7 | 111.8 | |
| | | 10-23-61 | ▫ | | |
| | | 11-28-61 | 36.4 | 108.1 | |
| | | 12-26-61 | 36.3 | 108.2 | |
| | | 1-24-62 | 36.9 | 107.6 | |
| | | 2-23-62 | 37.3 | 107.2 | |
| | | 3-09-62 | ▫ | | |
| | | 3-27-62 | 34.5 | 110.0 | |
| | | 4-23-62 | ▫ | | |
| | | 5-28-62 | 32.5 | 112.0 | |
| | | 6-25-62 | 31.4 | 113.1 | |
| 10N/04E-34A01 M | 25.0 | 7-18-61 | 10.4 | 14.6 | 5050 |
| | | 8-28-61 | 8.9 | 16.1 | |
| | | 9-28-61 | 9.7 | 15.3 | |
| | | 10-12-61 | 11.1 | 13.9 | |
| | | 10-25-61 | 12.0 | 13.0 | |
| | | 11-28-61 | 13.7 | 11.3 | |
| | | 12-26-61 | 13.5 | 11.5 | |
| | | 1-24-62 | 14.1 | 10.9 | |
| | | 2-23-62 | 10.3 | 14.7 | |
| | | 3-13-62 | 9.5 | 15.5 | |
| | | 3-27-62 | 10.4 | 14.6 | |
| | | 4-23-62 | 11.5 | 13.5 | |
| | | 5-28-62 | 8.7 | 16.3 | |
| | | 6-25-62 | 8.6 | 16.4 | |
| 10N/05E-15P01 M | 67.5 | 7-18-61 | 58.3 | 9.2 | 5050 |
| | | 8-28-61 | 59.2 | 8.3 | |
| | | 9-28-61 | 59.4 | 8.1 | |
| | | 10-06-61 | 59.6 | 7.9 | |
| | | 10-25-61 | 59.5 | 8.0 | |
| | | 11-28-61 | 59.1 | 8.4 | |
| | | 12-26-61 | 57.5 | 10.0 | |
| | | 1-24-62 | 58.0 | 9.5 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SACRAMENTO COUNTY | | 5-21.08 | | | |
| 10N/05E-15P01 M | 67.5 | 2-23-62 | 57.4 | 10.1 | 5050 |
| CONT. | | 3-12-62 | 58.2 | 9.3 | |
| | | 3-27-62 | 55.9 | 11.6 | |
| | | 4-23-62 | 57.2 | 10.3 | |
| | | 5-28-62 | 58.9 | 8.6 | |
| | | 6-26-62 | 59.8 | 7.7 | |
| YOLO COUNTY | | 5-21.09 | | | |
| 6N/03E-15C01 M | 4.0 | 10-13-61 | 5.2 | - 1.2 | 5104 |
| | | 3-05-62 | 2.9 | 1.1 | |
| 6N/03E-23P01 M | 4.9 | 10-13-61 | 5.6 | - 0.7 | 5104 |
| | | 3-05-62 | 2.5 | 2.4 | |
| 7N/03E-04Q01 M | 19.0 | 10-13-61 | 34.2 | - 15.2 | 5104 |
| | | 3-06-62 | 21.7 | - 2.7 | |
| 8N/01E-07B02 M | 107.0 | 10-02-61 | 26.8 | 80.2 | 5001 |
| | | 10-06-61 | 27.9 | 79.1 | 5104 |
| | | 3-06-62 | 25.3 | 81.7 | |
| | | 4-09-62 | 27.9 | 79.1 | 5001 |
| 8N/01E-09R01 M | 90.5 | 7-17-61 | 63.1 | 27.4 | 5050 |
| | | 8-25-61 | 65.5 | 25.0 | |
| | | 9-29-61 | 53.5 | 37.0 | |
| | | 10-27-61 | 48.5 | 42.0 | |
| | | 11-30-61 | 44.5 | 46.0 | |
| | | 12-28-61 | 43.1 | 47.4 | |
| | | 1-30-62 | 42.2 | 48.3 | |
| | | 2-27-62 | 40.2 | 50.3 | |
| | | 3-30-62 | 39.0 | 51.5 | |
| | | 4-25-62 | 41.5 | 49.0 | |
| | | 5-31-62 | 51.1 | 39.4 | |
| | | 6-27-62 | 60.9 | 29.6 | |
| 8N/01E-15B01 M | 85.0 | 7-06-61 | 34.2 | 50.8 | 5000 |
| | | 8-07-61 | 35.1 | 49.9 | |
| | | 9-06-61 | 34.8 | 50.2 | |
| | | 10-03-61 | 35.9 | 49.1 | |
| | | 10-06-61 | 35.9 | 49.1 | 5104 |
| | | 11-06-61 | 36.1 | 48.9 | 5000 |
| | | 12-04-61 | 36.3 | 48.7 | |
| | | 1-11-62 | 36.4 | 48.6 | |
| | | 2-12-62 | 36.0 | 49.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| YOLO COUNTY | | | 5-21.09 | | |
| 8N/01E-15B01 M | 85.0 | 3-06-62 | 34.7 | 50.3 | 5104 |
| CONT. | | 3-08-62 | 34.5 | 50.5 | 5000 |
| | | 4-18-62 | 33.8 | 51.2 | |
| | | 5-09-62 | 33.8 | 51.2 | |
| | | 6-11-62 | 34.0 | 51.0 | |
| 8N/03E-19D01 M | 37.0 | 10-05-61 | 49.6 | - 12.6 | 5001 |
| | | 10-13-61 | 49.5 | - 12.5 | 5104 |
| | | 3-06-62 | 34.7 | 2.3 | |
| | | 3-09-62 | 34.6 | 2.4 | 5001 |
| 8N/03E-31N01 M | 32.0 | 10-05-61 | 59.0 | - 27.0 | 5001 |
| | | 10-13-61 | 58.9 | - 26.9 | 5104 |
| | | 3-06-62 | 42.0 | - 10.0 | |
| | | 3-09-62 | 42.3 | - 10.3 | 5001 |
| 8N/01W-16R02 M | 128.0 | 10-02-61 | 64.5 | 63.5 | 5001 |
| | | 10-06-61 | ▫ | | 5104 |
| | | 3-09-62 | 52.6 | 75.4 | |
| | | 4-09-62 | 54.4 | 73.6 | 5001 |
| 9N/01E-08D01 M | 109.0 | 10-07-61 | 3.4 | 105.6 | 5104 |
| | | 3-09-62 | 1.2 | 107.8 | |
| 9N/01E-22B01 M | 86.0 | 10-07-61 | 30.1 | 55.9 | 5104 |
| | | 3-09-62 | 28.4 | 57.6 | |
| 9N/02E-23D01 M | 43.0 | 7-17-61 | ▫ | | 5050 |
| | | 8-22-61 | ▫ | | |
| | | 9-29-61 | 47.4 | - 4.4 | |
| | | 10-09-61 | 41.6 | 1.4 | 5104 |
| | | 10-30-61 | 34.3 | 8.7 | 5050 |
| | | 11-29-61 | 32.1 | 10.9 | |
| | | 12-28-61 | 29.9 | 13.1 | |
| | | 1-25-62 | 28.2 | 14.8 | |
| | | 2-27-62 | 27.4 | 15.6 | |
| | | 3-08-62 | 27.6 | 15.4 | 5104 |
| | | 3-29-62 | 25.0 | 18.0 | 5050 |
| | | 4-25-62 | 40.3 | 2.7 | |
| | | 5-31-62 | ▫ | | |
| | | 6-27-62 | ▫ | | |
| 9N/03E-07D01 M | 25.0 | 10-09-61 | 14.1 | 10.9 | 5104 |
| | | 3-08-62 | 10.7 | 14.3 | |
| 9N/03E-30G01 M | 22.0 | 10-09-61 | 9.7 | 12.3 | 5104 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| YOLO COUNTY | | | 5-21.09 | | |
| 9N/03E-30G01 M | 22.0 | 3-08-62 | 3.1 | 18.9 | 5104 |
| 9N/01W-35M01 M | 143.0 | 7-17-61 | 67.3 | 75.7 | 5050 |
| | | 8-25-61 | ▫ | | |
| | | 9-29-61 | 51.1 | 91.9 | |
| | | 10-06-61 | 44.8 | 98.2 | 5104 |
| | | 10-27-61 | 48.6 | 94.4 | 5050 |
| | | 11-30-61 | 46.0 | 97.0 | |
| | | 12-28-61 | 44.5 | 98.5 | |
| | | 1-30-62 | 43.5 | 99.5 | |
| | | 2-27-62 | 42.3 | 100.7 | |
| | | 3-09-62 | 41.0 | 102.0 | 5104 |
| | | 3-30-62 | 40.8 | 102.2 | 5050 |
| | | 4-25-62 | 47.3 | 95.7 | |
| | | 5-31-62 | 50.6 | 92.4 | |
| | | 6-27-62 | ▫ | | |
| 10N/01E-14K01 M | 91.0 | 10-05-61 | 79.4 | 11.6 | 5104 |
| | | 3-03-62 | 50.0 | 41.0 | |
| 10N/01E-33A01 M | 120.0 | 10-10-61 | 92.3 | 27.7 | 5104 |
| | | 3-04-62 | 77.2 | 42.8 | |
| 10N/01E-34C01 M | 108.5 | 7-17-61 | 83.6 | 24.9 | 5050 |
| | | 8-22-61 | 80.4 | 28.1 | |
| | | 9-20-61 | 80.4 | 28.1 | |
| | | 10-30-61 | 79.2 | 29.3 | |
| | | 11-30-61 | 79.9 | 28.6 | |
| | | 12-28-61 | 77.7 | 30.8 | |
| | | 1-30-62 | 75.4 | 33.1 | |
| | | 2-27-62 | 71.7 | 36.8 | |
| | | 3-29-62 | 67.5 | 41.0 | |
| | | 4-25-62 | 67.3 | 41.2 | |
| | | 5-31-62 | 70.3 | 38.2 | |
| | | 6-27-62 | 74.2 | 34.3 | |
| 10N/02E-02N01 M | 36.0 | 10-09-61 | 27.1 | 8.9 | 5104 |
| | | 3-03-62 | 19.4 | 16.6 | |
| 10N/02E-18M01 M | 74.0 | 10-09-61 | ▫ | | 5104 |
| | | 3-03-62 | 49.2 | 24.8 | |
| 10N/02E-21M02 M | 52.0 | 10-09-61 | 34.4 | 17.6 | 5104 |
| | | 3-03-62 | 33.5 | 18.5 | |
| 10N/02E-26D01 M | 32.0 | 9-29-61 | 33.1 | - 1.1 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| YOLO COUNTY | | | 5-21.09 | | |
| 10N/02E-26Q01 M | 32.0 | 10-09-61 | 29.8 | 2.2 | 5104 |
| CONT. | | 10-30-61 | 24.8 | 7.2 | 5050 |
| | | 11-29-61 | 23.6 | 8.4 | |
| | | 12-28-61 | 18.0 | 14.0 | |
| | | 1-25-62 | 15.2 | 16.8 | |
| | | 2-27-62 | 14.3 | 17.7 | |
| | | 3-08-62 | 13.4 | 18.6 | 5104 |
| | | 3-29-62 | 14.4 | 17.6 | 5050 |
| | | 4-25-62 | 22.5 | 9.5 | |
| | | 5-31-62 | ▫ | | |
| | | 6-27-62 | 51.1 | - 19.1 | |
| 10N/01W-09F01 M | 167.0 | 10-11-61 | ▫ | | 5104 |
| | | 3-07-62 | ▫ | | |
| 10N/01W-29M01 M | 163.0 | 10-11-61 | ▫ | | 5104 |
| | | 3-10-62 | 6.8 | 156.2 | |
| 10N/02W-16L01 M | 230.0 | 10-11-61 | 14.3 | 215.7 | 5104 |
| | | 3-07-62 | 12.1 | 217.9 | |
| 11N/01E-18B01 M | 52.5 | 10-19-61 | 51.4 | 1.1 | 5001 |
| | | 4-02-62 | 37.3 | 15.2 | |
| 11N/01E-21Q01 M | 55.0 | 7-17-61 | 32.5 | 22.5 | 5050 |
| | | 8-22-61 | 33.3 | 21.7 | |
| | | 9-20-61 | 33.9 | 21.1 | |
| | | 10-19-61 | 34.3 | 20.7 | 5001 |
| | | 10-30-61 | 34.5 | 20.5 | 5050 |
| | | 11-24-61 | 34.7 | 20.3 | |
| | | 12-28-61 | ▫ | | |
| | | 1-23-62 | ▫ | | |
| | | 4-03-62 | 31.6 | 23.4 | 5001 |
| 11N/01E-25R01 M | 55.0 | 10-19-61 | 50.0 | 5.0 | 5001 |
| | | 4-02-62 | 37.8 | 17.2 | |
| 11N/02E-18F02 M | 40.0 | 10-19-61 | 31.2 | 8.8 | 5001 |
| | | 4-02-62 | 21.6 | 18.4 | |
| 11N/02W-26J01 M | 280.0 | 10-11-61 | 69.3 | 210.7 | 5104 |
| | | 3-07-62 | 69.1 | 210.9 | |
| 12N/01W-05B01 M | 137.9 | 7-17-61 | 108.2 | 29.7 | 5050 |
| | | 8-22-61 | 112.4 | 25.5 | |
| CENTRAL VALLEY REGION | | | | | |
| YOLO COUNTY | | | 5-21.09 | | |
| 12N/01W-05B01 M | 137.9 | 9-20-61 | 109.5 | 28.4 | 5050 |
| CONT. | | 10-20-61 | 109.9 | 28.0 | 5001 |
| | | 10-27-61 | 108.4 | 29.5 | 5050 |
| | | 11-24-61 | 106.5 | 31.4 | |
| | | 12-28-61 | ▫ | | |
| | | 1-30-62 | 108.1 | 29.8 | |
| | | 2-27-62 | 106.9 | 31.0 | |
| | | 3-23-62 | 106.7 | 31.2 | |
| | | 4-03-62 | 106.0 | 31.9 | 5001 |
| | | 4-19-62 | 111.7* | 26.2 | 5050 |
| | | 5-31-62 | 112.5* | 25.4 | |
| | | 6-27-62 | 108.8 | 29.1 | |
| 12N/01W-05M01 M | 162.5 | 10-20-61 | ▫ | | 5001 |
| | | 4-03-62 | 120.7 | 41.8 | |
| 12N/01W-36K01 M | 40.0 | 10-20-61 | 40.2 | - 0.2 | 5001 |
| | | 4-03-62 | 29.1 | 10.9 | |
| CAPAY VALLEY | | | 5-21.10 | | |
| 11N/03W-04P01 M | 395.0 | 10-11-61 | 109.5 | 285.5 | 5104 |
| | | 3-07-62 | 86.6 | 308.4 | |
| 11N/03W-26M03 M | 308.0 | 10-11-61 | ▫ | | 5104 |
| | | 3-07-62 | 25.1 | 282.9 | |
| SOLANO COUNTY | | | 5-21.11 | | |
| 5N/01E-36A02 M | 23.0 | 7-19-61 | 14.1 | 8.9 | 5050 |
| | | 8-25-61 | 14.4 | 8.6 | |
| | | 9-29-61 | 14.4 | 8.6 | |
| | | 10-26-61 | 14.5 | 8.5 | |
| | | 11-30-61 | 14.3 | 8.7 | |
| | | 12-28-61 | 14.4 | 8.6 | |
| | | 1-30-62 | 14.5 | 8.5 | |
| | | 2-27-62 | 11.5 | 11.5 | |
| | | 3-30-62 | 10.0 | 13.0 | |
| | | 4-25-62 | 9.9 | 13.1 | |
| | | 5-31-62 | 10.3 | 12.7 | |
| | | 6-27-62 | 10.6 | 12.4 | |
| 5N/02E-36N01 M | .7 | 10-03-61 | 7.7 | - 7.0 | 5109 |
| | | 3-03-62 | 5.6 | - 4.9 | |
| 6N/01E-24L01 M | 32.0 | 10-03-61 | 45.7* | - 13.7 | 5109 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SOLANO COUNTY | | | 5-21.11 | | |
| 6N/01E-24L01 M | 32.0 | 3-05-62 | 33.7 | - 1.7 | 5109 |
| 6N/02E-20H02 M | 20.0 | 9-29-61 | □ | | 5050 |
| | | 10-03-61 | □ | | 5109 |
| | | 10-30-61 | 56.5 | - 36.5 | 5050 |
| | | 11-30-61 | 49.0 | - 29.0 | |
| | | 12-28-61 | 49.1 | - 29.1 | |
| | | 1-30-62 | 46.0 | - 26.0 | |
| | | 2-27-62 | 45.0 | - 25.0 | |
| | | 3-05-62 | 46.2 | - 26.2 | 5109 |
| | | 3-30-62 | 44.0 | - 24.0 | 5050 |
| | | 4-25-62 | □ | | |
| | | 5-31-62 | □ | | |
| | | 6-27-62 | □ | | |
| 6N/02E-29N01 M | 19.0 | 10-03-61 | □ | | 5109 |
| | | 11-14-61 | 35.3 | - 16.3 | 5050 |
| | | 3-03-62 | 32.2 | - 13.2 | 5109 |
| 6N/01W-01B01 M | 82.0 | 7-19-61 | 64.5 | 17.5 | 5050 |
| | | 8-25-61 | 58.7 | 23.3 | |
| | | 9-29-61 | 49.5 | 32.5 | |
| | | 10-04-61 | 49.5 | 32.5 | 5109 |
| | | 10-26-61 | 49.8 | 32.2 | 5050 |
| | | 11-30-61 | 40.8 | 41.2 | |
| | | 12-28-61 | 39.6 | 42.4 | |
| | | 1-30-62 | 38.8 | 43.2 | |
| | | 2-27-62 | 38.8 | 43.2 | |
| | | 3-05-62 | 41.2 | 40.8 | 5109 |
| | | 3-30-62 | 38.0 | 44.0 | 5050 |
| | | 4-25-62 | 44.5 | 37.5 | |
| | | 5-31-62 | 39.1 | 42.9 | |
| | | 6-27-62 | 46.3 | 35.7 | |
| 6N/01W-11G01 M | 87.0 | 7-06-61 | 39.4 | 47.6 | 5000 |
| | | 8-07-61 | 40.2 | 46.8 | |
| | | 9-06-61 | 40.3 | 46.7 | |
| | | 10-03-61 | 40.1 | 46.9 | |
| | | 10-04-61 | 40.0 | 47.0 | 5109 |
| | | 11-06-61 | @ | | 5000 |
| 6N/01W-13R01 M | 74.5 | 10-03-61 | 35.8 | 38.7 | 5109 |
| | | 3-05-62 | 31.7 | 42.8 | |
| 7N/01E-12N02 M | 64.0 | 10-12-61 | 78.9 | - 14.9 | 5001 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SOLANO COUNTY | | | 5-21.11 | | |
| 7N/01E-12N02 M CONT. | 64.0 | 2-02-62 | 73.5 | - 9.5 | 5050 |
| | | 2-27-62 | 71.8 | - 7.8 | |
| | | 3-26-62 | 70.4 | - 6.4 | 5001 |
| | | 3-30-62 | 70.5 | - 6.5 | 5050 |
| | | 4-25-62 | 69.9 | - 5.9 | |
| | | 5-31-62 | 68.5 | - 4.5 | |
| | | 6-27-62 | 67.1 | - 3.1 | |
| 7N/01E-33R01 M | 60.0 | 7-06-61 | 23.5 | 36.5 | 5000 |
| | | 8-07-61 | 24.3 | 35.7 | |
| | | 9-06-61 | 24.0 | 36.0 | |
| | | 10-03-61 | 20.6 | 39.4 | |
| | | 11-06-61 | 20.4 | 39.6 | |
| | | 12-04-61 | 21.2 | 38.8 | |
| | | 1-11-62 | 22.9 | 37.1 | |
| | | 2-12-62 | 21.6 | 38.4 | |
| | | 3-08-62 | 21.3 | 38.7 | |
| | | 4-18-62 | 18.0 | 42.0 | |
| | | 5-09-62 | 17.0 | 43.0 | |
| | | 6-11-62 | 15.0 | 45.0 | |
| 7N/02E-12C01 M | 27.0 | 10-09-61 | 63.9 | - 36.9 | 5001 |
| | | 3-15-62 | 57.6 | - 30.6 | |
| 7N/01W-13H01 M | 105.0 | 10-13-61 | 54.1 | 50.9 | 5001 |
| | | 3-26-62 | 49.0 | 56.0 | |
| 8N/01E-23Q01 M | 73.0 | 10-03-61 | 59.3 | 13.7 | 5001 |
| | | 3-07-62 | 51.7 | 21.3 | |
| 8N/01E-32E01 M | 100.0 | 10-04-61 | 58.7 | 41.3 | 5001 |
| | | 3-13-62 | 49.0 | 51.0 | |
| 8N/01E-33Q02 M | 86.0 | 7-06-61 | 47.2 | 38.8 | 5000 |
| | | 8-07-61 | □ | | |
| | | 9-06-61 | 49.7 | 36.3 | |
| | | 10-03-61 | 47.5* | 38.5 | |
| | | 11-06-61 | 48.8 | 37.2 | |
| | | 12-04-61 | 47.5 | 38.5 | |
| | | 1-11-62 | 48.3 | 37.7 | |
| | | 2-12-62 | 48.8 | 37.2 | |
| | | 3-08-62 | 48.3 | 37.7 | |
| | | 4-18-62 | □ | | |
| | | 5-09-62 | 48.3* | 37.7 | |
| | | 6-11-62 | 38.9 | 47.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SOLANO COUNTY | | | 5-21.11 | | |
| 8N/02E-25B01 M | 35.0 | 7-19-61 | 67.6 | - 32.6 | 5050 |
| | | 8-25-61 | 67.3 | - 32.3 | |
| | | 9-29-61 | 56.5 | - 21.5 | |
| | | 10-30-61 | 51.1 | - 16.1 | |
| | | 11-30-61 | 46.6 | - 11.6 | |
| | | 12-28-61 | 44.7 | - 9.7 | |
| | | 1-30-62 | 45.5 | - 10.5 | |
| | | 2-27-62 | 38.0 | - 3.0 | |
| | | 3-30-62 | 37.4 | - 2.4 | |
| | | 4-25-62 | 61.5 | - 26.5 | |
| | | 5-31-62 | ¤ | | |
| | | 6-27-62 | ¤ | | |
| 8N/01W-23B01 M | 123.1 | 11-11-61 | 52.1 | 71.0 | 5001 |
| | | 3-13-62 | 43.0 | 80.1 | |
| 8N/01W-28J01 M | 138.0 | 7-17-61 | 62.7 | 75.3 | 5050 |
| | | 8-25-61 | 54.1 | 83.9 | |
| | | 9-29-61 | 61.5 | 76.5 | |
| | | 10-03-61 | 61.9 | 76.1 | 5001 |
| | | 10-27-61 | 60.1 | 77.9 | 5050 |
| | | 11-30-61 | 60.2 | 77.8 | |
| | | 12-28-61 | 49.2 | 88.8 | |
| | | 1-30-62 | 47.4 | 90.6 | |
| | | 2-27-62 | 45.7 | 92.3 | |
| | | 3-13-62 | 44.2 | 93.8 | 5001 |
| | | 3-30-62 | 45.0 | 93.0 | 5050 |
| | | 4-25-62 | 45.3 | 92.7 | |
| | | 5-31-62 | 51.7 | 86.3 | |
| | | 6-27-62 | 52.2 | 85.8 | |
| 8N/01W-34A01 M | 120.0 | 10-03-61 | 70.7 | 49.3 | 5001 |
| | | 3-13-62 | 51.6 | 68.4 | |
| SAN JOAQUIN VALLEY | | | 5-22.00 | | |
| MOKELUMNE RIVER AREA | | | 5-22.01 | | |
| 2N/06E-16L01 M | 11.5 | 10-06-61 | 29.9 | - 18.4 | 5110 |
| | | 3-09-62 | 26.2 | - 14.7 | |
| 3N/05E-16A01 M | - 3.0 | 10-06-61 | 4.2 | - 7.2 | 5110 |
| | | 3-09-62 | 4.0 | - 7.0 | |
| 3N/06E-29C01 M | 17.2 | 10-06-61 | 36.0 | - 18.8 | 5110 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MOKELUMNE RIVER AREA | | | 5-22.01 | | |
| 3N/06E-29C01 M | 17.2 | 3-09-62 | 24.0 | - 6.8 | 5110 |
| 3N/06F-35P01 M | 28.5 | 7-17-61 | 34.9 | - 6.4 | 5050 |
| | | 8-23-61 | 37.7 | - 9.2 | |
| | | 9-25-61 | 36.2 | - 7.7 | |
| | | 10-06-61 | 36.5 | - 8.0 | 5110 |
| | | 10-24-61 | 36.7 | - 8.2 | 5050 |
| | | 11-27-61 | 35.9 | - 7.4 | |
| | | 12-22-61 | 35.2 | - 6.7 | |
| | | 1-26-62 | 34.8 | - 6.3 | |
| | | 2-21-62 | 34.4 | - 5.9 | |
| | | 3-09-62 | 34.0 | - 5.5 | 5110 |
| | | 3-26-62 | 33.8 | - 5.3 | 5050 |
| | | 4-20-62 | ¤ | | |
| | | 5-24-62 | ¤ | | |
| | | 5-31-62 | 30.0 | - 1.5 | |
| | | 6-21-62 | 27.7 | 0.8 | |
| 3N/07E-10L04 M | 72.8 | 7-03-61 | 74.6 | - 1.8 | 8201 |
| | | 8-01-61 | 78.2 | - 5.4 | |
| | | 9-01-61 | 76.7 | - 3.9 | |
| | | 10-06-61 | 70.6 | 2.2 | |
| | | 11-02-61 | 68.8 | 4.0 | |
| | | 12-01-61 | 67.2 | 5.6 | |
| | | 1-05-62 | 65.8 | 7.0 | |
| | | 2-01-62 | 65.3 | 7.5 | |
| | | 3-01-62 | 64.5 | 8.3 | |
| | | 4-02-62 | 65.3 | 7.5 | |
| 3N/07F-20P02 M | 49.9 | 10-06-61 | ¤ | | 5110 |
| | | 3-08-62 | 55.5 | - 5.6 | |
| 3N/08F-08E01 M | 95.8 | 10-05-61 | 99.8 | - 4.0 | 5110 |
| | | 3-08-62 | 88.8 | 7.0 | |
| 3N/08E-19C01 M | 82.0 | 9-26-61 | ¤ | | 5050 |
| | | 10-05-61 | ¤ | | 5110 |
| | | 10-24-61 | ¤ | | 5050 |
| | | 11-27-61 | 85.4 | - 3.4 | |
| | | 12-22-61 | 84.1 | - 2.1 | |
| | | 1-29-62 | 86.0 | - 4.0 | |
| | | 2-23-62 | 84.4 | - 2.4 | |
| | | 3-08-62 | 81.5 | 0.5 | 5110 |
| | | 3-26-62 | 81.8 | 0.2 | 5050 |
| | | 4-20-62 | 87.5 | - 5.5 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MOKELUMNE RIVER AREA | | 5-22.01 | | | |
| 3N/08E-19C01 M | 82.0 | 5-24-62 | ▫ | | 5050 |
| CONT. | | 6-22-62 | ▫ | | |
| 4N/05E-22A01 M | 8.2 | 10-06-61 | 5.6 | 2.6 | 5110 |
| | | 3-08-62 | 2.6 | 5.6 | |
| 4N/06E-12N01 M | 45.0 | 9-26-61 | DRY | | 5050 |
| | | 10-06-61 | DRY | | 5110 |
| 4N/07E-18M01 M | 57.8 | 7-17-61 | 67.8 | - 10.0 | 5050 |
| | | 8-23-61 | 71.5 | - 13.7 | |
| | | 9-26-61 | 66.3 | - 8.5 | |
| | | 10-24-61 | 64.5 | - 6.7 | |
| | | 11-27-61 | 62.8 | - 5.0 | |
| | | 12-22-61 | 62.6 | - 4.8 | |
| | | 1-29-62 | 59.5 | - 1.7 | |
| | | 2-23-62 | 59.3 | - 1.5 | |
| | | 3-26-62 | 59.0 | - 1.2 | |
| | | 4-23-62 | 59.9 | - 2.1 | |
| | | 5-24-62 | 62.0 | - 4.2 | |
| | | 6-22-62 | 66.8 | - 9.0 | |
| 4N/07E-33H01 M | 73.4 | 10-09-61 | 39.4 | 34.0 | 5110 |
| | | 3-09-62 | 37.9 | 35.5 | |
| 5N/06E-36R01 M | 63.1 | 10-06-61 | ▫ | | 5110 |
| | | 3-08-62 | 73.4 | - 10.3 | |
| 5N/07E-34G01 M | 88.8 | 10-09-61 | 96.9 | - 8.1 | 5110 |
| | | 3-09-62 | 76.9 | 11.9 | |
| CALAVERAS RIVER AREA | | 5-22.02 | | | |
| 1N/06E-12J01 M | 22.5 | 7-17-61 | 77.2 | - 54.7 | 5050 |
| | | 8-23-61 | 73.6 | - 51.1 | |
| | | 9-25-61 | 74.7 | - 52.2 | |
| | | 10-24-61 | 75.9 | - 53.4 | |
| | | 11-27-61 | 75.5 | - 53.0 | |
| | | 12-22-61 | 74.5 | - 52.0 | |
| | | 1-26-62 | 75.2 | - 52.7 | |
| | | 2-21-62 | 72.9 | - 50.4 | |
| | | 3-26-62 | 72.2 | - 49.7 | |
| | | 4-20-62 | 74.5* | - 52.0 | |
| | | 5-24-62 | 74.2 | - 51.7 | |
| | | 6-21-62 | 77.0 | - 54.5 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CALAVERAS RIVER AREA | | 5-22.02 | | | |
| 1N/06E-14C01 M | 12.0 | 10-26-61 | 62.0 | - 50.0 | 4701 |
| | | 4-30-62 | 58.0 | - 46.0 | |
| 1N/07E-07E01 M | 24.0 | 10-26-61 | 79.0 | - 55.0 | 4701 |
| | | 4-30-62 | 76.0 | - 52.0 | |
| 2N/06E-34K01 M | 11.0 | 10-26-61 | 52.0 | - 41.0 | 4701 |
| 2N/07E-12A01 M | 70.5 | 7-17-61 | 84.5 | - 14.0 | 5050 |
| | | 8-23-61 | 84.8 | - 14.3 | |
| | | 9-26-61 | 86.2 | - 15.7 | |
| | | 10-04-61 | 85.5 | - 15.0 | 5110 |
| | | 10-24-61 | 81.5 | - 11.0 | 5050 |
| | | 11-27-61 | 83.5 | - 13.0 | |
| | | 12-22-61 | 82.1 | - 11.6 | |
| | | 1-29-62 | 78.3 | - 7.8 | |
| | | 2-23-62 | 77.2 | - 6.7 | |
| | | 3-07-62 | 76.7 | - 6.2 | 5110 |
| | | 3-26-62 | 76.2 | - 5.7 | 5050 |
| | | 4-20-62 | 83.9 | - 13.4 | |
| | | 5-24-62 | 92.5 | - 22.0 | |
| | | 6-22-62 | DRY | | |
| 2N/07E-16L01 M | 46.2 | 10-04-61 | 78.3 | - 32.1 | 5110 |
| | | 3-07-62 | ▫ | | |
| 2N/07E-33R01 M | 37.5 | 10-04-61 | ▫ | | 5110 |
| | | 3-06-62 | ▫ | | |
| 2N/08E-12L01 M | 108.4 | 10-05-61 | ▫ | | 5110 |
| | | 3-07-62 | ▫ | | |
| 2N/08E-19M01 M | 66.0 | 7-17-61 | 89.3 | - 23.3 | 5050 |
| | | 8-23-61 | 86.9 | - 20.9 | |
| | | 9-26-61 | 86.3 | - 20.3 | |
| | | 10-24-61 | ▫ | | |
| | | 11-27-61 | 83.2 | - 17.2 | |
| | | 12-22-61 | 79.6 | - 13.6 | |
| | | 1-29-62 | 78.7 | - 12.7 | |
| | | 2-21-62 | 76.3 | - 10.3 | |
| | | 3-26-62 | 75.7 | - 9.7 | |
| | | 4-20-62 | 76.5 | - 10.5 | |
| | | 5-24-62 | 82.5 | - 16.5 | |
| | | 6-21-62 | 84.4 | - 18.4 | |
| 2N/08E-21R01 M | 79.9 | 10-05-61 | 90.6 | - 10.7 | 5110 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CALAVERAS RIVER AREA | | 5-22.02 | | | |
| 2N/08E-21R01 M | 79.9 | 3-06-62 | 87.1 | - 7.2 | 5110 |
| 2N/09E-05H01 M | 132.2 | 7-17-61 | ¤ | | 5050 |
| | | 8-23-61 | ¤ | | |
| | | 9-26-61 | 96.7 | 35.5 | |
| | | 10-05-61 | 96.5 | 35.7 | 5110 |
| | | 10-24-61 | 95.1 | 37.1 | 5050 |
| | | 11-27-61 | 95.5 | 36.7 | |
| | | 12-22-61 | 94.9 | 37.3 | |
| | | 1-29-62 | 94.3 | 37.9 | |
| | | 2-21-62 | 93.8 | 38.4 | |
| | | 3-07-62 | 98.5 | 33.7 | 5110 |
| | | 3-26-62 | 93.7 | 38.5 | 5050 |
| | | 4-20-62 | 93.4 | 38.8 | |
| | | 5-24-62 | 99.9 | 32.3 | |
| | | 6-21-62 | 99.0 | 33.2 | |
| 2N/09E-07G02 M | 115.5 | 10-05-61 | 98.5 | 17.0 | 5110 |
| | | 3-07-62 | 96.0 | 19.5 | |
| 3N/08E-32P01 M | 85.0 | 10-05-61 | 91.9 | - 6.9 | 5110 |
| | | 3-08-62 | 83.6 | 1.4 | |
| 3N/09E-25R01 M | 169.8 | 10-05-61 | 57.8 | 112.0 | 5110 |
| | | 3-07-62 | 51.8 | 118.0 | |
| FARMINGTON-COLLEGEVILLE AREA | | 5-22.03 | | | |
| 1N/06E-35A02 M | 16.0 | 10-03-61 | ¤ | | 5110 |
| | | 3-06-62 | 22.5 | - 6.5 | |
| 1N/07E-13F01 M | 51.0 | 7-17-61 | 71.0 | - 20.0 | 5050 |
| | | 8-23-61 | 74.1 | - 23.1 | |
| | | 9-26-61 | 75.0 | - 24.0 | |
| | | 10-02-61 | 75.5 | - 24.5 | 5110 |
| | | 10-24-61 | 74.3 | - 23.3 | 5050 |
| | | 11-27-61 | 72.8 | - 21.8 | |
| | | 12-22-61 | 71.9 | - 20.9 | |
| | | 1-29-62 | 70.5 | - 19.5 | |
| | | 2-21-62 | 70.3 | - 19.3 | |
| | | 3-05-62 | 69.5 | - 18.5 | 5110 |
| | | 3-26-62 | 68.9 | - 17.9 | 5050 |
| | | 4-20-62 | 71.3 | - 20.3 | |
| | | 5-24-62 | 71.6 | - 20.6 | |
| | | 6-21-62 | 72.8 | - 21.8 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FARMINGTON-COLLEGEVILLE AREA | | 5-22.03 | | | |
| 1N/07E-19R01 M | 24.0 | 7-17-61 | 58.0 | - 34.0 | 5050 |
| | | 8-23-61 | 62.2 | - 38.2 | |
| | | 9-25-61 | 60.1 | - 36.1 | |
| | | 10-03-61 | ¤ | | 5110 |
| | | 10-24-61 | 58.4 | - 34.4 | 5050 |
| | | 11-27-61 | 56.7 | - 32.7 | |
| | | 12-22-61 | 55.6 | - 31.6 | |
| | | 1-26-62 | 54.4 | - 30.4 | |
| | | 2-21-62 | 53.3 | - 29.3 | |
| | | 3-06-62 | 70.3 | - 46.3 | 5110 |
| | | 3-26-62 | 52.4 | - 28.4 | 5050 |
| | | 4-20-62 | ¤ | | |
| | | 5-24-62 | 56.6 | - 32.6 | |
| | | 6-21-62 | ¤ | | |
| 1N/08E-17D01 M | 68.7 | 9-26-61 | ¤ | | 5050 |
| | | 10-02-61 | 86.2 | - 17.5 | 5110 |
| | | 10-24-61 | 85.2 | - 16.5 | 5050 |
| | | 11-27-61 | 83.9 | - 15.2 | |
| | | 12-22-61 | 83.5 | - 14.8 | |
| | | 1-29-62 | 81.7 | - 13.0 | |
| | | 2-21-62 | 81.2 | - 12.5 | |
| | | 3-05-62 | 79.4 | - 10.7 | 5110 |
| | | 3-26-62 | ¤ | | 5050 |
| | | 4-20-62 | ¤ | | |
| | | 5-24-62 | ¤ | | |
| 1N/08E-26A02 M | 88.7 | 10-03-61 | 94.6 | - 5.9 | 5110 |
| | | 3-06-62 | 83.6 | 5.1 | |
| 1N/09E-15R01 M | 120.0 | 10-02-61 | 79.3 | 40.7 | 5110 |
| | | 3-05-62 | 78.5 | 41.5 | |
| 1N/09E-23001 M | 125.0 | 7-17-61 | 72.9 | 52.1 | 5050 |
| | | 8-23-61 | 75.2 | 49.8 | |
| | | 9-25-61 | 74.8 | 50.2 | |
| | | 10-02-61 | 73.8 | 51.2 | 5110 |
| | | 10-24-61 | 73.6 | 51.4 | 5050 |
| | | 11-27-61 | 72.9 | 52.1 | |
| | | 12-22-61 | 72.5 | 52.5 | |
| | | 1-29-62 | 71.8 | 53.2 | |
| | | 2-21-62 | ¤ | | |
| | | 3-05-62 | 70.8 | 54.2 | 5110 |
| | | 3-26-62 | ¤ | | 5050 |
| | | 4-20-62 | ¤ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FARMINGTON-COLLEGEVILLE AREA | | 5-22.03 | | | |
| 1N/09E-23Q01 M | 125.0 | 5-24-62 | 75.4 | 49.6 | 5050 |
| CONT. | | 6-21-62 | 75.5 | 49.5 | |
| 1S/07E-10A01 M | 41.0 | 7-17-61 | 46.8 | - 5.8 | 5050 |
| | | 8-23-61 | 47.3 | - 6.3 | |
| | | 9-25-61 | 46.5 | - 5.5 | |
| | | 10-03-61 | 47.5 | - 6.5 | 5110 |
| | | 10-24-61 | 47.1 | - 6.1 | 5050 |
| | | 11-27-61 | 43.3 | - 2.3 | |
| | | 12-22-61 | 42.0 | - 1.0 | |
| | | 1-26-62 | 41.0 | 0.0 | |
| | | 2-21-62 | 39.0 | 2.0 | |
| | | 3-06-62 | 41.5 | - 0.5 | 5110 |
| | | 3-26-62 | 38.0 | 3.0 | 5050 |
| | | 4-20-62 | 40.9 | 0.1 | |
| | | 5-24-62 | 44.7 | - 3.7 | |
| | | 6-21-62 | 47.6 | - 6.6 | |
| 1S/08E-15A01 M | 73.5 | 7-17-61 | 60.1 | 13.4 | 5050 |
| | | 8-23-61 | 62.9 | 10.6 | |
| | | 9-25-61 | 63.6 | 9.9 | |
| | | 10-03-61 | 62.5 | 11.0 | 5110 |
| | | 10-24-61 | 62.9 | 10.6 | 5050 |
| | | 11-27-61 | 61.5 | 12.0 | |
| | | 12-22-61 | 60.4 | 13.1 | |
| | | 1-26-62 | 59.2 | 14.3 | |
| | | 2-21-62 | 58.4 | 15.1 | |
| | | 3-06-62 | 57.0 | 16.5 | 5110 |
| | | 3-26-62 | 56.8 | 16.7 | 5050 |
| | | 4-20-62 | 58.7 | 14.8 | |
| | | 5-24-62 | 61.5 | 12.0 | |
| | | 6-21-62 | 63.6 | 9.9 | |
| 1S/08E-19N01 M | 51.4 | 10-03-61 | ¤ | | 5110 |
| | | 1-06-62 | 22.7 | 28.7 | 5050 |
| | | 3-06-62 | 22.5 | 28.9 | 5110 |
| 1S/09E-09R01 M | 127.6 | 10-03-61 | 82.5 | 45.1 | 5110 |
| | | 3-06-62 | 74.5 | 53.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TRACY AREA | | 5-22.04 | | | |
| 1S/05E-31R01 M | 4.0 | 7-17-61 | 3.3 | 0.7 | 5050 |
| | | 10-04-61 | 5.4 | - 1.4 | 5110 |
| | | 10-24-61 | 5.3 | - 1.3 | 5050 |
| | | 11-27-61 | 4.9 | - 0.9 | |
| | | 12-22-61 | @ | | |
| 2S/05E-15N02 M | 32.0 | 7-17-61 | 13.8 | 18.2 | 5050 |
| | | 8-23-61 | 14.6 | 17.4 | |
| | | 9-25-61 | 13.9 | 18.1 | |
| | | 9-26-61 | 14.1 | 17.9 | 5001 |
| | | 10-24-61 | 15.5 | 16.5 | 5050 |
| | | 11-27-61 | 13.1 | 18.9 | |
| | | 12-22-61 | 13.6 | 18.4 | |
| | | 1-26-62 | 12.7 | 19.3 | |
| | | 2-21-62 | 10.4 | 21.6 | |
| | | 3-13-62 | 10.6 | 21.4 | |
| | | 3-26-62 | 11.7 | 20.3 | |
| | | 4-20-62 | 13.1 | 18.9 | |
| | | 5-24-62 | 12.2 | 19.8 | |
| | | 6-21-62 | 14.2 | 17.8 | |
| 2S/05E-16C01 M | 16.0 | 10-04-61 | ¤ | | 5110 |
| | | 3-05-62 | 6.9 | 9.1 | |
| 2S/06E-31N01 M | 64.0 | 9-25-61 | 22.3 | 41.7 | 5050 |
| | | 10-04-61 | 20.5 | 43.5 | 5110 |
| | | 10-24-61 | 21.4 | 42.6 | 5050 |
| | | 11-27-61 | 20.8 | 43.2 | |
| | | 12-22-61 | 19.4 | 44.6 | |
| | | 1-26-62 | 18.2 | 45.8 | |
| | | 2-21-62 | 17.0 | 47.0 | |
| | | 3-05-62 | 14.5 | 49.5 | 5110 |
| | | 3-26-62 | 15.1 | 48.9 | 5050 |
| | | 4-20-62 | ¤ | | |
| | | 5-24-62 | ¤ | | |
| 3S/06E-03F01 M | 27.0 | 10-04-61 | 16.3 | 10.7 | 5110 |
| | | 3-05-62 | 12.3 | 14.7 | |
| 3S/06E-09J01 M | 55.5 | 10-10-61 | 17.8 | 37.7 | 5001 |
| | | 4-11-62 | 21.4* | 34.1 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SO SAN JOAQUIN IRRIGATION DIST | | 5-22.05 | | | |
| 1S/07E-15J01 M | 42.0 | 7-19-61 | DRY | | 7518 |
| | | 1-08-62 | DRY | | |
| 2S/09E-08H01 M | 112.0 | 7-19-61 | 26.0 | 86.0 | 7518 |
| OAKDALE IRRIGATION DISTRICT | | 5-22.06 | | | |
| 1S/09E-36A01 M | 145.0 | 10-31-61 | 57.3 | 87.7 | 4520 |
| | | 11-16-61 | 56.8 | 88.2 | |
| | | 12-04-61 | 56.4 | 88.6 | |
| | | 12-18-61 | 56.2 | 88.8 | |
| | | 1-02-62 | 56.1 | 88.9 | |
| | | 1-16-62 | 55.9 | 89.1 | |
| | | 2-01-62 | 55.8 | 89.2 | |
| | | 2-15-62 | 55.8 | 89.2 | |
| | | 3-02-62 | 55.7 | 89.3 | |
| 1S/10E-28J01 M | 193.0 | 10-31-61 | 91.2 | 101.8 | 4520 |
| | | 11-16-61 | 90.2 | 102.8 | |
| | | 12-04-61 | 90.2 | 102.8 | |
| | | 12-18-61 | 89.7 | 103.3 | |
| | | 1-02-62 | 89.1 | 103.9 | |
| | | 1-16-62 | 89.0 | 104.0 | |
| | | 2-01-62 | 88.6 | 104.4 | |
| | | 2-15-62 | 88.4 | 104.6 | |
| | | 3-02-62 | 88.2 | 104.8 | |
| 2S/09E-26F01 M | 132.0 | 10-31-61 | 57.6 | 74.4 | 4520 |
| | | 11-16-61 | 56.5 | 75.5 | |
| | | 12-04-61 | 55.5 | 76.5 | |
| | | 12-18-61 | 55.3 | 76.7 | |
| | | 1-02-62 | 55.0 | 77.0 | |
| | | 1-16-62 | 55.2 | 76.8 | |
| | | 2-01-62 | 55.1 | 76.9 | |
| | | 2-15-62 | 54.7 | 77.3 | |
| | | 3-02-62 | 54.4 | 77.6 | |
| 2S/10E-33J01 M | 165.0 | 10-31-61 | 78.1 | 86.9 | 4520 |
| | | 11-16-61 | 76.1 | 88.9 | |
| | | 12-04-61 | 67.0 | 98.0 | |
| | | 12-18-61 | 66.2 | 98.8 | |
| | | 1-02-62 | 65.8 | 99.2 | |
| | | 1-16-62 | 65.5 | 99.5 | |
| | | 2-01-62 | 65.2 | 99.8 | |
| | | 2-15-62 | 64.8 | 100.2 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| OAKDALE IRRIGATION DISTRICT | | 5-22.06 | | | |
| 2S/10E-33J01 M | 165.0 | 3-02-62 | 64.8 | 100.2 | 4520 |
| 2S/11E-31N01 M | 192.0 | 12-01-61 | 92.0 | 100.0 | 4520 |
| | | 3-01-62 | 81.8 | 110.2 | |
| 2S/12E-31K01 M | 190.0 | 12-01-61 | 48.8 | 141.2 | 4520 |
| | | 3-02-62 | 46.3 | 143.7 | |
| 3S/10E-15A01 M | 152.0 | 10-13-61 | 62.8 | 89.2 | 4520 |
| | | 11-16-61 | 61.2 | 90.8 | |
| | | 12-04-61 | 60.3 | 91.7 | |
| | | 12-18-61 | 60.0 | 92.0 | |
| | | 1-02-62 | 59.3 | 92.7 | |
| | | 1-16-62 | 58.8 | 93.2 | |
| | | 2-01-62 | 58.3 | 93.7 | |
| | | 2-15-62 | 58.0 | 94.0 | |
| | | 3-02-62 | 57.3 | 94.7 | |
| 3S/11E-18D01 M | 162.0 | 10-31-61 | 70.4 | 91.6 | 4520 |
| | | 11-16-61 | 70.4 | 91.6 | |
| | | 12-04-61 | 62.3 | 99.7 | |
| | | 12-18-61 | 63.7 | 98.3 | |
| | | 1-02-62 | 61.2 | 100.8 | |
| | | 1-16-62 | 60.3 | 101.7 | |
| | | 2-01-62 | 60.1 | 101.9 | |
| | | 2-15-62 | 59.6 | 102.4 | |
| | | 3-02-62 | 59.5 | 102.5 | |
| MODESTO IRRIGATION DISTRICT | | 5-22.07 | | | |
| 2S/08E-25P01 M | | 7-11-61 | □ | | 4521 |
| | 97.2 | 11-01-61 | 39.4 | 57.8 | |
| | | 3-01-62 | 38.8 | 58.4 | |
| 2S/08E-34A01 M | 79.0 | 7-01-61 | □ | | 4521 |
| | | 7-02-61 | # | | |
| 2S/09E-31G01 M | | 7-11-61 | □ | | 4521 |
| | 100.3 | 11-01-61 | 48.6 | 51.7 | |
| | | 3-01-62 | 35.5 | 64.8 | |
| 2S/09E-33A01 M | 116.0 | 7-01-61 | □ | | 4521 |
| | | 7-02-61 | # | | |
| 3S/07E-15A01 M | 38.0 | 4-27-62 | 5.5 | 32.5 | 4521 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MODESTO IRRIGATION DISTRICT | | | 5-22.07 | | |
| 3S/08E-13A01 M | 81.5 | 4-27-62 | DRY | | 4521 |
| 3S/08E-22C01 M | 65.0 | 9-05-61 | 31.0 | 34.0 | 5050 |
| | | 10-05-61 | 24.9 | 40.1 | |
| | | 11-06-61 | 22.8 | 42.2 | |
| | | 12-01-61 | 19.9 | 45.1 | |
| | | 1-02-62 | 19.4 | 45.6 | |
| | | 2-02-62 | 18.8 | 46.2 | |
| | | 3-05-62 | 18.1 | 46.9 | |
| | | 4-03-62 | 17.5 | 47.5 | |
| | | 5-03-62 | 18.5 | 46.5 | |
| | | 6-06-62 | 18.3 | 46.7 | |
| 3S/08E-22C02 M | 65.0 | 9-05-61 | 16.2 | 48.8 | 5050 |
| | | 10-05-61 | 16.1 | 48.9 | |
| | | 11-06-61 | 15.0 | 50.0 | |
| | | 12-01-61 | 15.1 | 49.9 | |
| | | 1-02-62 | 15.5 | 49.5 | |
| | | 2-02-62 | 15.5 | 49.5 | |
| | | 3-05-62 | 15.0 | 50.0 | |
| | | 4-03-62 | 14.3 | 50.7 | |
| | | 5-03-62 | 13.5 | 51.5 | |
| | | 6-06-62 | 14.3 | 50.7 | |
| 3S/08E-23A01 M | 75.0 | 4-27-62 | DRY | | 4521 |
| 3S/08E-24C01 M | | 7-19-61 | ¤ | | 4521 |
| | 74.0 | 11-01-61 | 27.3 | 46.7 | |
| | | 3-01-62 | 23.5 | 50.5 | |
| 3S/09E-05N01 M | | 7-12-61 | ¤ | | 4521 |
| | 92.5 | 11-01-61 | 31.8 | 60.7 | |
| | | 3-01-62 | 27.8 | 64.7 | |
| 3S/09E-15A01 M | 98.0 | 4-27-62 | DRY | | 4521 |
| 3S/09E-21A02 M | 95.0 | 7-07-61 | ¤ | | 4521 |
| | 99.2 | 11-01-61 | 47.0 | 52.2 | |
| | | 3-01-62 | 41.7 | 57.5 | |
| 3S/09E-30P01 M | | 7-07-61 | ¤ | | 4521 |
| | 82.5 | 11-01-61 | 47.6 | 34.9 | |
| | | 3-01-62 | 41.9 | 40.6 | |
| 3S/10E-06G01 M | | 7-26-61 | ¤ | | 4521 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MODESTO IRRIGATION DISTRICT | | | 5-22.07 | | |
| 3S/10E-06G01 M | 133.1 | 11-01-61 | 43.7 | 89.4 | 4521 |
| CONT. | | 3-01-62 | 41.3 | 91.8 | |
| 3S/10E-29K01 M | | 7-27-61 | ¤ | | 4521 |
| | 119.2 | 11-01-61 | 50.9 | 68.3 | |
| | | 3-01-62 | 50.0 | 69.2 | |
| 3S/10E-32G01 M | | 7-10-61 | ¤ | | 4521 |
| | 123.0 | 11-01-61 | 61.8 | 61.2 | |
| | | 3-01-62 | 60.0 | 63.0 | |
| 4S/07E-02A01 M | 30.0 | 4-27-62 | 9.7 | 20.3 | 4521 |
| 4S/08E-03A01 M | 64.0 | 4-27-62 | ¤ | | 4521 |
| 4S/08E-03E01 M | | 7-06-61 | ¤ | | 4521 |
| | 63.0 | 11-01-61 | 20.9 | 42.1 | |
| | | 3-01-62 | 20.0 | 43.0 | |
| TURLOCK IRRIGATION DISTRICT | | | 5-22.08 | | |
| 4S/08E-27D01 M | 55.0 | 3-05-62 | 12.9 | 42.1 | 4524 |
| 4S/09E-21A01 M | 82.0 | 3-05-62 | DRY | | 4524 |
| 4S/10E-21R01 M | 109.0 | 3-05-62 | DRY | | 4524 |
| 4S/10E-21R02 M | 109.0 | 12-00-61 | 17.4 | 91.6 | 4524 |
| 4S/11E-29N01 M | 131.0 | 3-02-62 | DRY | | 4524 |
| 4S/11E-32P01 M | 130.0 | 12-00-61 | 26.7 | 103.3 | 4524 |
| 5S/08E-01N01 M | 53.0 | 3-02-62 | 6.0 | 47.0 | 4524 |
| 5S/08E-02R01 M | 50.0 | 12-00-61 | 9.5 | 40.5 | 4524 |
| 5S/09E-03D02 M | 70.0 | 9-05-61 | 15.7 | 54.3 | 5050 |
| | | 10-05-61 | 13.4 | 56.6 | |
| | | 11-06-61 | 13.3 | 56.7 | |
| | | 12-01-61 | 12.7 | 57.3 | |
| | | 1-02-62 | 12.5 | 57.5 | |
| | | 2-02-62 | 12.2 | 57.8 | |
| | | 3-05-62 | 10.4 | 59.6 | |
| | | 4-06-62 | 9.2 | 60.8 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TURLOCK IRRIGATION DISTRICT | | 5-22.08 | | | |
| 5S/09E-03D02 M | 70.0 | 5-03-62 | 6.6 | 63.4 | 5050 |
| CONT. | | 6-07-62 | 6.9 | 63.1 | |
| 5S/09E-14R01 M | 75.0 | 8-01-61 | DRY | | 4524 |
| | | 8-30-61 | DRY | | |
| | | 10-03-61 | DRY | | |
| | | 11-02-61 | 12.5 | 62.5 | |
| | | 12-05-61 | 11.9 | 63.1 | |
| | | 1-03-62 | 11.6 | 63.4 | |
| | | 2-01-62 | 11.5 | 63.5 | |
| | | 3-02-62 | 9.9 | 65.1 | |
| | | 4-03-62 | 8.5 | 66.5 | |
| | | 5-02-62 | 6.0 | 69.0 | |
| | | 6-05-62 | 5.6 | 69.4 | |
| 5S/09E-22N01 M | 63.0 | 12-00-61 | 8.5 | 54.5 | 4524 |
| 5S/09E-24N01 M | 75.0 | 8-01-61 | 8.7 | 66.3 | 4524 |
| | | 8-30-61 | 9.0 | 66.0 | |
| | | 10-03-61 | 10.0 | 65.0 | |
| | | 11-02-61 | 10.5 | 64.5 | |
| | | 12-05-61 | 10.6 | 64.4 | |
| | | 1-03-62 | 10.2 | 64.8 | |
| | | 2-01-62 | 10.2 | 64.8 | |
| | | 3-02-62 | 8.5 | 66.5 | |
| | | 4-03-62 | 7.6 | 67.4 | |
| | | 5-02-62 | 4.9 | 70.1 | |
| | | 6-05-62 | 6.0 | 69.0 | |
| 5S/10E-21Q01 M | 90.0 | 12-00-61 | 12.5 | 77.5 | 4524 |
| 5S/10E-21R01 M | 92.0 | 3-01-62 | 11.1 | 80.9 | 4524 |
| 5S/11E-21N01 M | 125.0 | 3-01-62 | 7.4 | 117.6 | 4524 |
| 5S/11E-29F01 M | 120.0 | 12-00-61 | 14.0 | 106.0 | 4524 |
| 5S/12E-31N01 M | 150.0 | 12-00-61 | 46.9 | 103.1 | 4524 |
| 6S/09E-15R01 M | 60.0 | 3-02-62 | 5.1 | 54.9 | 4524 |
| 6S/10E-21A01 M | 87.0 | 3-01-62 | 6.9 | 80.1 | 4524 |
| 6S/10E-21N01 M | 84.0 | 12-00-61 | 10.6 | 73.4 | 4524 |
| 6S/11E-08R01 M | 115.0 | 3-01-62 | DRY | | 4524 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TURLOCK IRRIGATION DISTRICT | | 5-22.08 | | | |
| 6S/11E-09N01 M | 118.0 | 12-00-61 | 11.9 | 106.1 | 4524 |
| MERCED IRRIGATION DISTRICT | | 5-22.09 | | | |
| 6S/11E-34R01 M | 111.3 | 7-06-61 | DRY | | 4525 |
| | | 8-02-61 | DRY | | |
| | | 9-06-61 | DRY | | |
| | | 10-03-61 | DRY | | |
| | | 11-07-61 | DRY | | |
| | | 12-04-61 | DRY | | |
| | | 1-03-62 | DRY | | |
| | | 2-05-62 | 10.8 | 100.5 | |
| | | 3-01-62 | 9.5 | 101.8 | |
| | | 4-04-62 | 10.1 | 101.2 | |
| | | 5-02-62 | 7.8 | 103.5 | |
| | | 6-01-62 | 8.3 | 103.0 | |
| 6S/12E-21N01 M | 143.8 | 7-05-61 | DRY | | 4525 |
| | | 7-31-61 | DRY | | |
| | | 9-05-61 | DRY | | |
| | | 10-02-61 | DRY | | |
| | | 11-06-61 | DRY | | |
| | | 11-28-61 | DRY | | |
| | | 1-05-62 | DRY | | |
| | | 2-05-62 | DRY | | |
| | | 2-28-62 | DRY | | |
| | | 4-02-62 | DRY | | |
| | | 5-02-62 | DRY | | |
| | | 5-31-62 | DRY | | |
| 6S/13E-19N01 M | 180.7 | 7-03-61 | 6.1* | 174.6 | 4525 |
| | | 7-31-61 | 14.7 | 166.0 | |
| | | 9-05-61 | DRY | | |
| | | 10-02-61 | 14.5 | 166.2 | |
| | | 11-06-61 | 14.5 | 166.2 | |
| | | 11-28-61 | 15.3 | 165.4 | |
| | | 1-03-62 | 15.1 | 165.6 | |
| | | 2-01-62 | 15.7 | 165.0 | |
| | | 2-28-62 | 12.4 | 168.3 | |
| | | 4-02-62 | 14.5 | 166.2 | |
| | | 5-01-62 | □ | | |
| | | 5-29-62 | 14.7 | 166.0 | |
| | | 6-29-62 | 9.5 | 171.2 | |
| 6S/14E-32N01 M | 178.1 | 7-07-61 | 11.4 | 166.7 | 4525 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MERCED IRRIGATION DISTRICT | | 5-22.09 | | | |
| 6S/14E-32N01 M | 178.1 | 8-02-61 | 16.7 | 161.4 | 4525 |
| CONT. | | 9-12-61 | DRY | | |
| | | 10-04-61 | DRY | | |
| | | 11-09-61 | DRY | | |
| | | 12-06-61 | 16.5 | 161.6 | |
| | | 1-08-62 | 16.9 | 161.2 | |
| | | 2-12-62 | 2.5 | 175.6 | |
| | | 3-05-62 | 16.4 | 161.7 | |
| | | 4-04-62 | 16.4 | 161.7 | |
| | | 5-03-62 | 16.0 | 162.1 | |
| | | 6-01-62 | 14.4 | 163.7 | |
| 7S/10E-01N01 M | 90.7 | 7-06-61 | 8.1 | 82.6 | 4525 |
| | | 8-02-61 | 10.2 | 80.5 | |
| | | 9-06-61 | 11.0 | 79.7 | |
| | | 10-03-61 | 11.1 | 79.6 | |
| | | 11-07-61 | 11.1 | 79.6 | |
| | | 12-05-61 | 11.1 | 79.6 | |
| | | 1-03-62 | DRY | | |
| | | 2-01-62 | DRY | | |
| | | 3-01-62 | DRY | | |
| | | 4-02-62 | DRY | | |
| | | 5-01-62 | DRY | | |
| | | 5-29-62 | DRY | | |
| | | 6-29-62 | □ | | |
| 7S/11E-13N01 M | 106.6 | 7-06-61 | 7.0 | 99.6 | 4525 |
| | | 8-02-61 | 8.2 | 98.4 | |
| | | 9-06-61 | 7.2 | 99.4 | |
| | | 10-02-61 | 8.8 | 97.8 | |
| | | 11-07-61 | 9.2 | 97.4 | |
| | | 12-05-61 | 8.8 | 97.8 | |
| | | 1-03-62 | 8.8 | 97.8 | |
| | | 2-05-62 | 8.8 | 97.8 | |
| | | 3-01-62 | 6.4 | 100.2 | |
| | | 4-03-62 | 7.6 | 99.0 | |
| | | 5-02-62 | 5.4 | 101.2 | |
| | | 5-31-62 | 9.3 | 97.3 | |
| 7S/12E-12R01 M | 147.3 | 7-03-61 | DRY | | 4525 |
| | | 7-31-61 | DRY | | |
| | | 9-05-61 | DRY | | |
| | | 10-02-61 | DRY | | |
| | | 11-06-61 | DRY | | |
| | | 11-28-61 | DRY | | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MERCED IRRIGATION DISTRICT | | 5-22.09 | | | |
| 7S/12E-12R01 M | 147.3 | 1-02-62 | DRY | | 4525 |
| CONT. | | 2-01-62 | DRY | | |
| | | 2-28-62 | DRY | | |
| | | 4-01-62 | DRY | | |
| | | 5-01-62 | DRY | | |
| | | 5-29-62 | 14.5 | 132.8 | |
| | | 6-29-62 | 12.4 | 134.9 | |
| 7S/13E-16N01 M | 152.1 | 7-03-61 | DRY | | 4525 |
| | | 7-31-61 | DRY | | |
| | | 9-05-61 | DRY | | |
| | | 10-02-61 | DRY | | |
| | | 11-06-61 | DRY | | |
| | | 11-28-61 | DRY | | |
| | | 1-02-62 | 18.4 | 133.7 | |
| | | 2-01-62 | 17.8 | 134.3 | |
| | | 2-28-62 | 16.6 | 135.5 | |
| | | 4-02-62 | 15.5 | 136.6 | |
| | | 5-01-62 | 17.7 | 134.4 | |
| | | 5-29-62 | 16.2 | 135.9 | |
| | | 6-29-62 | 14.6 | 137.5 | |
| 7S/14E-16R01 M | 187.5 | 7-06-61 | 4.3 | 183.2 | 4525 |
| | | 8-01-61 | 9.4 | 178.1 | |
| | | 9-12-61 | 14.1 | 173.4 | |
| | | 10-04-61 | 15.3 | 172.2 | |
| | | 11-08-61 | DRY | | |
| | | 11-28-61 | DRY | | |
| | | 1-08-62 | DRY | | |
| | | 2-12-62 | DRY | | |
| | | 3-05-62 | DRY | | |
| | | 4-04-62 | 15.5 | 172.0 | |
| | | 5-03-62 | 9.5 | 178.0 | |
| | | 6-01-62 | 6.5 | 181.0 | |
| 7S/15E-36N01 M | 234.2 | 7-03-61 | DRY | | 4525 |
| | | 7-31-61 | DRY | | |
| | | 9-05-61 | DRY | | |
| | | 10-02-61 | DRY | | |
| | | 11-06-61 | DRY | | |
| | | 11-28-61 | DRY | | |
| | | 1-05-62 | DRY | | |
| | | 2-05-62 | DRY | | |
| | | 2-28-62 | DRY | | |
| | | 4-02-62 | DRY | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MERCED IRRIGATION DISTRICT | | | 5-22.09 | | |
| 7S/15E-36N01 M | 234.2 | 5-02-62 | DRY | | 4525 |
| CONT. | | 5-31-62 | DRY | | |
| 8S/12E-01D01 M | 120.2 | 7-03-61 | 9.0 | 111.2 | 4525 |
| | | 7-31-61 | DRY | | |
| | | 9-07-61 | DRY | | |
| | | 10-05-61 | DRY | | |
| | | 11-08-61 | DRY | | |
| | | 12-05-61 | DRY | | |
| | | 1-04-62 | DRY | | |
| | | 2-12-62 | DRY | | |
| | | 2-28-62 | 9.4 | 110.8 | |
| | | 4-02-62 | 10.0 | 110.2 | |
| | | 5-01-62 | 7.0 | 113.2 | |
| | | 5-29-62 | 6.9 | 113.3 | |
| | | 6-28-62 | 9.1 | 111.1 | |
| 8S/13E-09R01 M | 135.0 | 7-03-61 | 6.2 | 128.8 | 4525 |
| | | 7-31-61 | 6.0 | 129.0 | |
| | | 9-07-61 | 9.6 | 125.4 | |
| | | 10-05-61 | DRY | | |
| | | 11-08-61 | DRY | | |
| | | 12-05-61 | DRY | | |
| | | 1-04-62 | DRY | | |
| | | 2-12-62 | 10.6 | 124.4 | |
| | | 2-28-62 | 6.9 | 128.1 | |
| | | 4-02-62 | 6.9 | 128.1 | |
| | | 5-02-62 | 5.7 | 129.3 | |
| | | 5-29-62 | 2.8 | 132.2 | |
| | | 6-28-62 | 2.3 | 132.7 | |
| 8S/14E-01A01 M | 196.8 | 7-06-61 | 11.0 | 185.8 | 4525 |
| | | 7-31-61 | DRY | | |
| | | 9-12-61 | DRY | | |
| | | 10-04-61 | DRY | | |
| | | 11-08-61 | DRY | | |
| | | 12-07-61 | DRY | | |
| | | 1-04-62 | DRY | | |
| | | 2-01-62 | DRY | | |
| | | 3-01-62 | DRY | | |
| | | 4-01-62 | DRY | | |
| | | 5-01-62 | DRY | | |
| | | 6-01-62 | DRY | | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| EL NIDO IRRIGATION DISTRICT | | | 5-22.10 | | |
| 9S/13E-14R01 M | 134.0 | 2-20-62 | 81.0 | 53.0 | 4525 |
| 9S/14E-20R01 M | 151.0 | 2-20-62 | 71.0 | 80.0 | 4525 |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 2S/04E-16H01 M | 78.0 | 9-26-61 | 8.2 | 69.8 | 6001 |
| | | 3-13-62 | 6.1 | 71.9 | 5050 |
| 2S/04E-25J01 M | 80.4 | 10-04-61 | 21.0 | 59.4 | 6001 |
| | | 3-13-62 | □ | | 5050 |
| 2S/04E-28A01 M | 187.0 | 10-10-61 | □ | | 5050 |
| | | 3-14-62 | 129.5 | 57.5 | 6001 |
| 2S/04E-29001 M | 325.0 | 7-01-61 | □ | | 6001 |
| 2S/05E-32A01 M | 76.0 | 10-10-61 | 23.7 | 52.3 | 6001 |
| | | 3-13-62 | 26.1 | 49.9 | 5050 |
| 3S/05E-08R01 M | 195.7 | 10-09-61 | 132.5 | 63.2 | 6001 |
| | | 3-14-62 | □ | | 5050 |
| 3S/05E-08R02 M | 195.7 | 10-09-61 | 131.7 | 64.0 | 6001 |
| | | 3-14-62 | □ | | 5050 |
| 3S/05E-25001 M | 207.0 | 10-09-61 | 121.2 | 85.8 | 6001 |
| | | 3-20-62 | 122.6 | 84.4 | |
| 3S/05E-26K01 M | 212.1 | 10-09-61 | 128.1 | 84.0 | 6001 |
| | | 3-14-62 | 136.4 | 75.7 | 5050 |
| 3S/06E-16001 M | 80.0 | 10-11-61 | 95.9 | 15.9 | 5050 |
| | | 3-23-62 | 51.6 | 28.4 | 6001 |
| 3S/06E-18N01 M | 99.3 | 10-09-61 | 14.0 | 85.3 | 6001 |
| | | 3-20-62 | 16.3 | 83.0 | |
| 3S/06E-25D01 M | 63.5 | 10-10-61 | 29.8 | 33.7 | 6001 |
| | | 3-15-62 | 30.2 | 33.3 | 5050 |
| 4S/06E-04H01 M | 163.3 | 10-06-61 | 106.1 | 57.2 | 5050 |
| | | 10-11-61 | 117.4 | 45.9 | 6001 |
| | | 3-01-62 | 102.3 | 61.0 | |
| 4S/06E-09R01 M | 166.3 | 10-06-61 | 155.0 | 11.3 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 4S/06E-09R01 M | 166.3 | 10-11-61 | 153.8 | 12.5 | 6001 |
| CONT. | | 2-28-62 | 118.2 | 48.1 | |
| 4S/07E-27M01 M | 68.0 | 10-09-61 | 25.2 | 42.8 | 6001 |
| | | 3-05-62 | 24.6 | 43.4 | |
| 4S/07E-31D01 M | 185.4 | 10-09-61 | 117.4 | 68.0 | 6001 |
| | | 10-13-61 | 107.6 | 77.8 | 5050 |
| | | 3-01-62 | 123.7 | 61.7 | 6001 |
| 5S/07E-05D01 M | 157.4 | 10-13-61 | 97.0 | 60.4 | 6001 |
| | | 3-16-62 | 101.8 | 55.6 | 5050 |
| 5S/07E-13K01 M | 107.0 | 10-13-61 | 61.7 | 45.3 | 5050 |
| | | 3-08-62 | 55.9 | 51.1 | 6001 |
| 5S/07E-14D01 M | 130.4 | 10-12-61 | 39.4 | 91.0 | 6001 |
| | | 3-23-62 | 75.6 | 54.8 | 5050 |
| 5S/07E-26P01 M | 169.1 | 3-23-62 | ▫ | | 5050 |
| 5S/08E-06K01 M | 58.7 | 4-16-62 | 18.5 | 40.2 | 6001 |
| 5S/08E-35H01 M | 50.0 | 3-23-62 | 5.9 | 44.1 | 5050 |
| 6S/07E-12P01 M | 248.3 | 10-05-61 | 16.8 | 231.5 | 6001 |
| | | 3-08-62 | 11.8 | 236.5 | |
| 6S/08E-12L01 M | 64.3 | 4-16-62 | 22.7 | 41.6 | 6001 |
| 6S/08E-16M01 M | 129.5 | 10-09-61 | 82.7 | 46.8 | 5050 |
| | | 3-28-62 | 71.0 | 58.5 | 6001 |
| 6S/08E-27J01 M | 114.5 | 10-05-61 | 54.8 | 59.7 | 6001 |
| | | 3-09-62 | 48.1 | 66.4 | |
| 6S/08E-29J01 M | 190.0 | 10-05-61 | 130.2 | 59.8 | 6001 |
| | | 10-09-61 | 129.9 | 60.1 | 5050 |
| | | 3-09-62 | 124.5 | 65.5 | 6001 |
| 7S/08E-12E01 M | 106.6 | 10-09-61 | ▫ | | 5050 |
| | | 3-22-62 | ◉ | | 6001 |
| 7S/08E-22B01 M | 128.0 | 10-11-61 | 72.4 | 55.6 | 6001 |
| | | 3-12-62 | 62.3 | 65.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 7S/08E-22L01 M | 127.9 | 10-11-61 | 49.3 | 78.6 | 6001 |
| | | 3-30-62 | 47.6 | 80.3 | |
| 7S/09E-04R01 M | 65.6 | 10-05-61 | 23.6 | 42.0 | 6001 |
| | | 3-22-62 | 17.6 | 48.0 | |
| 7S/09E-26N01 M | 68.4 | 10-05-61 | 9.0 | 59.4 | 6001 |
| | | 3-26-62 | ▫ | | 5050 |
| 8S/08E-01N01 M | 123.2 | 10-02-61 | 18.4 | 104.8 | 6001 |
| | | 3-12-62 | 25.2 | 98.0 | |
| 8S/08E-15J01 M | 172.8 | 9-29-61 | 63.6 | 109.2 | 6001 |
| | | 10-09-61 | 75.5 | 97.3 | 5050 |
| | | 3-09-62 | 49.6 | 123.2 | 6001 |
| 8S/09E-26H01 M | 75.0 | 9-29-61 | 61.9 | 13.1 | 6001 |
| | | 3-21-62 | 20.0 | 55.0. | |
| 8S/09E-26H03 M | 75.0 | 9-29-61 | 8.4 | 66.6 | 6001 |
| | | 3-21-62 | 1.3 | 73.7 | |
| 8S/10E-21L04 M | 75.0 | 9-29-61 | 10.3 | 64.7 | 6001 |
| | | 3-21-62 | 2.0 | 73.0 | |
| 9S/08E-13D01 M | 201.6 | 10-04-61 | 35.6 | 166.0 | 6001 |
| | | 3-12-62 | 19.5* | 182.1 | |
| 9S/09E-18N01 M | 153.6 | 10-04-61 | 45.5 | 108.1 | 6001 |
| | | 3-12-62 | 37.5 | 116.1 | |
| 9S/09E-23L01 M | 100.0 | 10-02-61 | 76.2 | 23.8 | 6001 |
| | | 3-23-62 | 46.8 | 53.2 | |
| 9S/10E-19B01 M | 84.0 | 10-02-61 | 5.9 | 78.1 | 6001 |
| | | 3-23-62 | - .6 | 84.6 | |
| 9S/10E-23J01 M | 87.0 | 10-05-61 | 60.4 | 26.6 | 5050 |
| | | 3-02-62 | 34.2 | 52.8 | 6001 |
| 9S/11E-16H01 M | 91.0 | 4-18-62 | 8.5 | 82.5 | 6001 |
| 9S/11E-20J01 M | 90.5 | 9-25-61 | 54.3 | 36.2 | 6001 |
| | | 3-20-62 | 41.1 | 49.4 | |
| 10S/09E-06A01 M | 147.0 | 10-09-61 | 7.5 | 139.5 | 6001 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 10S/09E-06A01 M | 147.0 | 3-14-62 | ▫ | | 6001 |
| 10S/09E-08B01 M | 167.0 | 10-04-61 | 85.1 | 81.9 | 5050 |
| | | 10-09-61 | 78.3 | 88.7 | 6001 |
| | | 3-14-62 | 76.2 | 90.8 | |
| 10S/10E-02R01 M | 99.5 | 10-20-61 | 23.1 | 76.4 | 6001 |
| | | 3-29-62 | 15.8 | 83.7 | 5050 |
| 10S/10E-11R01 M | 106.6 | 10-20-61 | 18.9 | 87.7 | 6001 |
| | | 3-29-62 | 17.8 | 88.8 | 5050 |
| 10S/10E-31G01 M | 191.1 | 9-29-61 | 167.4 | 23.7 | 6001 |
| | | 10-09-61 | ▫ | | 5050 |
| | | 3-19-62 | ▫ | | 6001 |
| 10S/11E-23D01 M | 99.0 | 9-26-61 | 5.3 | 93.7 | 6001 |
| | | 3-29-62 | 4.2 | 94.8 | 5050 |
| 10S/11E-27E02 M | 101.3 | 9-27-61 | 74.0 | 27.3 | 6001 |
| | | 10-04-61 | 31.7 | 69.6 | 5050 |
| | | 3-13-62 | 62.9 | 38.4 | 6001 |
| 11S/10E-11J01 M | 157.3 | 10-10-61 | 47.8 | 109.5 | 5050 |
| | | 3-21-62 | ▫ | | 6001 |
| 11S/10E-22Q01 M | 246.8 | 9-29-61 | 143.4 | 103.4 | 6001 |
| | | 3-14-62 | 133.0 | 113.8 | |
| 11S/11E-02J02 M | 106.0 | 9-27-61 | 4.0 | 102.0 | 6001 |
| | | 10-04-61 | ▫ | | 5050 |
| | | 3-13-62 | 1.3 | 104.7 | 6001 |
| 11S/11E-22K01 M | 114.2 | 9-27-61 | 5.6 | 108.6 | 6001 |
| | | 3-27-62 | .6 | 113.6 | 5050 |
| 11S/11E-22Q03 M | 119.0 | 9-27-61 | 15.7 | 103.3 | 6001 |
| | | 3-13-62 | 9.0 | 110.0 | |
| 11S/12E-31C01 M | 132.0 | 3-15-62 | 18.6 | 113.4 | 5050 |
| 12S/11E-35Q01 M | 311.0 | 7-01-61 | ▫ | | 5050 |
| 12S/12E-04D01 M | 138.0 | 9-27-61 | 3.4 | 134.6 | 6001 |
| | | 3-27-62 | ▫ | | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| DELTA-MENDOTA AREA | | | 5-22.11 | | |
| 12S/12E-16H05 M | 168.0 | 7-18-61 | 130.1 | 37.9 | 5000 |
| | | 8-15-61 | 130.6 | 37.4 | |
| | | 9-12-61 | 131.3 | 36.7 | |
| | | 10-10-61 | 131.7 | 36.3 | |
| | | 11-07-61 | 131.6 | 36.4 | |
| | | 12-05-61 | 131.3 | 36.7 | |
| | | 1-09-62 | 130.3 | 37.7 | |
| | | 2-27-62 | 129.5 | 38.5 | |
| | | 3-28-62 | 129.3 | 38.7 | |
| | | 4-24-62 | ▫ | | |
| | | 5-22-62 | 128.9 | 39.1 | |
| | | 6-19-62 | 129.1 | 38.9 | |
| 12S/12E-20J01 M | 183.0 | 10-03-61 | 31.3 | 151.7 | 6001 |
| | | 3-14-62 | 26.8 | 156.2 | |
| 12S/12E-25D01 M | 177.0 | 10-03-61 | 72.9 | 104.1 | 6001 |
| | | 10-11-61 | 70.4 | 106.6 | 5050 |
| | | 3-23-62 | 63.3 | 113.7 | 6001 |
| 12S/12E-25D02 M | 177.0 | 10-03-61 | 14.6 | 162.4 | 6001 |
| | | 3-23-62 | 15.3 | 161.7 | |
| 12S/13E-10N01 M | 144.0 | 10-04-61 | 3.5 | 140.5 | 6001 |
| 12S/14E-30C01 M | 154.0 | 10-04-61 | 23.9 | 130.1 | 6001 |
| | | 10-05-61 | 23.7 | 130.3 | 5050 |
| | | 3-23-62 | 22.5 | 131.5 | 6001 |
| CHOWCHILLA WATER DISTRICT | | | 5-22.12 | | |
| 9S/14E-25R01 M | 185.0 | 12-07-61 | 72.9 | 112.1 | 6001 |
| | | 2-28-62 | 65.4 | 119.6 | |
| 9S/15E-25J02 M | 232.0 | 12-07-61 | 53.9 | 178.1 | 6001 |
| | | 3-01-62 | 53.9 | 178.1 | |
| 9S/16E-11H01 M | 285.0 | 7-01-61 | ▫ | | 6001 |
| | | 7-02-61 | # | | |
| 9S/16E-35D01 M | 265.0 | 12-08-61 | 42.1 | 222.9 | 6001 |
| | | 3-03-62 | ▫ | | |
| 9S/17E-21L01 M | 320.0 | 10-12-61 | 95.6 | 224.4 | 6001 |
| | | 3-05-62 | 86.8 | 233.2 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CHOWCHILLA WATER DISTRICT | | | 5-22.12 | | |
| 9S/17E-35J01 M | 320.0 | 10-12-61 | 72.8 | 247.2 | 6001 |
| | | 3-05-62 | 76.9 | 243.1 | |
| 9S/18E-33Q01 M | 365.0 | 10-11-61 | 49.3 | 315.7 | 6001 |
| | | 3-06-62 | 46.1 | 318.9 | |
| 10S/14E-26C01 M | 156.0 | 12-04-61 | 76.1 | 79.9 | 6001 |
| | | 2-26-62 | 75.0 | 81.0 | |
| 10S/15E-23K01 M | 194.0 | 12-05-61 | 80.9 | 113.1 | 6001 |
| | | 2-24-62 | 78.9 | 115.1 | |
| 10S/16E-29R01 M | 209.5 | 12-04-61 | 82.0 | 127.5 | 6001 |
| | | 2-24-62 | 81.8 | 127.7 | |
| MADERA IRRIGATION DISTRICT | | | 5-22.13 | | |
| 10S/16E-35A02 M | 230.0 | 7-01-61 | ¤ | | 6001 |
| | | 7-02-61 | # | | |
| 10S/17E-27F01 M | 263.0 | 12-08-61 | 90.8 | 172.2 | 6001 |
| | | 2-28-62 | ¤ | | |
| 10S/18E-20R01 M | 326.0 | 10-11-61 | 59.9 | 266.1 | 6001 |
| | | 3-06-62 | 62.1 | 263.9 | |
| 10S/19E-16D01 M | 387.0 | 10-11-61 | 19.4 | 367.6 | 6001 |
| | | 3-06-62 | 21.1 | 365.9 | |
| 11S/16E-22A02 M | 210.0 | 12-05-61 | 78.9 | 131.1 | 6001 |
| | | 3-01-62 | 75.4 | 134.6 | |
| 11S/17E-24D01 M | 267.8 | 7-01-61 | ¤ | | 6001 |
| | | 7-02-61 | # | | |
| 11S/17E-27C01 M | 250.6 | 12-05-61 | 79.4 | 171.2 | 6001 |
| | | 3-09-62 | 72.6 | 178.0 | |
| 11S/18E-20N01 M | 274.4 | 12-08-61 | 73.6 | 200.8 | 6001 |
| | | 3-09-62 | 72.4 | 202.0 | |
| 11S/20E-22M01 M | 416.0 | 10-11-61 | 109.0 | 307.0 | 6001 |
| | | 3-05-62 | 115.5 | 300.5 | |
| 11S/21E-31D03 M | 308.0 | 7-01-61 | ¤ | | 6001 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MADERA IRRIGATION DISTRICT | | | 5-22.13 | | |
| 11S/21E-31D03 M | 308.0 | 7-02-61 | # | | 6001 |
| 12S/16E-23A01 M | 205.4 | 12-06-61 | 71.6 | 133.8 | 6001 |
| | | 3-12-62 | 65.4 | 140.0 | |
| 12S/17E-21H01 M | 228.0 | 12-06-61 | 76.2 | 151.8 | 6001 |
| | | 3-13-62 | 68.4 | 159.6 | |
| 12S/18E-21G01 M | 265.0 | 12-04-61 | 83.1 | 181.9 | 6001 |
| | | 3-12-62 | 83.1 | 181.9 | |
| 12S/19E-28A01 M | 307.0 | 12-04-61 | ¤ | | 6001 |
| | | 3-06-62 | 81.2 | 225.8 | |
| WEST CHOWCHILLA-MADERA AREA | | | 5-22.14 | | |
| 10S/13E-14M01 M | 120.5 | 10-17-61 | ¤ | | 6001 |
| | | 3-07-62 | 37.7 | 82.8 | |
| 10S/14E-01R01 M | 177.0 | 12-06-61 | 70.2 | 106.8 | 6001 |
| | | 2-28-62 | 73.2 | 103.8 | |
| 11S/14E-33L01 M | 135.0 | 7-20-61 | ¤ | | 6001 |
| | | 8-24-61 | ¤ | | |
| | | 9-19-61 | 18.4 | 116.6 | |
| | | 10-25-61 | 13.5 | 121.5 | |
| | | 11-22-61 | 12.8 | 122.2 | |
| | | 12-19-61 | 12.5 | 122.5 | |
| | | 1-18-62 | 12.7 | 122.3 | |
| | | 2-26-62 | 10.8 | 124.2 | |
| | | 3-20-62 | 10.4 | 124.6 | |
| | | 4-24-62 | 13.3 | 121.7 | |
| | | 5-22-62 | 13.3 | 121.7 | |
| | | 6-18-62 | 16.3 | 118.7 | |
| 11S/15E-33F01 M | 158.0 | 10-13-61 | ¤ | | 6001 |
| | | 3-09-62 | 25.6 | 132.4 | |
| 12S/14E-28G01 M | 145.0 | 10-13-61 | 13.5 | 131.5 | 6001 |
| | | 3-08-62 | 13.0 | 132.0 | |
| 12S/15E-14L01 M | 165.1 | 10-12-61 | 34.0 | 131.1 | 6001 |
| | | 3-08-62 | 31.9 | 133.2 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FRESNO IRRIGATION DISTRICT | | 5-22.15 | | | |
| 12S/20E-14A01 M | 360.0 | 7-19-61 | 92.7 | 267.3 | 6001 |
| | | 8-21-61 | 95.0 | 265.0 | |
| | | 9-18-61 | 95.1 | 264.9 | |
| | | 10-23-61 | 94.9 | 265.1 | |
| | | 11-20-61 | 96.3 | 263.7 | |
| | | 12-18-61 | 97.2 | 262.8 | |
| | | 1-16-62 | 95.0 | 265.0 | |
| | | 2-26-62 | 94.4 | 265.6 | |
| | | 3-21-62 | 94.3 | 265.7 | |
| | | 4-23-62 | 95.0 | 265.0 | |
| | | 5-21-62 | 96.0 | 264.0 | |
| | | 6-18-62 | 95.9 | 264.1 | |
| 12S/21E-34D01 M | 387.7 | 7-01-61 | 59.4 | 328.3 | 5631 |
| | | 8-30-61 | ▫ | | |
| | | 9-29-61 | ▫ | | |
| | | 10-31-61 | 62.3 | 325.4 | |
| | | 11-27-61 | ▫ | | |
| | | 12-30-61 | 61.7 | 326.0 | |
| | | 1-31-62 | 57.9 | 329.8 | |
| | | 2-28-62 | 56.8 | 330.9 | |
| | | 3-29-62 | ▫ | | |
| | | 5-01-62 | 56.6 | 331.1 | |
| | | 5-31-62 | 56.2 | 331.5 | |
| | | 6-28-62 | 57.2 | 330.5 | |
| 12S/22E-21F01 M | 473.0 | 10-17-61 | 30.5 | 442.5 | 6001 |
| | | 3-12-62 | 19.4 | 453.6 | |
| 13S/17E-22B01 M | 220.8 | 7-01-61 | 51.4 | 169.4 | 5631 |
| | | 8-30-61 | 51.7 | 169.1 | |
| | | 9-26-61 | 46.1 | 174.7 | |
| | | 10-27-61 | 46.6 | 174.2 | |
| | | 11-28-61 | 46.4 | 174.4 | |
| | | 12-27-61 | 46.0 | 174.8 | |
| | | 1-28-62 | 45.2 | 175.6 | |
| | | 2-27-62 | 44.4 | 176.4 | |
| | | 4-09-62 | ▫ | | |
| | | 5-01-62 | 45.9 | 174.9 | |
| | | 5-28-62 | 42.3 | 178.5 | |
| 13S/18E-16D01 M | 255.8 | 10-16-61 | ▫ | | 6001 |
| | | 3-12-62 | 57.6 | 198.2 | |
| 13S/19E-09Q01 M | 288.2 | 7-01-61 | 64.1 | 224.1 | 5631 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FRESNO IRRIGATION DISTRICT | | 5-22.15 | | | |
| 13S/19E-09Q01 M | 288.2 | 8-29-61 | 65.3 | 222.9 | 5631 |
| CONT. | | 9-25-61 | 64.4 | 223.8 | |
| | | 10-27-61 | 64.5 | 223.7 | |
| | | 11-28-61 | 65.4 | 222.8 | |
| | | 12-26-61 | 66.4 | 221.8 | |
| | | 1-28-62 | 66.2 | 222.0 | |
| | | 2-26-62 | 65.9 | 222.3 | |
| | | 4-09-62 | 65.7 | 222.5 | |
| | | 5-01-62 | 66.4 | 221.8 | |
| | | 5-28-62 | 64.9 | 223.3 | |
| 13S/20E-21J01 M | 310.0 | 7-01-61 | 77.5 | 232.5 | 4200 |
| | | 8-01-61 | 79.6 | 230.4 | |
| | | 8-31-61 | 79.7 | 230.3 | |
| | | 10-03-61 | 80.2 | 229.8 | |
| | | 11-01-61 | 79.4 | 230.6 | |
| | | 12-00-61 | ▫ | | |
| | | 2-00-62 | ▫ | | |
| | | 3-00-62 | ▫ | | |
| | | 4-00-62 | ▫ | | |
| | | 6-01-62 | 79.7 | 230.3 | |
| | | 6-27-62 | 80.5 | 229.5 | |
| 13S/21E-23D01 M | 364.0 | 7-01-61 | 48.1 | 315.9 | 5631 |
| | | 8-29-61 | ▫ | | |
| | | 9-29-61 | 49.0 | 315.0 | |
| | | 10-31-61 | 49.5 | 314.5 | |
| | | 11-27-61 | 48.4 | 315.6 | |
| | | 12-30-61 | 46.8 | 317.2 | |
| | | 1-31-62 | 47.3 | 316.7 | |
| | | 2-28-62 | 46.6 | 317.4 | |
| | | 3-29-62 | 45.1 | 318.9 | |
| | | 5-01-62 | 42.9 | 321.1 | |
| | | 5-31-62 | ▫ | | |
| | | 6-28-62 | ▫ | | |
| 13S/23E-31P01 M | 406.5 | 7-28-61 | 36.2 | 370.3 | 5631 |
| | | 8-29-61 | 37.6 | 368.9 | |
| | | 9-29-61 | 37.3 | 369.2 | |
| | | 10-31-61 | 37.6 | 368.9 | |
| | | 12-01-61 | 36.7 | 369.8 | |
| | | 12-30-61 | 36.9 | 369.6 | |
| | | 2-01-62 | 37.2 | 369.3 | |
| | | 2-28-62 | 35.8 | 370.7 | |
| | | 3-29-62 | 35.4 | 371.1 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FRESNO IRRIGATION DISTRICT | | | 5-22.15 | | |
| 13S/23E-31P01 M | 406.5 | 5-02-62 | 35.3 | 371.2 | 5631 |
| CONT. | | 5-31-62 | 35.0 | 371.5 | |
| | | 6-28-62 | 35.0 | 371.5 | |
| 14S/18E-08J01 M | 227.4 | 7-01-61 | 67.2 | 160.2 | 5631 |
| | | 8-30-61 | ▫ | | |
| | | 9-27-61 | 70.5 | 156.9 | |
| | | 10-30-61 | ▫ | | |
| | | 11-29-61 | 65.4 | 162.0 | |
| | | 12-28-61 | 63.5 | 163.9 | |
| | | 1-29-62 | 62.4 | 165.0 | |
| | | 2-27-62 | 62.3 | 165.1 | |
| | | 4-11-62 | 63.4 | 164.0 | |
| | | 5-01-62 | ▫ | | |
| | | 5-28-62 | 63.3 | 164.1 | |
| 14S/18E-25R01 M | 234.0 | 7-01-61 | ▫ | | 5631 |
| 14S/19E-20R01 M | 247.2 | 7-01-61 | 47.4 | 199.8 | 5631 |
| | | 8-29-61 | 50.4 | 196.8 | |
| | | 9-27-61 | 51.7 | 195.5 | |
| | | 10-30-61 | 51.8 | 195.4 | |
| | | 11-26-61 | 51.2 | 196.0 | |
| | | 12-26-61 | 50.7 | 196.5 | |
| | | 1-28-62 | 49.8 | 197.4 | |
| | | 2-27-62 | 49.2 | 198.0 | |
| | | 3-29-62 | 49.2 | 198.0 | |
| | | 5-01-62 | 48.9 | 198.3 | |
| | | 5-29-62 | 48.6 | 198.6 | |
| 14S/21E-14A01 M | 334.0 | 7-01-61 | 42.9 | 291.1 | 5631 |
| | | 8-30-61 | 46.6 | 287.4 | |
| | | 9-28-61 | ▫ | | |
| | | 10-31-61 | 45.9 | 288.1 | |
| | | 11-30-61 | 45.9 | 288.1 | |
| | | 12-29-61 | 45.2 | 288.8 | |
| | | 2-01-62 | 44.6 | 289.4 | |
| | | 2-26-62 | 44.1 | 289.9 | |
| | | 4-09-62 | 43.7 | 290.3 | |
| | | 5-01-62 | 43.9 | 290.1 | |
| | | 5-29-62 | ▫ | | |
| | | 6-28-62 | 45.3 | 288.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CITY OF FRESNO | | | 5-22.16 | | |
| 14S/20E-10M01 M | 291.4 | 8-01-61 | 83.2 | 208.2 | 4200 |
| | | 8-31-61 | 87.2 | 204.2 | |
| | | 11-01-61 | 81.0 | 210.4 | |
| | | 12-01-61 | 82.7 | 208.7 | |
| | | 1-02-62 | 80.6 | 210.8 | |
| | | 2-01-62 | 79.9 | 211.5 | |
| | | 3-02-62 | 79.6 | 211.8 | |
| | | 4-02-62 | 79.4 | 212.0 | |
| | | 5-02-62 | 81.8 | 209.6 | |
| | | 6-01-62 | 83.2 | 208.2 | |
| | | 6-28-62 | 86.7 | 204.7 | |
| FRESNO SLOUGH AREA | | | 5-22.17 | | |
| 13S/15E-28H01 M | 162.0 | 10-13-61 | ▫ | | 6001 |
| | | 3-08-62 | 11.7 | 150.3 | |
| 13S/16E-25J01 M | 196.0 | 10-17-61 | ▫ | | 6001 |
| | | 3-09-62 | 35.0 | 161.0 | |
| 14S/16E-22N01 M | 167.0 | 10-20-61 | 21.5 | 145.5 | 6001 |
| | | 3-08-62 | 17.8 | 149.2 | |
| 14S/17E-25A01 M | 211.0 | 10-23-61 | 82.6 | 128.4 | 6001 |
| | | 3-05-62 | 74.9 | 136.1 | |
| 15S/16E-01L01 M | 171.0 | 10-17-61 | 27.0 | 144.0 | 6001 |
| | | 2-28-62 | 25.9 | 145.1 | |
| 15S/17E-22R01 M | 187.0 | 10-18-61 | 79.8 | 107.2 | 6001 |
| | | 2-28-62 | 66.9 | 120.1 | |
| 15S/17E-34L02 M | 182.0 | 10-18-61 | ▫ | | 6001 |
| | | 2-28-62 | ▫ | | |
| 15S/18E-16G01 M | 205.8 | 10-18-61 | 79.8 | 126.0 | 6001 |
| | | 2-28-62 | 75.8 | 130.0 | |
| 16S/17E-23N01 M | 189.0 | 10-16-61 | 103.7 | 85.3 | 6001 |
| | | 3-06-62 | 99.4 | 89.6 | |
| 16S/18E-27C01 M | 198.0 | 2-22-62 | 80.1 | 117.9 | 5050 |
| 16S/18E-31Q02 M | 191.0 | 7-24-61 | 118.7 | 72.3 | 5050 |
| | | 8-29-61 | 114.5 | 76.5 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| FRESNO SLOUGH AREA | | 5-22.17 | | | |
| 16S/18E-31Q02 M | 191.0 | 9-27-61 | 111.6 | 79.4 | 5050 |
| CONT. | | 10-31-61 | 100.1 | 90.9 | |
| | | 11-29-61 | 91.8 | 99.2 | |
| | | 12-28-61 | 88.8 | 102.2 | |
| | | 1-26-62 | 92.1 | 98.9 | |
| | | 3-05-62 | 86.4 | 104.6 | |
| | | 3-30-62 | 112.1 | 78.9 | |
| | | 4-27-62 | 111.6 | 79.4 | |
| | | 5-31-62 | 104.4 | 86.6 | |
| 17S/17E-12H01 M | 199.0 | 3-09-62 | 131.7 | 67.3 | 5050 |
| 17S/18E-23A02 M | 199.5 | 3-09-62 | 61.4 | 138.1 | 5050 |
| CONSOLIDATED IRRIGATION DISTRICT | | 5-22.18 | | | |
| 14S/22E-22N01 M | 355.7 | 7-31-61 | 35.6 | 320.1 | 4636 |
| | | 9-03-61 | 35.7 | 320.0 | |
| | | 11-01-61 | 36.9 | 318.8 | |
| | | 12-04-61 | 37.4 | 318.3 | |
| | | 1-03-62 | 37.4 | 318.3 | |
| | | 2-02-62 | 37.5 | 318.2 | |
| | | 3-02-62 | 37.3 | 318.4 | |
| | | 4-05-62 | 37.3 | 318.4 | |
| | | 5-05-62 | 38.0 | 317.7 | |
| | | 6-05-62 | 36.8 | 318.9 | |
| 15S/19E-24N01 M | 246.6 | 7-31-61 | 72.0 | 174.6 | 4636 |
| | | 9-03-61 | 72.4 | 174.2 | |
| | | 11-01-61 | 71.6 | 175.0 | |
| | | 12-04-61 | 69.4 | 177.2 | |
| | | 1-03-62 | 66.8 | 179.8 | |
| | | 2-02-62 | 65.9 | 180.7 | |
| | | 3-02-62 | 66.0 | 180.6 | |
| | | 4-05-62 | 67.9 | 178.7 | |
| | | 5-05-62 | 72.0 | 174.6 | |
| | | 6-05-62 | 74.0 | 172.6 | |
| 15S/20E-28A01 M | 264.8 | 7-31-61 | 53.4 | 211.4 | 4636 |
| | | 9-03-61 | 51.0 | 213.8 | |
| | | 11-01-61 | 51.9 | 212.9 | |
| | | 12-04-61 | 51.5 | 213.3 | |
| | | 1-03-62 | 50.6 | 214.2 | |
| | | 2-02-62 | 50.0 | 214.8 | |
| | | 3-02-62 | 50.3 | 214.5 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CONSOLIDATED IRRIGATION DISTRICT | | 5-22.18 | | | |
| 15S/20E-28A01 M | 264.8 | 4-05-62 | 51.9 | 212.9 | 4636 |
| CONT. | | 5-05-62 | 55.2 | 209.6 | |
| | | 6-05-62 | 54.8 | 210.0 | |
| 15S/21E-15D01 M | 301.2 | 7-31-61 | 35.3 | 265.9 | 4636 |
| | | 9-03-61 | 35.0 | 266.2 | |
| | | 11-01-61 | 35.1 | 266.1 | |
| | | 12-04-61 | 35.1 | 266.1 | |
| | | 1-03-62 | 34.9 | 266.3 | |
| | | 2-02-62 | 34.7 | 266.5 | |
| | | 3-02-62 | 34.5 | 266.7 | |
| | | 4-05-62 | 34.8 | 266.4 | |
| | | 5-05-62 | 35.9 | 265.3 | |
| | | 6-05-62 | 36.3 | 264.9 | |
| 15S/22E-16A01 M | 337.0 | 7-31-61 | 36.7 | 300.3 | 4636 |
| | | 9-03-61 | 35.7 | 301.3 | |
| | | 11-01-61 | 36.8 | 300.2 | |
| | | 12-04-61 | 37.4 | 299.6 | |
| | | 1-03-62 | 37.0 | 300.0 | |
| | | 2-02-62 | 37.1 | 299.9 | |
| | | 3-02-62 | 36.0 | 301.0 | |
| | | 4-05-62 | 37.9 | 299.1 | |
| | | 5-05-62 | 38.5 | 298.5 | |
| | | 6-05-62 | 37.3 | 299.7 | |
| 15S/22E-29D01 M | 321.9 | 7-31-61 | 39.6 | 282.3 | 4636 |
| | | 9-03-61 | 40.4 | 281.5 | |
| | | 11-01-61 | 40.5 | 281.4 | |
| | | 12-04-61 | 40.5 | 281.4 | |
| | | 1-03-62 | 40.6 | 281.3 | |
| | | 2-02-62 | 41.9 | 280.0 | |
| | | 3-02-62 | 41.0 | 280.9 | |
| | | 4-05-62 | 41.4 | 280.5 | |
| | | 5-05-62 | 42.3 | 279.6 | |
| | | 6-05-62 | 41.1 | 280.8 | |
| 16S/19E-14A01 M | 235.5 | 7-31-61 | 82.1 | 153.4 | 4636 |
| | | 9-03-61 | 81.0 | 154.5 | |
| | | 11-01-61 | 76.6 | 158.9 | |
| | | 12-04-61 | 74.6 | 160.9 | |
| | | 1-03-62 | 73.3 | 162.2 | |
| | | 2-02-62 | 72.2 | 163.3 | |
| | | 3-02-62 | 71.8 | 163.7 | |
| | | 4-05-62 | 73.0 | 162.5 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CONSOLIDATED IRRIGATION DISTRICT 5-22.18 | | | | | |
| 16S/19E-14A01 M | 235.5 | 5-05-62 | 79.6 | 155.9 | 4636 |
| CONT. | | 6-05-62 | 80.8 | 154.7 | |
| 16S/20E-22N01 M | 247.7 | 9-03-61 | 65.0 | 182.7 | 4636 |
| | | 11-01-61 | 61.8 | 185.9 | |
| | | 12-04-61 | 61.8 | 185.9 | |
| | | 1-03-62 | 60.0 | 187.7 | |
| | | 2-02-62 | 59.1 | 188.6 | |
| | | 3-02-62 | 58.6 | 189.1 | |
| | | 4-05-62 | 60.8 | 186.9 | |
| | | 5-05-62 | 65.5 | 182.2 | |
| | | 6-05-62 | 63.4 | 184.3 | |
| 16S/21E-22N01 M | 271.0 | 7-31-61 | 54.2 | 216.8 | 4636 |
| | | 9-03-61 | 54.8 | 216.2 | |
| | | 11-01-61 | 51.7 | 219.3 | |
| | | 12-04-61 | 50.6 | 220.4 | |
| | | 1-03-62 | 49.5 | 221.5 | |
| | | 2-02-62 | 48.7 | 222.3 | |
| | | 3-02-62 | 48.3 | 222.7 | |
| | | 4-05-62 | 49.8 | 221.2 | |
| | | 5-05-62 | 53.0 | 218.0 | |
| | | 6-05-62 | 53.1 | 217.9 | |
| 16S/22E-23R01 M | 297.5 | 7-31-61 | 34.7 | 262.8 | 4636 |
| | | 9-03-61 | 35.0 | 262.5 | |
| | | 11-01-61 | 35.5 | 262.0 | |
| | | 12-04-61 | 35.8 | 261.7 | |
| | | 1-03-62 | 35.3 | 262.2 | |
| | | 2-02-62 | 34.8 | 262.7 | |
| | | 3-02-62 | 34.5 | 263.0 | |
| | | 4-05-62 | 34.1 | 263.4 | |
| | | 5-05-62 | 35.0 | 262.5 | |
| | | 6-05-62 | 34.2 | 263.3 | |
| 17S/22E-03C01 M | 286.0 | 7-31-61 | 35.4 | 250.6 | 4636 |
| | | 9-03-61 | 34.1 | 251.9 | |
| | | 11-01-61 | 33.2 | 252.8 | |
| | | 12-04-61 | 33.1 | 252.9 | |
| | | 1-03-62 | 32.4 | 253.6 | |
| | | 2-02-62 | 31.8 | 254.2 | |
| | | 3-02-62 | 31.4 | 254.6 | |
| | | 4-05-62 | 31.3 | 254.7 | |
| | | 5-05-62 | 31.4 | 254.6 | |
| | | 6-05-62 | 27.7 | 258.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| ALTA IRRIGATION DISTRICT 00.00 5-22.19 | | | | | |
| 14S/23E-36R01 M | 391.0 | 7-29-61 | □ | | 4637 |
| | | 8-28-61 | 86.7 | 304.3 | |
| | | 9-26-61 | 84.2 | 306.8 | |
| | | 10-26-61 | 83.3 | 307.7 | |
| | | 11-28-61 | 77.8 | 313.2 | |
| | | 12-29-61 | 76.3 | 314.7 | |
| | | 1-27-62 | 75.6 | 315.4 | |
| | | 2-27-62 | 73.4 | 317.6 | |
| | | 3-29-62 | 70.8 | 320.2 | |
| | | 4-27-62 | 72.5 | 318.5 | |
| | | 5-29-62 | 64.5 | 326.5 | |
| | | 6-28-62 | 59.7 | 331.3 | |
| 14S/24E-31P01 M | 395.0 | 7-26-61 | 74.2 | 320.8 | 4637 |
| | | 8-28-61 | 79.8 | 315.2 | |
| | | 9-26-61 | 79.2 | 315.8 | |
| | | 10-26-61 | 79.8 | 315.2 | |
| | | 11-28-61 | 77.5 | 317.5 | |
| | | 12-29-61 | 76.1 | 318.9 | |
| | | 1-27-62 | 75.0 | 320.0 | |
| | | 2-27-62 | 72.8 | 322.2 | |
| | | 3-29-62 | 70.6 | 324.4 | |
| | | 4-27-62 | 69.1 | 325.9 | |
| | | 5-29-62 | 56.8 | 338.2 | |
| | | 6-28-62 | 50.4 | 344.6 | |
| 15S/23E-23A02 M | 358.0 | 7-29-61 | □ | | 4637 |
| | | 8-28-61 | 70.0 | 288.0 | |
| | | 9-26-61 | 70.6 | 287.4 | |
| | | 10-26-61 | 69.2 | 288.8 | |
| | | 11-28-61 | 68.5 | 289.5 | |
| | | 12-29-61 | 67.6 | 290.4 | |
| | | 1-27-62 | 67.0 | 291.0 | |
| | | 2-27-62 | 66.4 | 291.6 | |
| | | 3-29-62 | 65.8 | 292.2 | |
| | | 4-27-62 | 65.7 | 292.3 | |
| | | 5-29-62 | 64.4 | 293.6 | |
| | | 6-28-62 | 61.6 | 296.4 | |
| 15S/24E-22D01 M | 388.0 | 7-29-61 | 66.4 | 321.6 | 4637 |
| | | 8-31-61 | 83.2* | 304.8 | |
| | | 9-29-61 | 83.8 | 304.2 | |
| | | 10-30-61 | 81.1 | 306.9 | |
| | | 11-29-61 | 81.7 | 306.3 | |
| | | 12-30-61 | 79.3 | 308.7 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| ALTA IRRIGATION DISTRICT | | 5-22.19 | | | |
| 15S/24E-22D01 M | 388.0 | 1-31-62 | 76.3 | 311.7 | 4637 |
| CONT. | | 2-28-62 | 71.6 | 316.4 | |
| | | 3-30-62 | 67.4 | 320.6 | |
| | | 4-28-62 | 62.1 | 325.9 | |
| | | 5-31-62 | 46.9 | 341.1 | |
| | | 6-29-62 | 43.7 | 344.3 | |
| 16S/23E-23E01 M | 314.0 | 7-28-61 | 41.7 | 272.3 | 4637 |
| | | 8-30-61 | 45.6 | 268.4 | |
| | | 9-28-61 | 44.4 | 269.6 | |
| | | 10-28-61 | 43.3 | 270.7 | |
| | | 11-30-61 | 43.0 | 271.0 | |
| | | 12-28-61 | 43.2 | 270.8 | |
| | | 1-30-62 | 43.0 | 271.0 | |
| | | 2-26-62 | 42.0 | 272.0 | |
| | | 3-28-62 | 41.8 | 272.2 | |
| | | 4-30-62 | 42.4 | 271.6 | |
| | | 5-31-62 | 40.0 | 274.0 | |
| | | 6-28-62 | 40.9 | 273.1 | |
| 16S/24E-21J01 M | 336.0 | 7-28-61 | ¤ | | 4637 |
| | | 8-30-61 | ¤ | | |
| | | 9-28-61 | ¤ | | |
| | | 10-27-61 | 61.3 | 274.7 | |
| | | 11-30-61 | 61.1 | 274.9 | |
| | | 12-27-61 | 59.0 | 277.0 | |
| | | 1-26-62 | 57.1 | 278.9 | |
| | | 2-24-62 | 55.4 | 280.6 | |
| | | 3-27-62 | 54.7 | 281.3 | |
| | | 4-26-62 | 56.1 | 279.9 | |
| | | 5-31-62 | ¤ | | |
| | | 6-27-62 | 46.9 | 289.1 | |
| 16S/25E-29A01 M | 364.0 | 7-28-61 | ¤ | | 4637 |
| | | 8-30-61 | ¤ | | |
| | | 9-27-61 | 80.6 | 283.4 | |
| | | 10-27-61 | 83.5 | 280.5 | |
| | | 11-30-61 | 77.6 | 286.4 | |
| | | 12-27-61 | 75.0 | 289.0 | |
| | | 1-26-62 | 72.7 | 291.3 | |
| | | 2-24-62 | 69.6 | 294.4 | |
| | | 3-27-62 | 69.8 | 294.2 | |
| | | 4-27-62 | 69.6 | 294.4 | |
| | | 5-31-62 | 67.5 | 296.5 | |
| | | 6-27-62 | 61.8 | 302.2 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| ALTA IRRIGATION DISTRICT | | 5-22.19 | | | |
| 17S/25E-10C01 M | 335.0 | 7-27-61 | 52.6 | 282.4 | 4637 |
| | | 8-29-61 | 51.6 | 283.4 | |
| | | 9-27-61 | 52.2 | 282.8 | |
| | | 10-27-61 | 50.4 | 284.6 | |
| | | 2-24-62 | 50.5 | 284.5 | |
| | | 3-27-62 | 49.7 | 285.3 | |
| | | 4-27-62 | 51.5 | 283.5 | |
| | | 5-28-62 | 51.2 | 283.8 | |
| | | 6-26-62 | 52.8 | 282.2 | |
| 17S/25E-18R01 M | 321.0 | 7-27-61 | 65.4 | 255.6 | 4637 |
| | | 9-27-61 | 68.2 | 252.8 | |
| | | 2-24-62 | 61.5 | 259.5 | |
| | | 3-27-62 | 60.8 | 260.2 | |
| | | 4-27-62 | 61.7 | 259.3 | |
| | | 5-28-62 | 62.9 | 258.1 | |
| | | 6-26-62 | 65.8 | 255.2 | |
| LOWER KINGS RIVER AREA | | 5-22.20 | | | |
| 17S/19E-14J02 M | 220.0 | 3-12-62 | 63.2 | 156.8 | 5050 |
| 17S/20E-20R01 M | 225.2 | 2-18-62 | ¤ | | 5050 |
| | | 2-19-62 | # | | |
| 17S/21E-11G01 M | 257.2 | 7-24-61 | 38.4 | 218.8 | 5050 |
| | | 8-30-61 | 46.9* | 210.3 | |
| | | 9-27-61 | 40.0 | 217.2 | |
| | | 11-01-61 | ¤ | | |
| | | 11-29-61 | 34.0* | 223.2 | |
| | | 12-28-61 | 32.0* | 225.2 | |
| | | 1-26-62 | 31.2* | 226.0 | |
| | | 2-23-62 | 41.5 | 215.7 | |
| | | 3-30-62 | 44.9 | 212.3 | |
| | | 4-27-62 | 37.6 | 219.6 | |
| | | 5-31-62 | 38.4 | 218.8 | |
| 18S/18E-12N02 M | 221.0 | 7-24-61 | 117.6 | 103.4 | 5050 |
| | | 8-30-61 | ¤ | | |
| | | 9-27-61 | ¤ | | |
| | | 11-01-61 | 117.0 | 104.0 | |
| | | 11-29-61 | 115.3 | 105.7 | |
| | | 12-28-61 | 113.8 | 107.2 | |
| | | 1-26-62 | 112.1 | 108.9 | |
| | | 3-05-62 | ¤ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| LOWER KINGS RIVER AREA | | | 5-22.20 | | |
| 18S/18E-12N02 M | 221.0 | 3-30-62 | ¤ | | 5050 |
| CONT. | | 4-27-62 | DRY | | |
| | | 5-31-62 | DRY | | |
| 18S/19E-26E01 M | 210.0 | 3-01-62 | 10.5 | 199.5 | 5050 |
| 18S/20E-16A01 M | 230.0 | 12-10-61 | 17.6 | 212.4 | 5050 |
| | | 2-28-62 | 16.9 | 213.1 | |
| 18S/21E-10R01 M | 254.0 | 7-24-61 | 72.4 | 181.6 | 5050 |
| | | 8-30-61 | ¤ | | |
| | | 9-27-61 | 66.2 | 187.8 | |
| | | 11-01-61 | 59.9 | 194.1 | |
| | | 11-29-61 | 58.2 | 195.8 | |
| | | 12-28-61 | 56.6 | 197.4 | |
| | | 1-26-62 | 59.4 | 194.6 | |
| | | 3-06-62 | 54.1 | 199.9 | |
| | | 3-30-62 | ¤ | | |
| | | 4-27-62 | 70.0 | 184.0 | |
| | | 5-31-62 | 65.0 | 189.0 | |
| 19S/19E-25A01 M | 208.0 | 2-23-62 | 6.2 | 201.8 | 5050 |
| 19S/20E-21A01 M | 217.0 | 7-24-61 | 71.6 | 145.4 | 5050 |
| | | 8-30-61 | 76.1 | 140.9 | |
| | | 9-27-61 | 80.5 | 136.5 | |
| | | 11-01-61 | 69.4* | 147.6 | |
| | | 11-29-61 | 71.4 | 145.6 | |
| | | 12-28-61 | 67.4 | 149.6 | |
| | | 1-26-62 | 70.4 | 146.6 | |
| | | 2-28-62 | 62.5 | 154.5 | |
| | | 3-30-62 | 68.6 | 148.4 | |
| | | 4-27-62 | 68.2 | 148.8 | |
| | | 5-31-62 | 68.1 | 148.9 | |
| 20S/20E-09C01 M | 206.0 | 2-28-62 | 7.1 | 198.9 | 5050 |
| 20S/21E-03A01 M | 222.0 | 10-25-61 | 19.9 | 202.1 | 6001 |
| | | 12-14-61 | 19.8 | 202.2 | |
| | | 2-06-62 | 20.3 | 201.7 | |
| 20S/21E-25L01 M | 207.7 | 10-25-61 | @ | | 6001 |
| 21S/21E-04A01 M | 197.0 | 7-24-61 | 36.9 | 160.1 | 5050 |
| | | 8-30-61 | 38.9 | 158.1 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| LOWER KINGS RIVER AREA | | | 5-22.20 | | |
| 21S/21E-04A01 M | 197.0 | 9-27-61 | 35.6 | 161.4 | 5050 |
| CONT. | | 11-01-61 | 33.2 | 163.8 | |
| | | 11-29-61 | 38.9 | 158.1 | |
| | | 12-28-61 | 37.2 | 159.8 | |
| | | 1-26-62 | 37.9 | 159.1 | |
| | | 2-27-62 | 38.4 | 158.6 | |
| | | 3-30-62 | 36.1 | 160.9 | |
| | | 4-27-62 | @ | | |
| ORANGE COVE IRRIGATION DISTRICT | | | 5-22.21 | | |
| 14S/24E-20R01 M | 443.0 | 7-24-61 | 16.5 | 426.5 | 6001 |
| | | 9-01-61 | 15.0 | 428.0 | |
| | | 9-19-61 | 15.6 | 427.4 | |
| | | 10-24-61 | 15.7 | 427.3 | |
| | | 11-27-61 | 16.6 | 426.4 | |
| | | 12-18-61 | 17.3 | 425.7 | |
| | | 1-22-62 | 18.1 | 424.9 | |
| | | 3-02-62 | 14.7 | 428.3 | |
| | | 3-29-62 | 16.4 | 426.6 | |
| | | 4-26-62 | 14.6 | 428.4 | |
| | | 5-23-62 | 14.5 | 428.5 | |
| | | 6-22-62 | 15.7 | 427.3 | |
| 14S/25E-30D01 M | 510.0 | 9-28-61 | 36.8 | 473.2 | 6001 |
| | | 2-08-62 | 36.7 | 473.3 | |
| 15S/24E-14D01 M | 405.0 | 7-24-61 | 48.5 | 356.5 | 6001 |
| | | 9-01-61 | 49.5 | 355.5 | |
| | | 9-19-61 | 48.7 | 356.3 | |
| | | 10-24-61 | 47.9 | 357.1 | |
| | | 11-27-61 | 47.4 | 357.6 | |
| | | 12-18-61 | 46.6 | 358.4 | |
| | | 1-22-62 | 45.4 | 359.6 | |
| | | 3-02-62 | 42.4 | 362.6 | |
| | | 3-29-62 | 40.2 | 364.8 | |
| | | 4-26-62 | 40.9 | 364.1 | |
| | | 5-23-62 | 39.3 | 365.7 | |
| | | 6-22-62 | 39.1 | 365.9 | |
| 15S/25E-22N01 M | 485.3 | 7-31-61 | 36.2 | 449.1 | 6001 |
| | | 8-11-61 | ¤ | | |
| | | 9-01-61 | 31.1 | 454.2 | |
| | | 9-19-61 | 32.3 | 453.0 | |
| | | 10-24-61 | 33.0 | 452.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| ORANGE COVE IRRIGATION DISTRICT 5-22.21 | | | | | |
| 15S/25E-22N01 M | 485.3 | 11-27-61 | 32.0 | 453.3 | 6001 |
| CONT. | | 12-18-61 | 31.1 | 454.2 | |
| | | 1-22-62 | 30.5 | 454.8 | |
| | | 3-02-62 | @ | | |
| 16S/25E-04C02 M | 415.0 | 7-24-61 | 19.0 | 396.0 | 6001 |
| | | 9-01-61 | 18.0 | 397.0 | |
| | | 9-19-61 | 21.3 | 393.7 | |
| | | 10-24-61 | 23.1 | 391.9 | |
| | | 11-27-61 | 22.9 | 392.1 | |
| | | 12-18-61 | 23.0 | 392.0 | |
| | | 1-22-62 | 23.0 | 392.0 | |
| | | 3-02-62 | 20.8 | 394.2 | |
| | | 3-29-62 | 19.0 | 396.0 | |
| | | 4-26-62 | 17.7 | 397.3 | |
| | | 5-23-62 | 17.7 | 397.3 | |
| | | 6-22-62 | 17.5 | 397.5 | |
| STONE CORRAL IRRIGATION DISTRICT 5-22.22 | | | | | |
| 16S/26E-32R01 M | 405.0 | 7-24-61 | 2.6 | 402.4 | 6001 |
| | | 9-01-61 | 2.8 | 402.2 | |
| | | 9-19-61 | 2.7 | 402.3 | |
| | | 10-24-61 | 2.2 | 402.8 | |
| | | 11-27-61 | 2.6 | 402.4 | |
| | | 12-18-61 | 1.5 | 403.5 | |
| | | 1-22-62 | .5 | 404.5 | |
| | | 3-01-62 | .2 | 404.8 | |
| | | 3-29-62 | .8 | 404.2 | |
| | | 4-26-62 | 1.5 | 403.5 | |
| | | 5-23-62 | 2.0 | 403.0 | |
| | | 6-20-62 | 2.5 | 402.5 | |
| 17S/26E-07R01 M | 364.0 | 7-24-61 | 40.0 | 324.0 | 6001 |
| | | 9-01-61 | 47.2 | 316.8 | |
| | | 9-19-61 | 44.1 | 319.9 | |
| | | 10-24-61 | 40.0 | 324.0 | |
| | | 11-27-61 | 40.9 | 323.1 | |
| | | 12-18-61 | 40.0 | 324.0 | |
| | | 1-22-62 | 40.0 | 324.0 | |
| | | 3-01-62 | 36.6 | 327.4 | |
| | | 3-29-62 | 35.4 | 328.6 | |
| | | 4-26-62 | 33.7 | 330.3 | |
| | | 5-23-62 | 28.8 | 335.2 | |
| | | 6-20-62 | 26.3 | 337.7 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| IVANHOE IRRIGATION DISTRICT 5-22.23 | | | | | |
| 18S/25E-12Q01 M | 363.0 | 10-18-61 | 74.9 | 288.1 | 6001 |
| | | 2-07-62 | DRY | | |
| KAWEAH DELTA WATER CONSERV DIST 5-22.24 | | | | | |
| 17S/26E-17P02 M | 385.0 | 9-27-61 | 56.9 | 328.1 | 6001 |
| | | 2-07-62 | 46.4 | 338.6 | |
| 17S/27E-34P01 M | 470.0 | 9-27-61 | 15.7 | 454.3 | 6001 |
| | | 2-08-62 | 12.6 | 457.4 | |
| 18S/22E-29A01 M | 251.0 | 9-28-61 | 72.5 | 178.5 | 6001 |
| | | 1-28-62 | 67.8 | 183.2 | |
| | | 2-21-62 | 68.5 | 182.5 | |
| 18S/23E-34A01 M | 271.0 | 2-27-62 | 90.2 | 180.8 | 5050 |
| 18S/24E-26A01 M | 312.5 | 10-25-61 | 72.2 | 240.3 | 6001 |
| | | 3-01-62 | 74.2 | 238.3 | |
| 18S/25E-33F01 M | 338.0 | 10-20-61 | 56.2 | 281.8 | 6001 |
| | | 3-01-62 | 55.7 | 282.3 | |
| 18S/26E-27F01 M | 390.0 | 10-18-61 | 35.6 | 354.4 | 6001 |
| | | 2-27-62 | 31.8 | 358.2 | |
| 19S/22E-01N01 M | 244.5 | 10-25-61 | DRY | | 6001 |
| 19S/22E-36F01 M | 234.0 | 7-26-61 | 92.1 | 141.9 | 6001 |
| | | 8-31-61 | 93.8 | 140.2 | |
| | | 9-20-61 | 94.6 | 139.4 | |
| | | 10-25-61 | 96.1 | 137.9 | |
| | | 11-28-61 | 97.2 | 136.8 | |
| | | 12-20-61 | 97.4 | 136.6 | |
| | | 1-23-62 | 97.7 | 136.3 | |
| | | 2-28-62 | 98.0 | 136.0 | |
| | | 3-27-62 | 98.0 | 136.0 | |
| | | 4-23-62 | 98.7 | 135.3 | |
| | | 5-22-62 | 99.4 | 134.6 | |
| | | 6-19-62 | 100.0 | 134.0 | |
| 19S/25E-25D01 M | 337.0 | 2-22-62 | □ | | 5050 |
| 20S/22E-10C01 M | 226.0 | 11-29-61 | 123.1 | 102.9 | 5050 |
| | | 2-27-62 | 126.6 | 99.4 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TULARE IRRIGATION DISTRICT | | | 5-22.25 | | |
| 19S/23E-24G01 M | 272.5 | 10-04-61 | DRY | | 6001 |
| 19S/23E-32H01 M | 250.5 | 10-04-61 | ¤ | | 6001 |
| | | 2-09-62 | 104.0 | 146.5 | |
| 19S/24E-16P01 M | 290.0 | 7-26-61 | ¤ | | 6001 |
| | | 8-31-61 | 120.8 | 169.2 | |
| | | 9-19-61 | 105.0 | 185.0 | |
| | | 10-26-61 | 93.0 | 197.0 | |
| | | 11-27-61 | 95.7 | 194.3 | |
| | | 12-20-61 | 95.7 | 194.3 | |
| | | 1-25-62 | 91.6 | 198.4 | |
| | | 2-28-62 | 90.5 | 199.5 | |
| | | 3-27-62 | 89.5 | 200.5 | |
| | | 4-24-62 | ¤ | | |
| | | 5-22-62 | 91.7 | 198.3 | |
| | | 6-19-62 | 107.6 | 182.4 | |
| 20S/23E-09J01 M | 245.5 | 7-01-61 | ¤ | | 6001 |
| 20S/24E-23K01 M | 270.0 | 7-26-61 | 77.0 | 193.0 | 6001 |
| | | 8-31-61 | 78.3 | 191.7 | |
| | | 9-20-61 | 79.0 | 191.0 | |
| | | 10-25-61 | 80.1 | 189.9 | |
| | | 11-28-61 | ¤ | | |
| | | 12-20-61 | ¤ | | |
| | | 2-06-62 | DRY | | |
| EXETER IRRIGATION DISTRICT | | | 5-22.26 | | |
| 18S/27E-29D01 M | 447.0 | 7-25-61 | ¤ | | 6001 |
| | | 8-30-61 | 59.9 | 387.1 | |
| | | 9-20-61 | 59.3 | 387.7 | |
| | | 10-25-61 | 52.8 | 394.2 | |
| | | 11-29-61 | 50.4 | 396.6 | |
| | | 12-19-61 | 49.4 | 397.6 | |
| | | 1-23-62 | 49.0 | 398.0 | |
| | | 2-13-62 | 43.7 | 403.3 | |
| | | 3-01-62 | 42.5 | 404.5 | |
| | | 3-28-62 | 40.8 | 406.2 | |
| | | 4-26-62 | 48.5 | 398.5 | |
| | | 5-23-62 | 47.0 | 400.0 | |
| | | 6-20-62 | 47.7 | 399.3 | |
| 19S/26E-23E01 M | 359.0 | 10-10-61 | 132.6 | 226.4 | 6001 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| EXETER IRRIGATION DISTRICT | | | 5-22.26 | | |
| 19S/26E-23E01 M | 359.0 | 2-01-62 | 111.3 | 247.7 | 6001 |
| LINDSAY-STRATHMORE IRRIG DIST | | | 5-22.27 | | |
| 19S/27E-29D01 M | 385.0 | 10-02-61 | ¤ | | 6001 |
| | | 2-05-62 | 97.5 | 287.5 | |
| 20S/27E-06R01 M | 372.0 | 7-25-61 | 68.6 | 303.4 | 6001 |
| | | 8-30-61 | 69.2 | 302.8 | |
| | | 9-20-61 | 69.5 | 302.5 | |
| | | 10-25-61 | 70.2 | 301.8 | |
| | | 11-29-61 | 70.5 | 301.5 | |
| | | 12-19-61 | 70.4 | 301.6 | |
| | | 1-23-62 | 71.0 | 301.0 | |
| | | 3-01-62 | 71.4 | 300.6 | |
| | | 3-28-62 | 71.4 | 300.6 | |
| | | 4-25-62 | 71.0 | 301.0 | |
| | | 5-23-62 | 68.5 | 303.5 | |
| | | 6-20-62 | 66.7 | 305.3 | |
| 20S/27E-29J01 M | 406.0 | 10-03-61 | 69.2 | 336.8 | 6001 |
| | | 2-05-62 | 63.8 | 342.2 | |
| LINDMORE IRRIGATION DISTRICT | | | 5-22.28 | | |
| 20S/26E-22C02 M | 341.0 | 9-28-61 | 159.0 | 182.0 | 6001 |
| | | 2-06-62 | 132.1 | 208.9 | |
| PORTERVILLE IRRIGATION DISTRICT | | | 5-22.29 | | |
| 21S/27E-23N01 M | 436.0 | 9-26-61 | 67.8 | 368.2 | 6001 |
| | | 2-23-62 | 59.5 | 376.5 | |
| 22S/27E-10R01 M | 467.0 | 7-27-61 | ¤ | | 6001 |
| | | 9-01-61 | 125.6 | 341.4 | |
| | | 9-20-61 | 122.6 | 344.4 | |
| | | 10-26-61 | 121.0 | 346.0 | |
| | | 11-30-61 | 118.2 | 348.8 | |
| | | 12-20-61 | 115.8 | 351.2 | |
| | | 1-25-62 | 127.7* | 339.3 | |
| | | 2-27-62 | 120.3 | 346.7 | |
| | | 3-28-62 | 125.8 | 341.2 | |
| | | 4-24-62 | ¤ | | |
| | | 5-22-62 | 119.1 | 347.9 | |
| | | 6-20-62 | 121.5 | 345.5 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| LOWER TULE RIVER IRRIGATION DIST 5-22.30 | | | | | |
| 21S/23E-22J01 M | 221.5 | 10-24-61 | 109.0 | 112.5 | 6001 |
| | | 2-06-62 | 111.1 | 110.4 | |
| 21S/24E-15H01 M | 253.0 | 9-27-61 | ▫ | | 6001 |
| | | 2-14-62 | 86.0 | 167.0 | |
| 21S/25E-08H01 M | 284.5 | 10-02-61 | 123.0 | 161.5 | 6001 |
| | | 2-14-62 | 88.0 | 196.5 | |
| 21S/26E-10H01 M | 359.0 | 7-26-61 | ▫ | | 6001 |
| | | 8-29-61 | 95.5 | 263.5 | |
| | | 9-20-61 | 93.3 | 265.7 | |
| | | 10-26-61 | 93.3 | 265.7 | |
| | | 11-28-61 | 91.7 | 267.3 | |
| | | 12-21-61 | 93.0 | 266.0 | |
| | | 1-24-62 | 89.3 | 269.7 | |
| | | 2-27-62 | 88.1 | 270.9 | |
| | | 3-28-62 | 87.0 | 272.0 | |
| | | 4-25-62 | ▫ | | |
| | | 5-23-62 | 89.3 | 269.7 | |
| | | 6-20-62 | 96.0 | 263.0 | |
| 22S/23E-15R01 M | 206.0 | 2-28-62 | ▫ | | 5050 |
| 22S/24E-15A01 M | 251.5 | 7-22-61 | 143.0 | 108.5 | 6001 |
| | | 8-07-61 | 155.0 | 96.5 | |
| | | 9-14-61 | 163.0 | 88.5 | |
| | | 9-28-61 | 120.0 | 131.5 | |
| | | 11-14-61 | 140.0 | 111.5 | |
| | | 12-18-61 | 136.0 | 115.5 | |
| | | 1-23-62 | 129.0 | 122.5 | |
| | | 2-15-62 | 133.0 | 118.5 | |
| | | 3-22-62 | 131.5 | 120.0 | |
| | | 4-19-62 | 139.0 | 112.5 | |
| | | 5-11-62 | ▫ | | |
| | | 6-19-62 | 107.0 | 144.5 | |
| 22S/25E-15A01 M | 300.5 | 7-22-61 | 178.5 | 122.0 | 6001 |
| | | 8-08-61 | 164.5 | 136.0 | |
| | | 9-15-61 | 171.4 | 129.1 | |
| | | 9-28-61 | 171.5 | 129.0 | |
| | | 11-14-61 | 159.5 | 141.0 | |
| | | 12-19-61 | 152.5 | 148.0 | |
| | | 1-23-62 | 141.5 | 159.0 | |
| | | 2-16-62 | 148.9 | 151.6 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| LOWER TULE RIVER IRRIGATION DIST 5-22.30 | | | | | |
| 22S/25E-15A01 M CONT. | 300.5 | 3-27-62 | 139.5 | 161.0 | 6001 |
| | | 4-17-62 | 139.5 | 161.0 | |
| | | 5-11-62 | 145.3 | 155.2 | |
| | | 6-19-62 | 134.0 | 166.5 | |
| 22S/26E-06A01 M | 337.0 | 9-28-61 | 126.0 | 211.0 | 6001 |
| | | 2-07-62 | 90.5 | 246.5 | |
| VANDALIA IRRIGATION DISTRICT 5-22.31 | | | | | |
| 22S/28E-18A01 M | 535.0 | 7-27-61 | 149.1 | 385.9 | 6001 |
| | | 9-01-61 | 154.1 | 380.9 | |
| | | 9-20-61 | 156.2 | 378.8 | |
| | | 10-26-61 | 156.6 | 378.4 | |
| | | 11-30-61 | 135.4* | 399.6 | |
| | | 12-20-61 | 130.5 | 404.5 | |
| | | 1-25-62 | 127.9 | 407.1 | |
| | | 2-27-62 | 109.0 | 426.0 | |
| | | 3-28-62 | 113.3 | 421.7 | |
| | | 4-24-62 | 113.1 | 421.9 | |
| | | 5-22-62 | 116.2 | 418.8 | |
| | | 6-20-62 | 127.1 | 407.9 | |
| SAUCELITO IRRIGATION DISTRICT 5-22.32 | | | | | |
| 22S/26E-15J01 M | 371.0 | 7-27-61 | ▫ | | 6001 |
| | | 8-30-61 | ▫ | | |
| | | 9-20-61 | ▫ | | |
| | | 10-26-61 | 152.8 | 218.2 | |
| | | 11-30-61 | 149.0 | 222.0 | |
| | | 12-19-61 | 142.0 | 229.0 | |
| | | 1-25-62 | 138.5 | 232.5 | |
| | | 2-09-62 | 139.5 | 231.5 | |
| | | 2-26-62 | 136.3 | 234.7 | |
| | | 3-28-62 | 137.6 | 233.4 | |
| | | 4-24-62 | ▫ | | |
| | | 5-22-62 | 143.2 | 227.8 | |
| | | 6-20-62 | 151.8 | 219.2 | |
| 23S/26E-02R01 M | 397.0 | 10-02-61 | 175.0 | 222.0 | 6001 |
| | | 2-12-62 | 165.0 | 232.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| PIXLEY IRRIGATION DISTRICT | | 5-22.33 | | | |
| 23S/23E-02B01 M | 207.0 | 9-26-61 | 32.1 | 174.9 | 6001 |
| | | 2-07-62 | 33.3 | 173.7 | |
| 23S/24E-05A01 M | 225.0 | 7-01-61 | □ | | 5050 |
| 23S/25E-14C01 M | 300.0 | 7-26-61 | 104.7 | 195.3 | 6001 |
| | | 8-30-61 | 87.4 | 212.6 | |
| | | 9-19-61 | 86.6 | 213.4 | |
| | | 10-25-61 | 86.0 | 214.0 | |
| | | 11-29-61 | 86.9 | 213.1 | |
| | | 12-19-61 | 88.5 | 211.5 | |
| | | 1-25-62 | 87.8 | 212.2 | |
| | | 2-26-62 | 87.5 | 212.5 | |
| | | 3-28-62 | 89.3 | 210.7 | |
| | | 4-24-62 | 90.1 | 209.9 | |
| | | 5-21-62 | 88.5 | 211.5 | |
| | | 6-20-62 | 86.6 | 213.4 | |
| 23S/25E-16N03 M | 263.0 | 7-20-61 | 251.6 | 11.4 | 5000 |
| | | 8-17-61 | 248.8 | 14.2 | |
| | | 9-14-61 | 216.3 | 46.7 | |
| | | 10-12-61 | 193.0 | 70.0 | |
| | | 11-09-61 | 176.0 | 87.0 | |
| | | 12-07-61 | 163.4 | 99.6 | |
| | | 1-05-62 | 153.4 | 109.6 | |
| | | 2-28-62 | 143.9 | 119.1 | |
| | | 3-29-62 | 168.5 | 94.5 | |
| | | 4-27-62 | 168.1 | 94.9 | |
| | | 5-24-62 | 165.3 | 97.7 | |
| | | 6-20-62 | 185.5 | 77.5 | |
| 23S/25E-16N04 M | 263.0 | 7-20-61 | 121.5 | 141.5 | 5000 |
| | | 8-17-61 | 122.9 | 140.1 | |
| | | 9-14-61 | 121.5 | 141.5 | |
| | | 10-12-61 | 121.8 | 141.2 | |
| | | 11-09-61 | 116.0 | 147.0 | |
| | | 12-07-61 | 114.6 | 148.4 | |
| | | 1-05-62 | 113.7 | 149.3 | |
| | | 2-28-62 | 112.1 | 150.9 | |
| | | 3-29-62 | 112.7 | 150.3 | |
| | | 4-27-62 | 113.9 | 149.1 | |
| | | 5-24-62 | 113.5 | 149.5 | |
| | | 6-20-62 | 114.6 | 148.4 | |
| 23S/25E-17Q03 M | 269.0 | 7-20-61 | 124.7 | 144.3 | 5000 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| PIXLEY IRRIGATION DISTRICT | | 5-22.33 | | | |
| 23S/25E-17Q03 M | 269.0 | 8-17-61 | 125.6 | 143.4 | 5000 |
| CONT. | | 9-14-61 | 124.0 | 145.0 | |
| | | 10-12-61 | 120.8 | 148.2 | |
| | | 11-09-61 | 118.6 | 150.4 | |
| | | 12-07-61 | 116.4 | 152.6 | |
| | | 1-05-62 | 116.6 | 152.4 | |
| | | 2-28-62 | 115.3 | 153.7 | |
| | | 3-29-62 | 115.8 | 153.2 | |
| | | 4-27-62 | 115.8 | 153.2 | |
| | | 5-24-62 | 115.8 | 153.2 | |
| | | 6-20-62 | 117.0 | 152.0 | |
| ALPAUGH-ALLENSWORTH AREA | | | 5-22.34 | | |
| 24S/23E-21R02 M | 204.0 | 10-10-61 | 53.7 | 150.3 | 6001 |
| | | 2-05-62 | 53.9 | 150.1 | |
| 24S/24E-23Q01 M | 235.0 | 10-09-61 | □ | | 6001 |
| | | 2-02-62 | 49.8 | 185.2 | |
| DELANO-EARLIMART IRRIG DIST | | | 5-22.35 | | |
| 23S/25E-27J02 M | 296.0 | 10-03-61 | 119.0 | 177.0 | 6001 |
| | | 2-06-62 | 109.0 | 187.0 | |
| 23S/26E-29P01 M | 356.5 | 10-03-61 | 216.5 | 140.0 | 6001 |
| | | 2-07-62 | 204.5 | 152.0 | |
| 23S/27E-28J01 M | 533.3 | 10-10-61 | 376.1 | 157.2 | 5050 |
| | | 2-06-62 | 328.1 | 205.2 | |
| | | 2-27-62 | 321.0 | 212.3 | |
| 24S/25E-10A01 M | 304.0 | 9-27-61 | 181.5 | 122.5 | 6001 |
| | | 2-05-62 | 139.5 | 164.5 | |
| 24S/25E-33J01 M | 291.5 | 10-09-61 | □ | | 6001 |
| | | 3-05-62 | 86.0 | 205.5 | |
| 24S/26E-05R01 M | 376.0 | 9-28-61 | 214.0 | 162.0 | 6001 |
| | | 2-07-62 | 203.0 | 173.0 | |
| 24S/26E-20H01 M | 378.0 | 10-02-61 | 220.0 | 158.0 | 6001 |
| | | 2-08-62 | □ | | |
| 24S/26E-29R02 M | 400.0 | 7-21-61 | 188.8 | 211.2 | 5000 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| DELANO-EARLIMART IRRIG DIST | | 5-22.35 | | | |
| 24S/26E-29R02 M | 400.0 | 8-23-61 | 187.4 | 212.6 | 5000 |
| CONT. | | 9-21-61 | 180.6 | 219.4 | |
| | | 10-20-61 | 172.9 | 227.1 | |
| | | 11-16-61 | 169.5 | 230.5 | |
| | | 12-22-61 | 167.8 | 232.2 | |
| | | 1-18-62 | 162.1 | 237.9 | |
| | | 2-22-62 | 162.2 | 237.8 | |
| | | 3-15-62 | 158.9 | 241.1 | |
| | | 4-13-62 | 161.0 | 239.0 | |
| | | 5-18-62 | 164.9 | 235.1 | |
| | | 6-20-62 | 164.2 | 235.8 | |
| 24S/26E-32G01 M | 396.0 | 10-02-61 | 170.5 | 225.5 | 6001 |
| | | 2-06-62 | 158.5 | 237.5 | |
| 24S/26E-34F01 M | 445.0 | 7-20-61 | 329.5 | 115.5 | 5000 |
| | | 8-17-61 | 328.4 | 116.6 | |
| | | 9-14-61 | 321.6 | 123.4 | |
| | | 10-12-61 | 301.5 | 143.5 | |
| | | 11-09-61 | 289.5 | 155.5 | |
| | | 12-07-61 | 291.5 | 153.5 | |
| | | 1-05-62 | 280.3 | 164.7 | |
| | | 2-28-62 | 264.5 | 180.5 | |
| | | 3-29-62 | 260.3 | 184.7 | |
| | | 4-26-62 | 270.8 | 174.2 | |
| | | 5-24-62 | 274.8 | 170.2 | |
| | | 6-20-62 | 277.2 | 167.8 | |
| 24S/27E-10E01 M | 545.0 | 7-01-61 | ▫ | | 6001 |
| | | 7-02-61 | # | | |
| 24S/27E-31P01 M | 526.5 | 10-10-61 | 444.5 | 82.0 | 6001 |
| | | 2-06-62 | 371.8 | 154.7 | |
| 25S/26E-01A02 M | 505.5 | 7-20-61 | 556.0 | - 50.5 | 5000 |
| | | 8-17-61 | 556.0 | - 50.5 | |
| | | 9-14-61 | 523.0 | - 17.5 | |
| | | 10-12-61 | 432.7 | 72.8 | |
| | | 11-09-61 | 411.3 | 94.2 | |
| | | 12-07-61 | 390.7 | 114.8 | |
| | | 1-05-62 | 378.1 | 127.4 | |
| | | 2-28-62 | 363.0 | 142.5 | |
| | | 3-29-62 | 363.0 | 142.5 | |
| | | 4-26-62 | 385.0 | 120.5 | |
| | | 5-24-62 | 411.7 | 93.8 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| DELANO-EARLIMART IRRIG DIST | | | 5-22.35 | | |
| 25S/26E-01A02 M | 505.5 | 6-20-62 | 407.6 | 97.9 | 5000 |
| 25S/26E-10B03 M | 430.0 | 10-04-61 | 260.5 | 169.5 | 6001 |
| | | 2-12-62 | 249.5 | 180.5 | |
| 25S/27E-22H01 M | 750.0 | 10-09-61 | 375.8 | 374.2 | 6001 |
| | | 2-05-62 | 381.5 | 368.5 | |
| SOUTHERN SAN JOAQUIN MUD | | | 5-22.36 | | |
| 25S/25E-06H01 M | 259.0 | 9-25-61 | 66.9 | 192.1 | 6001 |
| | | 2-06-62 | 78.8 | 180.2 | |
| 25S/25E-35P01 M | 322.0 | 9-26-61 | 239.4 | 82.6 | 6001 |
| | | 2-07-62 | 163.9 | 158.1 | |
| 25S/26E-28H02 M | 414.0 | 10-02-61 | 221.6 | 192.4 | 6001 |
| | | 2-09-62 | 208.0 | 206.0 | |
| 26S/26E-10R01 M | 503.0 | 7-21-61 | ▫ | | 5000 |
| | | 8-22-61 | ▫ | | |
| | | 9-21-61 | 392.3 | 110.7 | |
| | | 10-20-61 | ▫ | | |
| | | 11-16-61 | 395.0 | 108.0 | |
| | | 12-22-61 | 375.0 | 128.0 | |
| | | 1-18-62 | 370.8 | 132.2 | |
| | | 2-22-62 | 365.7 | 137.3 | |
| | | 3-15-62 | 363.2 | 139.8 | |
| | | 4-13-62 | 370.0 | 133.0 | |
| | | 5-18-62 | 373.1 | 129.9 | |
| | | 6-20-62 | ▫ | | |
| 26S/26E-16P01 M | 443.0 | 9-29-61 | 350.0 | 93.0 | 6001 |
| | | 2-09-62 | 319.8 | 123.2 | |
| NORTH KERN WATER STORAGE DIST | | | 5-22.37 | | |
| 26S/25E-15R01 M | 352.3 | 7-21-61 | ▫ | | 5000 |
| | | 8-22-61 | 295.7 | 56.6 | |
| | | 9-06-61 | 285.6 | 66.7 | |
| | | 9-21-61 | 258.6 | 93.7 | |
| | | 10-20-61 | 247.5 | 104.8 | |
| | | 11-16-61 | 243.6 | 108.7 | |
| | | 12-15-61 | 200.6 | 151.7 | |
| | | 1-09-62 | 193.6 | 158.7 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| NORTH KERN WATER STORAGE DIST | | 5-22.37 | | | |
| 26S/25E-15R01 M | 352.3 | 1-18-62 | 185.6 | 166.7 | 5000 |
| CONT. | | 2-02-62 | 185.6 | 166.7 | |
| | | 2-15-62 | 179.6 | 172.7 | |
| | | 2-22-62 | ▫ | | |
| | | 3-05-62 | 175.6 | 176.7 | 8700 |
| | | 4-24-62 | 197.6 | 154.7 | |
| | | 6-15-62 | ▫ | | |
| 26S/25E-31R01 M | 336.6 | 9-06-61 | 276.1* | 60.5 | 8700 |
| | | 12-15-61 | 186.1 | 150.5 | |
| | | 1-09-62 | 184.1 | 152.5 | |
| | | 1-19-62 | 186.1 | 150.5 | |
| | | 2-02-62 | 172.1 | 164.5 | |
| | | 2-23-62 | 175.1 | 161.5 | |
| | | 4-17-62 | 222.1 | 114.5 | |
| | | 5-16-62 | 204.1 | 132.5 | |
| | | 6-18-62 | ▫ | | |
| 26S/26E-30P01 M | 392.0 | 9-06-61 | 343.0 | 49.0 | 8700 |
| | | 12-15-61 | ▫ | | |
| | | 1-09-62 | 247.0 | 145.0 | |
| | | 1-18-62 | 243.0 | 149.0 | |
| | | 2-02-62 | 240.0 | 152.0 | |
| | | 2-15-62 | ▫ | | |
| | | 3-05-62 | 233.0 | 159.0 | |
| | | 4-23-62 | ▫ | | |
| | | 6-15-62 | 251.0 | 141.0 | |
| 27S/25E-01A01 M | 401.0 | 10-06-61 | 118.0 | 283.0 | 6001 |
| | | 2-01-62 | 117.1 | 283.9 | |
| 27S/26E-06H02 M | 416.0 | 10-09-61 | 274.5 | 141.5 | 6001 |
| | | 2-01-62 | 245.6 | 170.4 | |
| 27S/26E-20E01 M | 435.7 | 9-14-61 | 264.6 | 171.1 | 8700 |
| | | 1-12-62 | 289.6 | 146.1 | |
| | | 2-26-62 | 280.6 | 155.1 | |
| | | 3-07-62 | 278.6 | 157.1 | |
| | | 6-21-62 | ▫ | | |
| 27S/27E-30H02 M | 527.0 | 10-06-61 | 334.6 | 192.4 | 6001 |
| | | 2-06-62 | 386.3 | 140.7 | |
| 28S/25E-13L01 M | 361.1 | 9-05-61 | 192.1 | 169.0 | 8700 |
| | | 2-06-62 | 184.1 | 177.0 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| NORTH KERN WATER STORAGE DIST | | 5-22.37 | | | |
| 28S/25E-13L01 M | 361.1 | 2-27-62 | 181.1 | 180.0 | 8700 |
| CONT. | | 3-06-62 | 177.1 | 184.0 | |
| | | 6-15-62 | 185.1 | 176.0 | |
| 28S/27E-21F01 M | 611.0 | 10-06-61 | 420.5 | 190.5 | 6001 |
| | | 1-31-62 | ▫ | | |
| SHAFTER-WASCO IRRIGATION DIST | | 5-22.38 | | | |
| 27S/24E-35C01 M | 316.0 | 9-12-61 | 222.8 | 93.2 | 8700 |
| | | 12-22-61 | 185.8 | 130.2 | |
| | | 1-12-62 | ▫ | | |
| | | 2-06-62 | 175.8 | 140.2 | |
| | | 2-26-62 | 175.8 | 140.2 | |
| | | 3-14-62 | 170.8 | 145.2 | |
| | | 5-23-62 | 202.8 | 113.2 | |
| | | 6-20-62 | ▫ | | |
| 27S/25E-28F01 M | 368.8 | 7-01-61 | ▫ | | 8700 |
| 28S/24E-01R01 M | 329.0 | 10-03-61 | 189.0 | 140.0 | 6001 |
| | | 2-05-62 | 182.0 | 147.0 | |
| KERN RIVER DELTA AREA | | 5-22.40 | | | |
| 28S/25E-34J01 M | 326.0 | 10-02-61 | 143.0 | 183.0 | 6001 |
| | | 2-05-62 | 137.0 | 189.0 | |
| 28S/26E-29L01 M | 349.0 | 9-05-61 | 146.1 | 202.9 | 8700 |
| | | 2-06-62 | ▫ | | |
| | | 2-28-62 | 139.1 | 209.9 | |
| | | 3-07-62 | ▫ | | |
| | | 6-15-62 | 134.1 | 214.9 | |
| 29S/25E-12M01 M | 330.0 | 10-10-61 | 136.6 | 193.4 | 5120 |
| | | 2-05-62 | 128.6 | 201.4 | |
| 29S/25E-33J01 M | 311.5 | 7-01-61 | ▫ | | 5120 |
| 29S/26E-10L01 M | 350.0 | 10-11-61 | 127.0 | 223.0 | 5120 |
| | | 2-02-62 | 110.0 | 240.0 | |
| 29S/27E-04J01 M | 448.4 | 10-13-61 | ▫ | | 5120 |
| 29S/27E-26D01 M | 397.6 | 10-10-61 | ▫ | | 5120 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| KERN RIVER DELTA AREA | | | 5-22.40 | | |
| 29S/27E-26D01 M | 397.6 | 10-11-61 | # | | 5120 |
| 30S/25E-03H01 M | 319.3 | 9-12-61 | 96.7 | 222.6 | 8700 |
| | | 12-26-61 | 83.7 | 235.6 | |
| | | 2-07-62 | 80.7 | 238.6 | |
| | | 2-27-62 | 80.7 | 238.6 | |
| | | 3-05-62 | 80.7 | 238.6 | |
| | | 6-21-62 | ▫ | | |
| 30S/26E-16J01 M | 339.1 | 10-09-61 | ▫ | | 5120 |
| | | 2-02-62 | 51.8 | 287.3 | |
| 30S/26E-27A01 M | 338.7 | 9-12-61 | ▫ | | 8700 |
| | | 12-27-61 | 55.7 | 283.0 | |
| | | 2-06-62 | 49.7 | 289.0 | |
| | | 2-26-62 | 47.7 | 291.0 | |
| | | 3-05-62 | 55.7 | 283.0 | |
| | | 6-22-62 | 70.7 | 268.0 | |
| 30S/27E-03G01 M | 384.2 | 9-13-61 | 101.2 | 283.0 | 8700 |
| | | 12-27-61 | 97.2 | 287.0 | |
| | | 2-07-62 | 97.2 | 287.0 | |
| | | 2-26-62 | 94.2 | 290.0 | |
| | | 3-05-62 | ▫ | | |
| | | 6-22-62 | 110.2 | 274.0 | |
| 30S/27E-28A02 M | 359.0 | 10-09-61 | 89.0 | 270.0 | 5120 |
| | | 2-02-62 | 95.6 | 263.4 | |
| 30S/28E-32B01 M | 354.4 | 10-03-61 | ▫ | | 6001 |
| | | 1-31-62 | ▫ | | |
| 30S/28E-34R02 M | 359.0 | 7-20-61 | 110.4 | 248.6 | 5000 |
| | | 8-22-61 | 107.9 | 251.1 | |
| | | 9-20-61 | 104.2 | 254.8 | |
| | | 10-18-61 | 100.0 | 259.0 | |
| | | 11-15-61 | 96.4 | 262.6 | |
| | | 12-20-61 | 95.9 | 263.1 | |
| | | 1-17-62 | 95.4 | 263.6 | |
| | | 2-21-62 | 90.4 | 268.6 | |
| | | 3-14-62 | 90.7 | 268.3 | |
| | | 4-11-62 | 101.6 | 257.4 | |
| | | 5-17-62 | 95.7 | 263.3 | |
| | | 6-19-62 | 101.6 | 257.4 | |
| 31S/26E-01A01 M | 333.0 | 10-06-61 | 74.0 | 259.0 | 5120 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRO SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| KERN RIVER DELTA AREA | | | 5-22.40 | | |
| 31S/26E-01A01 M | 333.0 | 2-01-62 | 71.9 | 261.1 | 5120 |
| 31S/26E-35D01 M | 294.5 | 10-05-61 | 55.1 | 239.4 | 5120 |
| | | 1-31-62 | 59.2 | 235.3 | |
| 31S/27E-04L01 M | 341.1 | 9-05-61 | ▫ | | 8700 |
| | | 12-28-61 | ▫ | | |
| | | 2-01-62 | 83.6 | 257.5 | |
| | | 2-28-62 | 82.6 | 258.5 | |
| | | 3-06-62 | 82.6 | 258.5 | |
| | | 6-25-62 | ▫ | | |
| 31S/27E-28J01 M | 312.1 | 10-06-61 | 54.6 | 257.5 | 5120 |
| | | 2-01-62 | 46.0 | 266.1 | |
| 31S/28E-17P02 M | 321.1 | 10-02-61 | ▫ | | 5050 |
| | | 1-30-62 | 10.7 | 310.4 | |
| 31S/28E-30M01 M | 314.7 | 9-05-61 | 85.0 | 229.7 | 8700 |
| | | 10-19-61 | 88.0 | 226.7 | |
| | | 11-22-61 | 70.0 | 244.7 | |
| | | 12-28-61 | 71.0 | 243.7 | |
| | | 2-01-62 | ▫ | | |
| | | 2-28-62 | 58.0 | 256.7 | |
| | | 3-06-62 | 55.0 | 259.7 | |
| | | 6-24-62 | ▫ | | |
| 32S/26E-36G01 M | 378.0 | 10-04-61 | 171.8 | 206.2 | 5120 |
| | | 1-30-62 | 218.2 | 159.8 | |
| 32S/27E-18F01 M | 292.6 | 9-06-61 | ▫ | | 8700 |
| | | 12-29-61 | 92.3 | 200.3 | |
| | | 2-01-62 | 105.3 | 187.3 | |
| | | 2-28-62 | ▫ | | |
| | | 3-07-62 | 74.3 | 218.3 | |
| | | 6-24-62 | ▫ | | |
| 32S/28E-04A01 M | 303.0 | 10-03-61 | ▫ | | 6001 |
| | | 1-31-62 | 36.0 | 267.0 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| EDISON-MARICOPA AREA | | 5-22.41 | | | |
| 29S/28E-26J01 M | 535.0 | 7-01-61 | ¤ | | 6001 |
| 29S/29E-33N01 M | 578.0 | 10-06-61 | 436.4 | 141.6 | 6001 |
| | | 1-31-62 | 428.4 | 149.6 | |
| 30S/28E-02R01 M | 410.0 | 10-04-61 | 178.1 | 231.9 | 6001 |
| | | 1-30-62 | 165.4 | 244.6 | |
| 30S/29E-05F01 M | 515.0 | 10-02-61 | 332.5 | 182.5 | 5050 |
| | | 2-02-62 | 325.6 | 189.4 | |
| 30S/29E-26A01 M | 625.0 | 10-06-61 | 449.5 | 175.5 | 6001 |
| | | 1-30-62 | 442.6 | 182.4 | |
| 30S/29E-31R01 M | 421.0 | 7-20-61 | 125.4 | 295.6 | 5000 |
| | | 8-22-61 | 127.2 | 293.8 | |
| | | 9-20-61 | 131.5 | 289.5 | |
| | | 10-18-61 | 133.3 | 287.7 | |
| | | 11-15-61 | 131.4 | 289.6 | |
| | | 12-20-61 | 131.7 | 289.3 | |
| | | 1-16-62 | 131.5 | 289.5 | |
| | | 2-21-62 | 133.9 | 287.1 | |
| | | 3-14-62 | 131.7 | 289.3 | |
| | | 4-11-62 | 131.8 | 289.2 | |
| | | 5-17-62 | 131.3 | 289.7 | |
| | | 6-19-62 | 130.3 | 290.7 | |
| 30S/30E-20R01 M | 791.5 | 10-05-61 | 181.5 | 610.0 | 6001 |
| | | 1-30-62 | 181.0 | 610.5 | |
| 31S/29E-09A01 M | 472.5 | 10-04-61 | ¤ | | 6001 |
| | | 2-01-62 | 291.5 | 181.0 | |
| 31S/29E-29A01 M | 400.0 | 10-04-61 | 151.2 | 248.8 | 5050 |
| | | 1-31-62 | 134.9 | 265.1 | |
| 31S/30E-09R01 M | 620.5 | 7-01-61 | ¤ | | 5050 |
| | | 7-02-61 | # | | |
| 31S/30E-21G01 M | 536.0 | 10-03-61 | ¤ | | 6001 |
| | | 1-30-62 | ¤ | | |
| 32S/25E-35N02 M | 442.5 | 10-04-61 | 182.2 | 260.3 | 5120 |
| | | 1-31-62 | 199.7 | 242.8 | |
| 32S/28E-23R01 M | 386.7 | 10-03-61 | 277.0 | 109.7 | 6001 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| EDISON-MARICOPA AREA | | 5-22.41 | | | |
| 32S/28E-23R01 M | 386.7 | 1-30-62 | 264.0 | 122.7 | 6001 |
| 32S/29E-07P01 M | 381.1 | 7-01-61 | ¤ | | 8700 |
| 32S/29E-16R02 M | 470.0 | 7-20-61 | 313.1 | 156.9 | 5000 |
| | | 8-22-61 | 314.8 | 155.2 | |
| | | 9-20-61 | 314.9 | 155.1 | |
| | | 10-18-61 | 312.9 | 157.1 | |
| | | 11-15-61 | 311.2 | 158.8 | |
| | | 12-20-61 | 312.8 | 157.2 | |
| | | 1-17-62 | 312.1 | 157.9 | |
| | | 2-21-62 | 310.5 | 159.5 | |
| | | 3-14-62 | 308.9 | 161.1 | |
| | | 4-11-62 | 312.2 | 157.8 | |
| | | 5-17-62 | 312.3 | 157.7 | |
| | | 6-20-62 | 313.0 | 157.0 | |
| 32S/29E-21P01 M | 473.0 | 7-20-61 | 209.4 | 263.6 | 5000 |
| | | 8-22-61 | 213.2 | 259.8 | |
| | | 9-20-61 | 210.5 | 262.5 | |
| | | 10-18-61 | 215.2 | 257.8 | |
| | | 11-15-61 | 213.9 | 259.1 | |
| | | 12-20-61 | 215.0 | 258.0 | |
| | | 1-17-62 | 213.5 | 259.5 | |
| | | 2-21-62 | 211.6 | 261.4 | |
| | | 3-14-62 | 211.2 | 261.8 | |
| | | 4-11-62 | 213.2 | 259.8 | |
| | | 5-17-62 | 213.7 | 259.3 | |
| | | 6-20-62 | 214.1 | 258.9 | |
| 11N/18W-06P01 S | 657.0 | 10-03-61 | ¤ | | 6001 |
| | | 1-30-62 | ¤ | | |
| 11N/18W-28D01 S | 850.0 | 10-03-61 | 137.0 | 713.0 | 6001 |
| | | 1-29-62 | 108.7 | 741.3 | |
| 11N/19W-04H01 S | 575.9 | 10-04-61 | ¤ | | 6001 |
| | | 1-31-62 | ¤ | | |
| 11N/19W-24R01 S | 756.5 | 7-01-61 | ¤ | | 5050 |
| 11N/20W-07Q01 S | 452.3 | 10-16-61 | 357.9 | 94.4 | 8700 |
| | | 11-16-61 | 351.9 | 100.4 | |
| | | 1-02-62 | 339.9 | 112.4 | |
| | | 2-02-62 | ¤ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| EDISON-MARICOPA AREA | | | 5-22.41 | | |
| 11N/20W-07Q01 S | 452.3 | 3-01-62 | 367.9 | 84.4 | 8700 |
| CONT. | | 6-27-62 | ▫ | | |
| 11N/20W-18F01 S | 484.7 | 10-05-61 | 341.9 | 142.8 | 6001 |
| | | 2-01-62 | 346.1 | 138.6 | |
| 11N/20W-24A01 S | 730.2 | 10-16-61 | 485.6 | 244.6 | 6001 |
| | | 11-16-61 | 495.6 | 234.6 | |
| | | 1-02-62 | 488.6 | 241.6 | |
| | | 2-02-62 | 493.6 | 236.6 | |
| | | 3-01-62 | 491.6 | 238.6 | |
| 11N/21W-05M01 S | 515.9 | 11-17-61 | 465.1 | 50.8 | 8700 |
| | | 1-03-62 | ▫ | | |
| | | 2-02-62 | ▫ | | |
| | | 3-01-62 | 450.1 | 65.8 | |
| | | 6-27-62 | ▫ | | |
| 11N/21W-14D02 S | 577.0 | 10-02-61 | DRY | | 5120 |
| | | 1-29-62 | DRY | | |
| 11N/22W-04H01 S | 529.0 | 10-17-61 | 419.3 | 109.7 | 8700 |
| | | 11-16-61 | 421.3 | 107.7 | |
| | | 1-03-62 | 426.3 | 102.7 | |
| | | 3-01-62 | 428.3 | 100.7 | |
| | | 3-08-62 | 429.3 | 99.7 | |
| | | 6-27-62 | ▫ | | |
| 11N/23W-12P01 S | 747.0 | 10-03-61 | ▫ | | 5120 |
| | | 1-29-62 | ▫ | | |
| 12N/19W-32E01 S | 498.0 | 12-03-61 | ▫ | | 6001 |
| | | 1-30-62 | ◉ | | |
| 12N/20W-31R01 S | 363.0 | 7-25-61 | 254.0 | 109.0 | 6001 |
| | | 8-29-61 | 253.2 | 109.8 | |
| | | 2-01-62 | 236.5 | 126.5 | |
| 12N/20W-36Q02 S | 509.0 | 10-03-61 | 194.0 | 315.0 | 6001 |
| | | 1-30-62 | 194.0 | 315.0 | |
| 12N/21W-29N01 S | 423.3 | 10-04-61 | 315.6 | 107.7 | 5120 |
| | | 1-30-62 | 324.1 | 99.2 | |
| 12N/22W-31F01 S | 492.0 | 10-04-61 | ▫ | | 5120 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| EDISON-MARICOPA AREA | | | 5-22.41 | | |
| 12N/22W-31E01 S | 492.0 | 1-30-62 | ◉ | | 5120 |
| 12N/22W-36R01 S | 494.0 | 10-03-61 | ▫ | | 5120 |
| | | 1-30-62 | ▫ | | |
| 12N/23W-28P01 S | 498.0 | 10-03-61 | 271.1 | 226.9 | 5120 |
| | | 1-29-62 | 270.0 | 228.0 | |
| BUENA VISTA WATER STORAGE DIST | | | 5-22.42 | | |
| 26S/22E-32R01 M | 238.6 | 7-01-61 | ▫ | | 4640 |
| 27S/22E-16R01 M | 238.0 | 7-19-61 | ▫ | | 5000 |
| | | 8-21-61 | 125.8 | 112.2 | |
| | | 9-19-61 | ▫ | | |
| | | 10-17-61 | ▫ | | |
| | | 11-14-61 | 86.0 | 152.0 | |
| | | 12-19-61 | 72.2 | 165.8 | |
| | | 1-16-62 | ▫ | | |
| | | 2-20-62 | ▫ | | |
| | | 3-13-62 | 73.0 | 165.0 | |
| | | 4-10-62 | 75.0 | 163.0 | |
| | | 5-16-62 | 74.6 | 163.4 | |
| | | 6-19-62 | 79.8 | 158.2 | |
| 27S/22E-21F02 M | 240.0 | 10-11-61 | 51.5 | 188.5 | 5120 |
| 27S/22E-32H01 M | 241.0 | 7-19-61 | 94.5 | 146.5 | 5000 |
| | | 8-21-61 | 106.7 | 134.3 | |
| | | 9-19-61 | 108.5 | 132.5 | |
| | | 10-17-61 | 102.8 | 138.2 | |
| | | 11-14-61 | 95.3 | 145.7 | |
| | | 12-19-61 | 86.0 | 155.0 | |
| | | 1-16-62 | 82.4 | 158.6 | |
| | | 2-20-62 | 83.9 | 157.1 | |
| | | 3-13-62 | 85.2 | 155.8 | |
| | | 4-10-62 | 79.2 | 161.8 | |
| | | 5-16-62 | 79.3 | 161.7 | |
| | | 6-19-62 | 80.0 | 161.0 | |
| 28S/22E-10D02 M | 245.0 | 10-11-61 | 38.0 | 207.0 | 5120 |
| | | 2-07-62 | 41.7 | 203.3 | |
| 28S/22E-36P01 M | 253.2 | 7-06-61 | ▫ | | 4640 |
| | | 8-02-61 | ▫ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUENA VISTA WATER STORAGE DIST | | 5-22.42 | | | |
| 28S/22E-36P01 M | 253.2 | 9-06-61 | □ | | 4640 |
| CONT. | | 10-03-61 | 45.5 | 207.7 | |
| | | 11-02-61 | 40.5 | 212.7 | |
| | | 12-02-61 | 38.9 | 214.3 | |
| | | 1-02-62 | 38.9 | 214.3 | |
| | | 2-02-62 | 35.9 | 217.3 | |
| | | 3-02-62 | □ | | |
| | | 4-03-62 | 42.0 | 211.2 | |
| | | 5-01-62 | 34.5 | 218.7 | |
| | | 6-02-62 | 32.3 | 220.9 | |
| 28S/23E-31R01 M | 257.8 | 7-05-61 | 74.0 | 183.8 | 4640 |
| | | 8-01-61 | □ | | |
| | | 9-05-61 | 52.8 | 205.0 | |
| | | 10-02-61 | 50.0 | 207.8 | |
| | | 11-01-61 | 40.7 | 217.1 | |
| | | 12-01-61 | 38.2 | 219.6 | |
| | | 1-02-62 | 38.4 | 219.4 | |
| | | 2-02-62 | 36.2 | 221.6 | |
| | | 3-02-62 | 47.7 | 210.1 | |
| | | 4-01-62 | 42.5 | 215.3 | |
| | | 5-01-62 | 35.4 | 222.4 | |
| | | 6-02-62 | 34.4 | 223.4 | |
| 29S/23E-08A01 M | 260.3 | 7-05-61 | □ | | 4640 |
| | | 8-01-61 | 86.1 | 174.2 | |
| | | 9-05-61 | 65.1 | 195.2 | |
| | | 10-02-61 | 50.2 | 210.1 | |
| | | 11-01-61 | 44.7 | 215.6 | |
| | | 12-01-61 | 41.7 | 218.6 | |
| | | 1-02-62 | 42.7 | 217.6 | |
| | | 2-02-62 | 40.2 | 220.1 | |
| | | 3-02-62 | 49.6 | 210.7 | |
| | | 4-01-62 | 44.2 | 216.1 | |
| | | 5-01-62 | 39.3 | 221.0 | |
| | | 6-02-62 | 38.0 | 222.3 | |
| 29S/23E-36R01 M | 277.0 | 10-09-61 | @ | | 5120 |
| 29S/24E-32Q01 M | 280.7 | 7-06-61 | □ | | 4640 |
| | | 8-02-61 | □ | | |
| | | 9-06-61 | 66.4 | 214.3 | |
| | | 10-03-61 | 59.2 | 221.5 | |
| | | 11-02-61 | 57.1 | 223.6 | |
| | | 12-02-61 | 58.4 | 222.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| BUENA VISTA WATER STORAGE DIST | | 5-22.42 | | | |
| 29S/24E-32Q01 M | 280.7 | 1-02-62 | 58.4 | 222.3 | 4640 |
| CONT. | | 2-02-62 | 56.7 | 224.0 | |
| | | 3-02-62 | 58.7 | 222.0 | |
| | | 4-03-62 | 56.7 | 224.0 | |
| | | 5-01-62 | 56.6 | 224.1 | |
| | | 6-02-62 | 62.1 | 218.6 | |
| 30S/23E-01C01 M | 276.8 | 7-05-61 | 49.5 | 227.3 | 4640 |
| | | 8-01-61 | 51.8 | 225.0 | |
| | | 9-05-61 | 53.6 | 223.2 | |
| | | 10-02-61 | 50.5 | 226.3 | |
| | | 11-01-61 | 51.0 | 225.8 | |
| | | 12-01-61 | 50.5 | 226.3 | |
| | | 1-02-62 | 50.3 | 226.5 | |
| | | 2-02-62 | 50.0 | 226.8 | |
| | | 3-02-62 | 50.6 | 226.2 | |
| | | 4-01-62 | 50.2 | 226.6 | |
| | | 5-01-62 | 48.2 | 228.6 | |
| | | 6-02-62 | 45.4 | 231.4 | |
| 30S/24E-02C01 M | 287.0 | 7-05-61 | 73.0 | 214.0 | 4640 |
| | | 8-01-61 | 74.2 | 212.8 | |
| | | 9-05-61 | 71.2 | 215.8 | |
| | | 10-02-61 | 64.1 | 222.9 | |
| | | 11-01-61 | 62.6 | 224.4 | |
| | | 12-01-61 | 61.4 | 225.6 | |
| | | 1-02-62 | 61.3 | 225.7 | |
| | | 2-02-62 | 62.5 | 224.5 | |
| | | 3-02-62 | 61.6 | 225.4 | |
| | | 4-01-62 | □ | | |
| | | 5-01-62 | 63.1 | 223.9 | |
| | | 6-02-62 | 63.8 | 223.2 | |
| SEMITROPIC WATER STORAGE DIST | | 5-22.43 | | | |
| 25S/22E-02E01 M | 212.0 | 7-19-61 | 89.2 | 122.8 | 5000 |
| | | 8-23-61 | 94.3 | 117.7 | |
| | | 9-21-61 | 97.0 | 115.0 | |
| | | 10-17-61 | 99.3 | 112.7 | |
| | | 11-14-61 | 99.1 | 112.9 | |
| | | 12-19-61 | 95.0 | 117.0 | |
| | | 1-16-62 | 90.0 | 122.0 | |
| | | 2-20-62 | 86.8 | 125.2 | |
| | | 3-13-62 | 84.1 | 127.9 | |
| | | 4-10-62 | 81.6 | 130.4 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SEMITROPIC WATER STORAGE DIST | | 5-22.43 | | | |
| 25S/22E-02F01 M | 212.0 | 5-16-62 | 82.6 | 129.4 | 5000 |
| CONT. | | 6-21-62 | 88.7 | 123.3 | |
| 25S/22E-02N02 M | 212.0 | 7-19-61 | 45.1 | 166.9 | 5000 |
| | | 8-23-61 | 46.0 | 166.0 | |
| | | 9-21-61 | 46.2 | 165.8 | |
| | | 10-17-61 | 46.7 | 165.3 | |
| | | 11-14-61 | 37.8 | 174.2 | |
| | | 12-19-61 | 37.3 | 174.7 | |
| | | 1-16-62 | 37.9 | 174.1 | |
| | | 2-20-62 | 37.7 | 174.3 | |
| | | 3-13-62 | 36.9 | 175.1 | |
| | | 4-10-62 | 36.9 | 175.1 | |
| | | 5-16-62 | 37.2 | 174.8 | |
| | | 6-21-62 | 37.7 | 174.3 | |
| 25S/22E-14G01 M | 215.0 | 10-13-61 | 158.4 | 56.6 | 5120 |
| | | 3-19-62 | 123.5 | 91.5 | |
| 25S/23E-03R01 M | 209.0 | 10-16-61 | 146.0 | 63.0 | 5120 |
| | | 3-19-62 | ▫ | | |
| 25S/24E-07R01 M | 228.0 | 10-09-61 | 93.8 | 134.2 | 6001 |
| | | 2-05-62 | 83.2 | 144.8 | |
| 25S/24E-30H01 M | 237.4 | 10-09-61 | ▫ | | 6001 |
| | | 2-05-62 | 132.3 | 105.1 | |
| 26S/21E-14E01 M | 244.0 | 7-19-61 | 40.1 | 203.9 | 5000 |
| | | 8-21-61 | 38.9 | 205.1 | |
| | | 9-19-61 | 38.0 | 206.0 | |
| | | 10-17-61 | 37.1 | 206.9 | |
| | | 11-14-61 | 37.5 | 206.5 | |
| | | 12-19-61 | 36.8 | 207.2 | |
| | | 1-16-62 | 36.7 | 207.3 | |
| | | 2-20-62 | 36.4 | 207.6 | |
| | | 3-13-62 | 36.5 | 207.5 | |
| | | 4-10-62 | 39.6 | 204.4 | |
| | | 5-16-62 | 37.2 | 206.8 | |
| | | 6-19-62 | 38.8 | 205.2 | |
| 26S/21E-14J01 M | 237.0 | 10-13-61 | 25.8 | 211.2 | 5120 |
| | | 2-09-62 | 26.2 | 210.P | |
| 26S/22E-10G01 M | 225.0 | 7-19-61 | ▫ | | 5000 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SEMITROPIC WATER STORAGE DIST | | 5-22.43 | | | |
| 26S/22E-10G01 M | 225.0 | 8-23-61 | 84.9 | 140.1 | 5000 |
| CONT. | | 9-21-61 | ▫ | | |
| | | 10-17-61 | 95.7 | 129.3 | |
| | | 11-14-61 | ▫ | | |
| | | 12-19-61 | 86.4 | 138.6 | |
| | | 1-16-62 | 62.2 | 162.8 | |
| | | 2-20-62 | 57.3 | 167.7 | |
| | | 3-13-62 | 54.6 | 170.4 | |
| | | 4-10-62 | ▫ | | |
| | | 5-16-62 | ▫ | | |
| | | 6-21-62 | ▫ | | |
| 26S/22E-35E01 M | 253.0 | 10-16-61 | 110.0 | 143.0 | 5120 |
| | | 2-13-62 | 101.3 | 151.7 | |
| 26S/23E-02R01 M | 234.9 | 10-16-61 | 109.0* | 125.9 | 5050 |
| | | 3-19-62 | 106.4 | 128.5 | |
| 26S/23E-36F01 M | 258.0 | 10-16-61 | ▫ | | 5120 |
| | | 2-08-62 | 151.0 | 107.0 | |
| 26S/24E-23H01 M | 295.5 | 9-06-61 | 278.8 | 16.7 | 8700 |
| | | 10-18-61 | 213.8 | 81.7 | |
| | | 11-21-61 | ▫ | | |
| | | 12-19-61 | 165.8 | 129.7 | |
| | | 1-10-62 | 156.8 | 138.7 | |
| | | 1-19-62 | 163.8 | 131.7 | |
| | | 2-05-62 | 151.8 | 143.7 | |
| | | 2-23-62 | 144.8 | 150.7 | |
| | | 3-06-62 | 142.8 | 152.7 | |
| | | 4-17-62 | 204.8 | 90.7 | |
| | | 5-03-62 | ▫ | | |
| | | 5-16-62 | 193.8 | 101.7 | |
| | | 6-18-62 | ▫ | | |
| 27S/22E-02Q01 M | 265.0 | 10-11-61 | 69.0 | 196.0 | 5120 |
| | | 2-07-62 | 70.0 | 195.0 | |
| 27S/23E-06L01 M | 258.0 | 10-11-61 | 71.0* | 187.0 | 5120 |
| | | 2-07-62 | 68.0 | 190.0 | |
| 28S/23E-11E01 M | 255.0 | 7-06-61 | 28.5 | 226.5 | 4640 |
| | | 8-02-61 | 34.0 | 221.0 | |
| | | 9-06-61 | 38.0 | 217.0 | |
| | | 10-03-61 | 32.6 | 222.4 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| SEMITROPIC WATER STORAGE DIST | | | 5-22.43 | | |
| 28S/23E-11E01 M | 255.0 | 11-02-61 | 28.6 | 226.4 | 4640 |
| CONT. | | 12-02-61 | 29.7 | 225.3 | |
| | | 1-02-62 | 29.7 | 225.3 | |
| | | 2-02-62 | 27.2 | 227.8 | |
| | | 3-02-62 | 30.6 | 224.4 | |
| | | 4-03-62 | 25.8 | 229.2 | |
| | | 5-01-62 | 31.0 | 224.0 | |
| | | 6-02-62 | 35.2 | 219.8 | |
| 29S/24E-14R01 M | 290.0 | 10-10-61 | 96.7 | 193.3 | 5120 |
| | | 2-05-62 | 97.2 | 192.8 | |
| AVENAL-MCKITTRICK AREA | | | 5-22.44 | | |
| 23S/18E-29E01 M | 560.0 | 3-20-62 | ¤ | | 5050 |
| | | 3-21-62 | # | | |
| 23S/18E-29E02 M | 560.0 | 7-19-61 | 138.9 | 421.1 | 5000 |
| | | 8-21-61 | 132.8 | 427.2 | |
| | | 9-19-61 | 134.5 | 425.5 | |
| | | 10-17-61 | 133.6 | 426.4 | |
| | | 11-14-61 | 133.2 | 426.8 | |
| | | 12-19-61 | 133.4 | 426.6 | |
| | | 1-15-62 | 133.4 | 426.6 | |
| | | 2-20-62 | 133.3 | 426.7 | |
| | | 3-13-62 | 133.3 | 426.7 | |
| | | 4-10-62 | 133.3 | 426.7 | |
| | | 5-15-62 | 133.2 | 426.8 | |
| | | 6-19-62 | 133.2 | 426.8 | |
| 23S/19E-14R01 M | 235.0 | 3-20-62 | 41.5 | 193.5 | 5050 |
| 23S/19E-26M01 M | 267.0 | 3-20-62 | ¤ | | 5050 |
| 24S/17E-11P01 M | 765.0 | 3-20-62 | 81.9 | 683.1 | 5000 |
| 24S/17E-23A01 M | 740.0 | 7-01-61 | ¤ | | 5050 |
| | | 7-02-61 | # | | |
| 24S/17E-35B02 M | 755.0 | 7-01-61 | ¤ | | 5050 |
| 24S/18E-11D01 M | 470.0 | 3-20-62 | 44.0 | 426.0 | 5050 |
| 24S/18E-30D01 M | 699.0 | 3-20-62 | 205.0 | 494.0 | 5050 |
| 24S/18E-33N01 M | 625.0 | 3-20-62 | 194.7 | 430.3 | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| AVENAL-MCKITTRICK AREA | | | 5-22.44 | | |
| 24S/19E-02L01 M | 298.0 | 7-01-61 | ¤ | | 5050 |
| 24S/19E-12E01 M | 292.0 | 7-01-61 | ¤ | | 5050 |
| | | 7-02-61 | # | | |
| 25S/19E-15G01 M | 422.0 | 3-20-62 | 104.8 | 317.2 | 5050 |
| 25S/19E-20Q02 M | 480.0 | 7-19-61 | 127.9 | 352.1 | 5000 |
| | | 8-21-61 | 128.3 | 351.7 | |
| | | 9-19-61 | 128.6 | 351.4 | |
| | | 10-17-61 | 128.5 | 351.5 | |
| | | 11-14-61 | 128.2 | 351.8 | |
| | | 12-19-61 | 127.9 | 352.1 | |
| | | 1-16-62 | 127.6 | 352.4 | |
| | | 2-20-62 | 127.4 | 352.6 | |
| | | 3-13-62 | 128.0 | 352.0 | |
| | | 4-10-62 | 128.4 | 351.6 | |
| | | 5-16-62 | ¤ | | |
| | | 6-19-62 | 128.3 | 351.7 | |
| 25S/19E-25R01 M | 410.0 | 3-20-62 | ¤ | | 5050 |
| 25S/20E-04C01 M | 268.0 | 7-19-61 | 63.0 | 205.0 | 5000 |
| | | 3-20-62 | 62.9 | 205.1 | |
| 25S/20E-15Q01 M | 286.0 | 7-01-61 | ¤ | | 5050 |
| 25S/21E-30M01 M | 245.0 | 7-01-61 | ¤ | | 5050 |
| 26S/17E-13L02 M | 910.0 | 3-20-62 | 155.9 | 754.1 | 5050 |
| 26S/18E-16H01 M | 685.0 | 3-20-62 | 163.5 | 521.5 | 5050 |
| 26S/18E-19R02 M | 875.0 | 3-20-62 | 147.8 | 727.2 | 5050 |
| 26S/18E-27F01 M | 730.0 | 3-20-62 | 205.0 | 525.0 | 5050 |
| 26S/19E-12L01 M | 530.0 | 3-20-62 | ¤ | | 5050 |
| 26S/21E-06F03 M | 262.0 | 3-20-62 | 52.2 | 209.8 | 5050 |
| 27S/18E-15R01 M | 1220.0 | 3-20-62 | 37.4 | 1182.6 | 5050 |
| 28S/21E-13E01 M | 370.0 | 3-20-62 | 174.0 | 196.0 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TULARE LAKE-LOST HILLS AREA | | 5-22.45 | | | |
| 21S/20E-12M01 M | 181.0 | 7-19-61 | ▫ | | 5000 |
| | | 8-21-61 | ▫ | | |
| | | 9-19-61 | ▫ | | |
| | | 10-16-61 | 301.2 | - 120.2 | |
| | | 11-13-61 | 258.0 | - 77.0 | |
| | | 12-19-61 | 252.6 | - 71.6 | |
| | | 1-15-62 | 253.1 | - 72.1 | |
| | | 2-20-62 | ▫ | | |
| | | 3-13-62 | 237.1 | - 56.1 | |
| | | 4-10-62 | 230.0 | - 49.0 | |
| | | 5-15-62 | 216.7 | - 35.7 | |
| | | 6-19-62 | 205.1 | - 24.1 | |
| 21S/20E-27A01 M | 178.0 | 7-19-61 | ▫ | | 5000 |
| | | 8-21-61 | ▫ | | |
| | | 9-19-61 | ▫ | | |
| | | 10-16-61 | ▫ | | |
| | | 11-13-61 | 321.5 | - 143.5 | |
| | | 12-19-61 | 267.3 | - 89.3 | |
| | | 1-15-62 | ▫ | | |
| | | 2-20-62 | 263.5 | - 85.5 | |
| | | 3-13-62 | 249.2 | - 71.2 | |
| | | 4-10-62 | 240.7 | - 62.7 | |
| | | 5-15-62 | 229.7 | - 51.7 | |
| | | 6-19-62 | 217.8 | - 39.8 | |
| 24S/21E-15J01 M | 207.5 | 7-01-61 | ▫ | | 5000 |
| 24S/22E-36R01 M | 211.0 | 7-01-61 | ▫ | | 5120 |
| 25S/21E-22H01 M | 217.0 | 7-19-61 | 93.7 | 123.3 | 5000 |
| | | 8-21-61 | 96.3 | 120.7 | |
| | | 9-19-61 | 100.1 | 116.9 | |
| | | 10-17-61 | 101.9 | 115.1 | |
| | | 11-14-61 | 102.2 | 114.8 | |
| | | 12-19-61 | 101.8 | 115.2 | |
| | | 1-16-62 | 101.9 | 115.1 | |
| | | 2-20-62 | 100.2 | 116.8 | |
| | | 3-13-62 | 99.1 | 117.9 | |
| | | 4-10-62 | 97.2 | 119.8 | |
| | | 5-16-62 | 97.4 | 119.6 | |
| | | 6-19-62 | 97.0 | 120.0 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| CORCORAN IRRIGATION DISTRICT | | 5-22.46 | | | |
| 21S/22E-16Q01 M | 196.5 | 7-24-61 | 54.5 | 142.0 | 5050 |
| | | 8-30-61 | 53.1 | 143.4 | |
| | | 9-27-61 | 47.6 | 148.9 | |
| | | 11-01-61 | 49.1 | 147.4 | |
| | | 11-29-61 | 42.7 | 153.8 | |
| | | 12-28-61 | 40.4 | 156.1 | |
| | | 1-26-62 | 16.1* | 180.4 | |
| | | 2-27-62 | 17.4* | 179.1 | |
| | | 3-30-62 | 15.6* | 180.9 | |
| | | 4-27-62 | 15.8* | 180.7 | |
| | | 5-31-62 | 16.8* | 179.7 | |
| 21S/22E-24K01 M | 209.0 | 2-28-62 | 47.0 | 162.0 | 5050 |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 13S/12E-05Q01 M | 247.0 | 10-18-61 | 304.0 | - 57.0 | 6001 |
| | | 4-17-62 | 280.9 | - 33.9 | |
| 13S/12E-22N01 M | 280.0 | 10-18-61 | 190.0 | 90.0 | 6001 |
| | | 4-17-62 | 175.2 | 104.8 | |
| 13S/13E-10R01 M | 211.0 | 10-04-61 | 224.7 | - 13.7 | 6001 |
| | | 10-05-61 | 218.9 | - 7.9 | 5050 |
| | | 3-01-62 | 217.4 | - 6.4 | 6001 |
| | | 3-28-62 | 210.7 | 0.3 | 5050 |
| 13S/13E-12A01 M | 183.0 | 10-05-61 | ▫ | | 5050 |
| | | 3-20-62 | 4.7 | 178.3 | 6001 |
| 13S/13E-15R01 M | 222.0 | 10-05-61 | 247.0 | - 25.0 | 5050 |
| | | 3-21-62 | 229.9 | - 7.9 | 6001 |
| 13S/13E-33N01 M | 282.5 | 3-21-62 | 1.0* | 281.5 | 6001 |
| 13S/14E-09J01 M | 164.0 | 9-28-61 | DRY | | 6001 |
| 13S/14E-32Q01 M | 225.0 | 3-21-62 | 100.4 | 124.6 | 6001 |
| 13S/15E-30N01 M | 172.0 | 3-23-62 | ◉ | | 6001 |
| 14S/13E-15M01 M | 321.0 | 3-28-62 | ▫ | | 5050 |
| 14S/13E-26N01 M | 328.0 | 7-01-61 | ▫ | | 5050 |
| 14S/13E-29Q01 M | 376.0 | 7-01-61 | ▫ | | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 14S/14E-05H01 M | 221.0 | 7-18-61 | 84.7 | 136.3 | 5000 |
| | | 8-15-61 | 92.0 | 129.0 | |
| | | 9-12-61 | 92.1 | 128.9 | |
| | | 10-10-61 | 90.6 | 130.4 | |
| | | 11-07-61 | 88.5 | 132.5 | |
| | | 12-05-61 | 86.2 | 134.8 | |
| | | 1-03-62 | 83.2 | 137.8 | |
| | | 2-27-62 | 81.0 | 140.0 | |
| | | 3-28-62 | 79.5 | 141.5 | |
| | | 4-24-62 | 80.8 | 140.2 | |
| | | 5-22-62 | 83.3 | 137.7 | |
| | | 6-19-62 | 84.8 | 136.2 | |
| 14S/14E-17Q01 M | 253.0 | 7-01-61 | ¤ | | 5050 |
| 14S/14E-28E02 M | 248.0 | 10-16-61 | 65.3 | 182.7 | 5000 |
| | | 11-13-61 | 64.1 | 183.9 | |
| | | 12-18-61 | 63.2 | 184.8 | |
| | | 1-15-62 | 61.9 | 186.1 | |
| | | 3-12-62 | 62.1 | 185.9 | |
| | | 4-09-62 | 61.7 | 186.3 | |
| | | 5-14-62 | 62.5 | 185.5 | |
| | | 6-18-62 | 62.7 | 185.3 | |
| 14S/15E-18E02 M | 186.0 | 3-26-62 | ¤ | | 5050 |
| 14S/15E-35N01 M | 161.0 | 10-19-61 | 64.5 | 96.5 | 6001 |
| | | 3-08-62 | 48.0 | 113.0 | |
| 15S/13E-14N01 M | 430.0 | 7-01-61 | ¤ | | 5050 |
| 15S/13E-26N01 M | 473.0 | 3-27-62 | ¤ | | 5050 |
| 15S/14E-07R02 M | 282.0 | 10-16-61 | 236.5 | 45.5 | 5000 |
| | | 11-13-61 | 234.9 | 47.1 | |
| | | 12-18-61 | 232.3 | 49.7 | |
| | | 1-15-62 | 230.8 | 51.2 | |
| | | 3-12-62 | 228.4 | 53.6 | |
| | | 4-09-62 | 228.4 | 53.6 | |
| | | 5-14-62 | 230.6 | 51.4 | |
| | | 6-18-62 | 231.5 | 50.5 | |
| 15S/14E-11E01 M | 221.0 | 7-01-61 | ¤ | | 5050 |
| 15S/15E-19N01 M | 197.0 | 7-01-61 | ¤ | | 5050 |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 15S/15E-19N01 M | 197.0 | 7-02-61 | # | | 5050 |
| 15S/15E-22Q01 M | 175.0 | 10-11-61 | ¤ | | 6001 |
| | | 3-07-62 | 96.5 | 78.5 | |
| 15S/16E-20R01 M | 171.0 | 7-19-61 | 86.6 | 84.4 | 5000 |
| | | 8-16-61 | 87.2 | 83.8 | |
| | | 9-13-61 | 74.3 | 96.7 | |
| | | 10-11-61 | 85.4 | 85.6 | |
| | | 11-08-61 | 61.0 | 110.0 | |
| | | 12-06-61 | 58.5 | 112.5 | |
| | | 1-04-62 | 56.0 | 115.0 | |
| | | 2-27-62 | 55.5 | 115.5 | |
| | | 3-28-62 | 69.7 | 101.3 | |
| | | 4-25-62 | 64.4 | 106.6 | |
| | | 5-23-62 | 62.2 | 108.8 | |
| | | 6-19-62 | 80.0 | 91.0 | |
| 15S/16E-34E01 M | 175.0 | 7-19-61 | 188.3 | - 13.3 | 5000 |
| | | 8-16-61 | 191.8 | - 16.8 | |
| | | 9-13-61 | 192.0 | - 17.0 | |
| | | 10-11-61 | 190.6 | - 15.6 | |
| | | 11-08-61 | 189.0 | - 14.0 | |
| | | 12-06-61 | 185.0 | - 10.0 | |
| | | 1-04-62 | 182.1 | - 7.1 | |
| | | 2-27-62 | 179.6 | - 4.6 | |
| | | 3-28-62 | 181.5 | - 6.5 | |
| | | 4-25-62 | 182.0 | - 7.0 | |
| | | 5-23-62 | 183.1 | - 8.1 | |
| | | 6-19-62 | 185.9 | - 10.9 | |
| 16S/14E-03F01 M | 283.0 | 7-01-61 | ¤ | | 5050 |
| 16S/15E-02N02 M | 219.0 | 7-18-61 | 114.7 | 104.3 | 5000 |
| | | 8-21-61 | 104.9 | 114.1 | |
| | | 9-18-61 | 89.5 | 129.5 | |
| | | 10-16-61 | 87.1 | 131.9 | |
| | | 11-13-61 | 86.1 | 132.9 | |
| | | 12-18-61 | 78.7 | 140.3 | |
| | | 1-15-62 | 84.6 | 134.4 | |
| | | 2-19-62 | ¤ | | |
| | | 3-12-62 | 74.1 | 144.9 | |
| | | 4-09-62 | 97.7 | 121.3 | |
| | | 5-14-62 | 84.8 | 134.2 | |
| | | 6-18-62 | ¤ | | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 16S/16E-10N01 M | 191.0 | 10-12-61 | ▫ | | 6001 |
| | | 3-02-62 | 101.2 | 89.8 | |
| 16S/16E-18N01 M | 233.0 | 10-12-61 | 88.5 | 144.5 | 6001 |
| | | 3-05-62 | 78.0 | 155.0 | |
| 16S/16E-28M01 M | 235.0 | 10-12-61 | 125.5 | 109.5 | 6001 |
| | | 3-05-62 | 118.7 | 116.3 | |
| 17S/14E-13R01 M | 457.0 | 3-26-62 | ▫ | | 5050 |
| 17S/15E-27K01 M | 402.0 | 7-01-61 | ▫ | | 5050 |
| 17S/16E-02E01 M | 218.0 | 10-13-61 | 204.8 | 13.2 | 5050 |
| | | 3-05-62 | 176.1 | 41.9 | |
| 17S/16E-24R01 M | 232.5 | 11-20-61 | 176.4 | 56.1 | 5000 |
| | | 1-15-62 | 163.6 | 68.9 | |
| | | 2-19-62 | 163.7 | 68.8 | |
| | | 3-12-62 | 160.7 | 71.8 | |
| | | 4-09-62 | 163.9 | 68.6 | |
| | | 5-15-62 | 169.9 | 62.6 | |
| | | 6-18-62 | 184.4 | 48.1 | |
| 17S/16E-27Q01 M | 248.0 | 7-01-61 | ▫ | | 5050 |
| 17S/17E-21N02 M | 226.0 | 7-01-61 | 301.1 | - 75.1 | 5000 |
| | | 7-23-61 | 307.7 | - 81.7 | |
| | | 8-14-61 | 304.5 | - 78.5 | |
| | | 8-24-61 | 308.0 | - 82.0 | |
| | | 9-17-61 | 287.0 | - 61.0 | |
| | | 10-09-61 | 294.3 | - 68.3 | |
| | | 11-12-61 | 271.8 | - 45.8 | |
| | | 11-19-61 | 273.2 | - 47.2 | |
| | | 12-01-61 | 267.4 | - 41.4 | |
| | | 12-05-61 | 249.0 | - 23.0 | |
| | | 12-27-61 | 232.0 | - 6.0 | |
| | | 1-19-62 | 254.0 | - 28.0 | |
| | | 2-01-62 | 253.5 | - 27.5 | |
| | | 2-08-62 | 261.0 | - 35.0 | |
| | | 3-05-62 | 253.0 | - 27.0 | |
| | | 4-14-62 | 265.5 | - 39.5 | |
| | | 5-03-62 | 275.6 | - 49.6 | |
| | | 5-25-62 | 275.7 | - 49.7 | |
| | | 5-30-62 | 272.0 | - 46.0 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 17S/17E-21N02 M | 226.0 | 6-23-62 | 298.1 | - 72.1 | 5000 |
| 17S/17E-26E03 M | 227.0 | 7-01-61 | ▫ | | 5050 |
| 18S/15E-13N01 M | 451.0 | 3-22-62 | ▫ | | 5050 |
| 18S/16E-22Q01 M | 297.0 | 7-01-61 | ▫ | | 5050 |
| 18S/16E-26F01 M | 303.0 | 7-01-61 | ▫ | | 5050 |
| 18S/17E-08R01 M | 267.0 | 7-01-61 | ▫ | | 5050 |
| 18S/17E-12N01 M | 253.0 | 3-26-62 | ▫ | | 5050 |
| 18S/17E-29N01 M | 305.0 | 3-23-62 | 473.4 | - 168.4 | 5050 |
| 18S/18E-03N01 M | 229.0 | 7-01-61 | ▫ | | 5050 |
| 18S/18E-07N01 M | 249.0 | 3-23-62 | 229.5 | 19.5 | 5050 |
| 18S/18E-24Q01 M | 235.0 | 7-01-61 | ▫ | | 5050 |
| 18S/18E-30N01 M | 268.0 | 1-02-61 | ▫ | | 5050 |
| | | 7-01-61 | ▫ | | |
| 19S/17E-35N01 M | 367.0 | 7-19-61 | 508.2 | - 141.2 | 5000 |
| | | 8-16-61 | 511.3 | - 144.3 | |
| | | 9-13-61 | 488.0 | - 121.0 | |
| | | 10-11-61 | 453.8 | - 86.8 | |
| | | 11-08-61 | 460.6 | - 93.6 | |
| | | 12-06-61 | 439.4 | - 72.4 | |
| | | 1-04-62 | 445.9 | - 78.9 | |
| | | 2-27-62 | 492.5 | - 125.5 | |
| | | 3-28-62 | 494.6 | - 127.6 | |
| | | 4-25-62 | 480.2 | - 113.2 | |
| | | 5-23-62 | 463.8 | - 96.8 | |
| | | 6-19-62 | 495.2 | - 128.2 | |
| 19S/18E-15M01 M | 274.0 | 3-22-62 | 303.1 | - 29.1 | 5050 |
| 19S/18E-20N01 M | 298.0 | 7-01-61 | ▫ | | 5050 |
| 19S/18E-27M01 M | 281.0 | 10-16-61 | ▫ | | 5000 |
| | | 11-13-61 | ▫ | | |
| | | 12-18-61 | 363.3 | - 82.3 | |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 19S/18E-27M01 M | 281.0 | 1-15-62 | 353.7 | - 72.7 | 5000 |
| CONT. | | 3-13-62 | 354.4 | - 73.4 | |
| | | 4-10-62 | 346.5 | - 65.5 | |
| | | 5-15-62 | 340.8 | - 59.8 | |
| | | 6-18-62 | 344.2 | - 63.2 | |
| 19S/18E-27N01 M | 282.0 | 7-01-61 | ¤ | | 5050 |
| 19S/18E-33Q01 M | 291.0 | 7-01-61 | ¤ | | 5050 |
| 20S/15E-17C01 M | 806.0 | 3-22-62 | ¤ | | 5050 |
| 20S/15E-25D01 M | 619.0 | 3-22-62 | 191.1 | 427.9 | 5050 |
| 20S/15E-32A01 M | 675.0 | 7-18-61 | 206.0 | 469.0 | 5000 |
| | | 8-16-61 | 206.9 | 468.1 | |
| | | 9-13-61 | 207.7 | 467.3 | |
| | | 10-11-61 | 208.3 | 466.7 | |
| | | 11-07-61 | 209.0 | 466.0 | |
| | | 12-06-61 | 209.2 | 465.8 | |
| | | 1-04-62 | 209.4 | 465.6 | |
| | | 2-28-62 | 209.2 | 465.8 | |
| | | 3-28-62 | 209.1 | 465.9 | |
| | | 4-24-62 | 209.8 | 465.2 | |
| | | 5-22-62 | 210.1 | 464.9 | |
| | | 6-20-62 | 210.7 | 464.3 | |
| 20S/17E-01E01 M | 343.0 | 3-21-62 | ¤ | | 5050 |
| 20S/17E-17N01 M | 436.0 | 7-01-61 | ¤ | | 5050 |
| 20S/18E-11N01 M | 277.0 | 3-22-62 | 423.7 | - 146.7 | 5050 |
| 20S/18E-11Q01 M | 270.0 | 7-19-61 | 445.4 | - 175.4 | 5000 |
| | | 8-16-61 | 449.0 | - 179.0 | |
| | | 9-13-61 | 436.5 | - 166.5 | |
| | | 10-11-61 | 439.4 | - 169.4 | |
| | | 11-08-61 | 426.5 | - 156.5 | |
| | | 12-06-61 | 432.9 | - 162.9 | |
| | | 1-04-62 | 409.0 | - 139.0 | |
| | | 2-28-62 | 436.9 | - 166.9 | |
| | | 3-29-62 | 419.2 | - 149.2 | |
| | | 4-25-62 | 404.9 | - 134.9 | |
| | | 5-23-62 | 394.8 | - 124.8 | |
| | | 6-20-62 | 428.8 | - 158.8 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR. TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| MENDOTA-HURON AREA | | 5-22.47 | | | |
| 20S/18E-36D01 M | 260.0 | 10-16-61 | 284.1 | - 24.1 | 5000 |
| | | 11-13-61 | 276.6 | - 16.6 | |
| | | 12-18-61 | 282.1 | - 22.1 | |
| | | 1-16-62 | 277.5 | - 17.5 | |
| | | 3-13-62 | 280.0 | - 20.0 | |
| | | 4-09-62 | 278.0 | - 18.0 | |
| | | 5-15-62 | 273.1 | - 13.1 | |
| | | 6-19-62 | 280.3 | - 20.3 | |
| 21S/15E-01E01 M | 623.0 | 3-21-62 | 185.0 | 438.0 | 5050 |
| 21S/15E-10C01 M | 658.0 | 7-01-61 | ¤ | | 5050 |
| | | 7-02-61 | # | | |
| 21S/16E-07N01 M | 634.0 | 3-21-62 | 204.6 | 429.4 | 5050 |
| 21S/16E-35D01 M | 682.0 | 3-21-62 | 370.9* | 311.1 | 5050 |
| 21S/17E-05M01 M | 485.0 | 7-01-61 | ¤ | | 5050 |
| 21S/17E-11E01 M | 415.0 | 3-21-62 | ¤ | | 5050 |
| 21S/17E-24G01 M | 425.0 | 3-21-62 | ¤ | | 5050 |
| 21S/18E-02M01 M | 278.0 | 3-21-62 | 415.4 | - 137.4 | 5050 |
| 21S/18E-28M02 M | 360.0 | 10-16-61 | 314.4 | 45.6 | 5000 |
| | | 11-14-61 | 302.7 | 57.3 | |
| | | 12-19-61 | 303.7 | 56.3 | |
| | | 1-15-62 | 308.6 | 51.4 | |
| | | 2-20-62 | 307.1 | 52.9 | |
| | | 3-13-62 | 305.0 | 55.0 | |
| | | 4-10-62 | 304.7 | 55.3 | |
| | | 5-15-62 | 312.6 | 47.4 | |
| | | 6-19-62 | 335.4 | 24.6 | |
| 21S/18E-29N01 M | 447.0 | 3-21-62 | 400.0 | 47.0 | 5050 |
| 22S/16E-12F01 M | 787.0 | | ¤ | | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| CENTRAL VALLEY REGION | | | | | |
| TERRA BELLA IRRIGATION DISTRICT | | | 5-22.50 | | |
| 22S/27E-36N01 M | 513.0 | 7-27-61 | 264.6* | 248.4 | 5000 |
| | | 9-01-61 | 312.0 | 201.0 | |
| | | 9-19-61 | 303.0 | 210.0 | |
| | | 10-26-61 | 291.0 | 222.0 | |
| | | 11-30-61 | 278.0 | 235.0 | |
| | | 12-20-61 | 267.5 | 245.5 | |
| | | 1-25-62 | 251.1 | 261.9 | |
| | | 2-27-62 | 241.1 | 271.9 | |
| | | 3-28-62 | 234.5 | 278.5 | |
| | | 4-24-62 | 239.5 | 273.5 | |
| | | 5-22-62 | 247.0 | 266.0 | |
| | | 6-20-62 | 268.5 | 244.5 | |
| 23S/27E-10H01 M | 518.0 | 9-29-61 | 250.5 | 267.5 | 5050 |
| | | 2-06-62 | 223.8 | 294.2 | |
| DELTA AREA | | | 5-22.52 | | |
| 1S/05E-35Q01 M | 8.0 | 10-04-61 | 46.5 | - 38.5 | 5110 |
| | | 3-05-62 | 29.0 | - 21.0 | |
| 1S/06E-31E01 M | 8.0 | 10-04-61 | 7.9 | 0.1 | 5110 |
| | | 3-05-62 | 5.7 | 2.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| LAHONTAN REGION | | | | | |
| SURPRISE VALLEY | | | 6-01.00 | | |
| 40N/16E-36G01 M | 4625.2 | 7-26-61 | □ | | 5050 |
| | | 8-22-61 | 82.0 | 4543.2 | |
| | | 9-20-61 | 82.4 | 4542.8 | |
| | | 10-24-61 | 82.0 | 4543.2 | |
| | | 11-28-61 | 80.8 | 4544.4 | |
| | | 12-12-61 | 80.2 | 4545.0 | |
| | | 1-18-62 | 80.0 | 4545.2 | |
| | | 2-27-62 | □ | | |
| | | 3-21-62 | 79.9 | 4545.3 | |
| | | 4-24-62 | 73.7 | 4551.5 | |
| | | 5-22-62 | □ | | |
| | | 6-18-62 | □ | | |
| 41N/16E-35D02 M | 4621.5 | 7-26-61 | □ | | 5050 |
| | | 8-22-61 | □ | | |
| | | 9-20-61 | 41.1 | 4580.4 | |
| | | 10-24-61 | 41.7 | 4579.8 | |
| | | 11-28-61 | 42.0 | 4579.5 | |
| | | 12-12-61 | 38.6 | 4582.9 | |
| | | 1-18-62 | 41.9 | 4579.6 | |
| | | 2-27-62 | 41.4 | 4580.1 | |
| | | 3-21-62 | 41.2 | 4580.3 | |
| | | 4-24-62 | 41.6 | 4579.9 | |
| | | 5-22-62 | □ | | |
| | | 6-18-62 | □ | | |
| 42N/16E-17K01 M | 4651.6 | 7-26-61 | 25.4 | 4626.2 | 5050 |
| | | 8-22-61 | 25.2 | 4626.4 | |
| | | 9-20-61 | 26.2 | 4625.4 | |
| | | 10-24-61 | 26.2 | 4625.4 | |
| | | 11-28-61 | 26.2 | 4625.4 | |
| | | 12-12-61 | 26.1 | 4625.5 | |
| | | 1-08-62 | 26.2 | 4625.4 | |
| | | 2-27-62 | 25.5 | 4626.1 | |
| | | 3-21-62 | 25.4 | 4626.2 | |
| | | 4-24-62 | 25.0 | 4626.6 | |
| | | 5-22-62 | 23.3 | 4628.3 | |
| | | 6-18-62 | 23.5 | 4628.1 | |
| 43N/16E-17D01 M | 4687.4 | 7-26-61 | 34.5 | 4652.9 | 5050 |
| | | 8-22-61 | 35.6 | 4651.8 | |
| | | 9-20-61 | 35.6 | 4651.8 | |
| | | 10-24-61 | 35.0 | 4652.4 | |
| | | 11-28-61 | 35.1 | 4652.3 | |
| | | 12-12-61 | 35.1 | 4652.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD. SUR TO WATER SUR. IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| LAHONTAN REGION | | | | | |
| SURPRISE VALLEY | | | 6-01.00 | | |
| 43N/16E-17D01 M | 4687.4 | 1-18-62 | 35.6 | 4651.8 | 5050 |
| CONT. | | 2-27-62 | 35.4 | 4652.0 | |
| | | 3-21-62 | 35.5 | 4651.9 | |
| | | 4-24-62 | 35.4 | 4652.0 | |
| | | 5-22-62 | 35.3 | 4652.1 | |
| | | 6-18-62 | 35.3 | 4652.1 | |
| 46N/16E-09L01 M | 4534.3 | 7-26-61 | 19.0 | 4515.3 | 5050 |
| | | 8-22-61 | 20.6 | 4513.7 | |
| | | 9-20-61 | 21.3 | 4513.0 | |
| | | 10-24-61 | 20.8 | 4513.5 | |
| | | 11-28-61 | 19.9 | 4514.4 | |
| | | 12-12-61 | 19.3 | 4515.0 | |
| | | 1-18-62 | 19.3 | 4515.0 | |
| | | 2-27-62 | 18.6 | 4515.7 | |
| | | 3-21-62 | 20.9 | 4513.4 | |
| | | 4-24-62 | 19.6 | 4514.7 | |
| | | 5-22-62 | 17.7 | 4516.6 | |
| | | 6-18-62 | 15.9 | 4518.4 | |
| MADELINE PLAINS | | | 6-02.00 | | |
| 34N/14E-26R01 M | 5301.3 | 7-26-61 | 34.3 | 5267.0 | 5050 |
| | | 8-23-61 | 34.7 | 5266.6 | |
| | | 9-20-61 | 35.3 | 5266.0 | |
| | | 10-24-61 | 34.2 | 5267.1 | |
| | | 11-28-61 | 34.4 | 5266.9 | |
| | | 12-11-61 | 34.0 | 5267.3 | |
| | | 1-18-62 | 33.9 | 5267.4 | |
| | | 3-01-62 | 34.3 | 5267.0 | |
| | | 3-21-62 | 33.8 | 5267.5 | |
| | | 4-25-62 | 33.9 | 5267.4 | |
| | | 5-23-62 | 33.4 | 5267.9 | |
| | | 6-19-62 | 37.1 | 5264.2 | |
| 37N/13E-32A01 M | 5287.9 | 7-26-61 | 14.6 | 5273.3 | 5050 |
| | | 8-23-61 | 16.0 | 5271.9 | |
| | | 9-20-61 | 15.5 | 5272.4 | |
| | | 10-24-61 | 15.3 | 5272.6 | |
| | | 11-28-61 | 15.0 | 5272.9 | |
| | | 12-11-61 | 16.3 | 5271.6 | |
| | | 1-18-62 | 15.0 | 5272.9 | |
| | | 3-01-62 | 15.1 | 5272.8 | |
| | | 3-21-62 | 16.4 | 5271.5 | |
| | | 4-25-62 | 16.6 | 5271.3 | |

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR. TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| LAHONTAN REGION | | | | | |
| MADELINE PLAINS | | | 6-02.00 | | |
| 37N/13E-32A01 M | 5287.9 | 5-23-62 | 14.8 | 5273.1 | 5050 |
| CONT. | | 6-19-62 | 15.6 | 5272.3 | |
| HONEY LAKE VALLEY | | | 6-04.00 | | |
| 26N/16F-15F03 M | 4106.1 | 7-27-61 | 59.6 | 4046.5 | 5050 |
| | | 8-23-61 | 59.8 | 4046.3 | |
| | | 9-21-61 | 57.1 | 4049.0 | |
| | | 10-25-61 | 51.3 | 4054.8 | |
| | | 11-29-61 | 51.6 | 4054.5 | |
| | | 12-11-61 | 52.5 | 4053.6 | |
| | | 1-19-62 | 51.5 | 4054.6 | |
| | | 3-01-62 | 54.5 | 4051.6 | |
| | | 3-22-62 | 54.5 | 4051.6 | |
| | | 4-25-62 | 55.1 | 4051.0 | |
| | | 5-23-62 | 54.2 | 4051.9 | |
| | | 6-19-62 | 54.7 | 4051.4 | |
| 27N/14E-26J02 M | 4176.5 | 7-27-61 | 10.2 | 4166.3 | 5050 |
| | | 8-23-61 | 10.6 | 4165.9 | |
| | | 9-21-61 | 11.1 | 4165.4 | |
| | | 10-25-61 | 11.4 | 4165.1 | |
| | | 11-29-61 | 11.1 | 4165.4 | |
| | | 12-11-61 | 10.6 | 4165.9 | |
| | | 1-19-62 | 10.1 | 4166.4 | |
| | | 3-01-62 | 9.3 | 4167.2 | |
| | | 3-22-62 | 9.1 | 4167.4 | |
| | | 4-25-62 | 6.4 | 4170.1 | |
| | | 5-23-62 | 9.5 | 4167.0 | |
| | | 6-19-62 | 9.5 | 4167.0 | |
| 28N/13E-11R01 M | 4068.6 | 7-27-61 | ▫ | | 5050 |
| | | 8-23-61 | ▫ | | |
| | | 9-21-61 | ▫ | | |
| | | 10-24-61 | 26.4 | 4042.2 | |
| | | 11-28-61 | 23.4 | 4045.2 | |
| | | 12-11-61 | 21.6 | 4047.0 | |
| | | 1-19-62 | 21.4 | 4047.2 | |
| | | 3-01-62 | ▫ | | |
| | | 3-22-62 | 18.7 | 4049.9 | |
| | | 4-25-62 | 18.7 | 4049.9 | |
| | | 5-23-62 | 20.7 | 4047.9 | |
| | | 6-19-62 | ▫ | | |
| 29N/12E-05J01 M | 4172.3 | 7-27-61 | 19.9 | 4152.4 | 5050 |

# GROUND WATER LEVELS AT WELLS

| STATE WELL NUMBER | GROUND SURFACE ELEVATION IN FEET | DATE | GRD SUR TO WATER SUR IN FEET | WATER SURFACE ELEVATION IN FEET | AGENCY SUPPLYING DATA |
|---|---|---|---|---|---|
| | | LAHONTAN REGION | | | |
| HONEY LAKE VALLEY | | | 6-04.00 | | |
| 29N/12E-05J01 M | 4172.3 | 8-23-61 | 18.8 | 4153.5 | 5050 |
| CONT. | | 9-21-61 | 16.3 | 4156.0 | |
| | | 10-24-61 | 15.2 | 4157.1 | |
| | | 11-29-61 | 14.3 | 4158.0 | |
| | | 12-11-61 | 14.8 | 4157.5 | |
| | | 1-19-62 | 13.5 | 4158.8 | |
| | | 3-01-62 | 12.0 | 4160.3 | |
| | | 3-21-62 | 11.4 | 4160.9 | |
| | | 4-25-62 | 11.6 | 4160.7 | |
| | | 5-23-62 | 12.2 | 4160.1 | |
| | | 6-19-62 | 13.4 | 4158.9 | |
| 29N/14E-17R02 M | 4046.9 | 7-26-61 | 12.4 | 4034.5 | 5050 |
| | | 8-23-61 | 12.1 | 4034.8 | |
| | | 9-21-61 | 14.2 | 4032.7 | |
| | | 10-24-61 | 13.4 | 4033.5 | |
| | | 11-28-61 | 12.9 | 4034.0 | |
| | | 12-11-61 | 12.8 | 4034.1 | |
| | | 1-19-62 | 12.6 | 4034.3 | |
| | | 3-01-62 | 11.7 | 4035.2 | |
| | | 3-21-62 | 11.3 | 4035.6 | |
| | | 4-25-62 | 11.5 | 4035.4 | |
| | | 5-23-62 | 12.0 | 4034.9 | |
| | | 6-19-62 | 9.9 | 4037.0 | |

# APPENDIX C

## PRIOR REPORTS CONTAINING BASIC GROUND WATER DATA

# PRIOR REPORTS CONTAINING BASIC GROUND WATER DATA

———— 0 ————

This appendix lists prior reports, issued by the Department of Water Resources or by the U. S. Geological Survey in cooperation with the department or with the U. S. Bureau of Reclamation, which contain basic ground water data, including water level measurements and well data for ground water basins of Central and Northern California.

———— 0 ————


California State Department of Engineering. "Water Resources of Kern River and Adjacent Streams and Their Utilization." Bulletin No. 9. 1920.

California State Department of Public Works, Division of Water Resources. "Water Resources of Tulare County and Their Utilization." Bulletin No. 3. 1922.

----. "Ground Water Resources of Southern San Joaquin Valley." Bulletin No. 11. 1927.

----. "Sacramento River Basin." Bulletin No. 26. 1931.

----. "San Joaquin River Basin." Bulletin No. 29. 1931.

----. "Pit River Investigation." Bulletin No. 41. 1933.

----. "Santa Clara Investigation." Bulletin No. 42. 1933.

----. "Salinas Basin Investigation." Basic Data. Bulletin No. 52-A. 1941. Seven Supplements. 1948-1958.

----. "Northeastern Counties Investigation. Report on Upper Feather River Service Area." April, 1955.

----. "Report to the California State Legislature on Putah Creek Cone Investigation." December, 1955.

California State Department of Water Resources, Division of Resources Planning. "Lake County Investigation." Bulletin No. 14. July 1957.

California State Department of Water Resources, Division of Resources Planning. "Shasta County Investigation." Bulletin No. 22. December 1960.

----. "Northeastern Counties Investigation." Bulletin No. 58. December 1957.

----. "West Walker River Investigation." Bulletin No. 64. December 1957.

----. "Intrusion of Salt Water into Ground Water Basins of Southern Alameda County." Bulletin No. 81. December 1960.

----. "Upper Pit River Investigation." Bulletin No. 86. November 1960.

----. "Clear Lake-Cache Creek Basin Investigation." Bulletin No. 90. March 1961.

----. "Northeastern Counties Ground Water Investigation." Bulletin No. 98. February 1963.

California State Water Resources Board. "Santa Cruz-Monterey Counties Investigation." Bulletin No. 5. August 1953.

----. "Sutter-Yuba Counties Investigation." Bulletin No. 6. September 1952.

----. "Santa Clara Valley Investigation." Bulletin No. 7. September 1951.

----. "Placer County Investigation." Bulletin No. 10. July 1954.

----. "San Joaquin County Investigation." Bulletin No. 11. April 1954. Four Supplements. 1954-1958.

----. "Alameda County Investigation." Bulletin No. 13. July 1955.

----. "American River Basin Investigation." Bulletin No. 21. June 1955.

United States Department of the Interior, Geological Survey, Ground Water Branch. "Geology and Ground Water Hydrology of the Mokelumne Area, California." Water Supply Paper 780. 1939.

----. "Ground Water of the Lower Lake-Middletown Area, Lake County, California." Water Supply Paper 1927. 1955.

----. "Geology and Ground Water Features of the Smith River Plain, Del Norte County, California." Water Supply Paper 1254. 1957.

----. "Ground Water Conditions in the Mendota-Huron Area, Fresno and Kings Counties, California." Water Supply Paper 1360-G. 1957.

United States Department of the Interior, Geological Survey, Ground Water Branch. "Geology and Ground Water Features of Scott Valley, Siskiyou County, California." Water Supply Paper 1462. 1958.

----. "Geology and Ground Water in the Santa Rosa and Petaluma Valley Areas, Sonoma County, California." Water Supply Paper 1427. 1958.

----. "Ground Water Conditions in the Avenal-McKittrick Area, Kings and Kern Counties, California." Water Supply Paper 1457. 1959.

----. "Ground Water Conditions and Storage Capacity in the San Joaquin Valley, California." Water Supply Paper 1469. 1959.

----. "Geology and Ground Water Features of the Eureka Area, Humboldt County, California." Water Supply Paper 1470. 1959.

----. "Geology, Water Resources and Usable Ground Water Storage Capacity of Part of Solano County, California." Water Supply Paper 1464. 1960.

----. "Geology and Ground Water Features of Shasta Valley, Siskiyou County, California." Water Supply Paper 1484. 1960.

----. "Geology and Ground Water in Napa and Sonoma Valleys, Napa and Sonoma Counties, California." Water Supply Paper 1495. 1960.

----. "Geology and Ground Water Features of the Butte Valley Region, Siskiyou County, California." Water Supply Paper 1491. 1960.

----. "Geologic Features and Ground-Water Storage Capacity of Sacramento Valley, California." Water Supply Paper 1497. 1961

----. "Geology and Ground-Water Resources of the Russian and Upper Eel River Valleys, Sonoma and Mendocino Counties, California." In preparation.

----. "Geology and Ground Water Features of the Edison-Maricopa Area, Kern County, California." In preparation.

----. Water Supply Papers giving information on the water levels and artesian pressure in observation wells in California:

Water Supply Paper 468 contains measurements for 1920 and prior years, 777 for 1935, 817 for 1936, 840 for 1937, 845 for 1938, 886 for 1939, 911 for 1940, 941 for 1941, 949 for 1942, 991 for 1943, 1021 for 1944, 1028 for 1945, 1076 for 1946, 1101 for 1947, 1131 for 1948, 1161 for 1949, 1170 for 1950, 1196 for 1951, 1226 for 1952, 1270 for 1953, 1326 for 1954, 1409 for 1955, and 1770 for 1956-1960.

# APPENDIX D

## CONTEMPORARY REPORTS OF BASIC HYDROLOGIC DATA ISSUED ANNUALLY BY THE DEPARTMENT OF WATER RESOURCES

CONTEMPORARY REPORTS OF
BASIC HYDROLOGIC DATA
ISSUED ANNUALLY BY THE
DEPARTMENT OF WATER RESOURCES

----------o----------

Reports issued annually by the Department of Water Resources designed primarily to record basic hydrologic data and to present conditions of water supply directly related thereto, include the following:

| Bulletin Series No. | Name |
|---|---|
| 23 | Surface Water Flow. (Formerly Sacramento-San Joaquin Water Supervision.) |
| 39 | Water Supply Conditions in Southern California. |
| 65 | Quality of Surface Waters in California. |
| 66 | Quality of Ground Waters in California. |
| 77 | Ground Water Conditions in Central and Northern California. |
| 120 | Water Conditions in California. (Published in February, March, April, and May of each year.) |


NOR

1- 1.00
1- 3.00
1- 4.00
1- 5.00
1- 8.00
1- 9.00
1-10.00
1-11.00
1-12.00
1-13.00
1-14.00
1-15.00
1-16.00
1-17.00
1-18.00
1-18.01
1-18.02
1-98.00

SAN F

2- 1.00
2- 2.00
2- 2.01
2- 2.02
2- 3.00
2- 6.00
2- 9.00
2- 9.01
2- 9.02
2-10.00
2-22.00
2-24.00
2-26.00

CENTI

3- 1.00
3-26.00
3- 2.00
3- 3.00
3- 3.01
3- 3.02
3- 4.00
3- 4.01
3- 4.02
3- 4.03
3- 4.04
3- 4.05
3- 7.00

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

# GROUND WATER BASINS OR AREAS IN CENTRAL AND NORTHERN CALIFORNIA

SCALE OF MILES
20 0 20 40 60

PLATE 1

## GROUND WATER BASINS OR AREAS IN CENTRAL AND NORTHERN CALIFORNIA

### NORTH COASTAL REGION

| | |
|---|---|
| 1- 1.00 | Smith River Plain |
| 1- 3.00 | Butte Valley |
| 1- 4.00 | Shasta Valley |
| 1- 5.00 | Scott River Valley |
| 1- 8.00 | Mod River Valley |
| 1- 9.00 | Eureka Plain |
| 1-10.00 | Eel River Valley |
| 1-11.00 | Round Valley |
| 1-12.00 | Laytonville Valley |
| 1-13.00 | Little Lake Valley |
| 1-14.00 | Potter Valley |
| 1-15.00 | Ukiah Valley |
| 1-16.00 | Sanel Valley |
| 1-17.00 | Alexander Valley |
| 1-18.00 | Santa Rosa Valley |
| 1-18.01 | Santa Rosa Area |
| 1-18.02 | Healdsburg Area |
| 1-98.00 | Lower Russian River Valley |

### SAN FRANCISCO BAY REGION

| | |
|---|---|
| 2- 1.00 | Petaluma Valley |
| 2- 2.00 | Napa-Sonoma Valley |
| 2- 2.01 | Napa Valley |
| 2- 2.02 | Sonoma Valley |
| 2- 3.00 | Suisun-Fairfield Valley |
| 2- 6.00 | Ygnacio Valley |
| 2- 9.00 | Santa Clara Valley |
| 2- 9.01 | South Alameda County |
| 2- 9.02 | North Santa Clara County |
| 2-10.00 | Livermore Valley |
| 2-22.00 | Half Moon Bay Terrace |
| 2-24.00 | San Gregorio Valley |
| 2-26.00 | Pescadero Valley |

### CENTRAL COASTAL REGION

| | |
|---|---|
| 3- 1.00 | Soquel Valley |
| 3-26.00 | West Santa Cruz Terrace |
| 3- 2.00 | Pajaro Valley |
| 3- 3.00 | Gilroy-Hollister Valley |
| 3- 3.01 | South Santa Clara County |
| 3- 3.02 | San Benito County |
| 3- 4.00 | Salinas Valley |
| 3- 4.01 | Pressure Area |
| 3- 4.02 | East Side Area |
| 3- 4.03 | Forebay Area |
| 3- 4.04 | Arroyo Seco Cone |
| 3- 4.05 | Upper Valley Area |
| 3- 7.00 | Carmel Valley |

### CENTRAL VALLEY REGION

| | |
|---|---|
| 5- 1.00 | Goose Lake Valley |
| 5- 2.00 | Alturas Basin |
| 5- 4.00 | Big Valley |
| 5-36.00 | Round Valley |
| 5- 5.00 | Fall River Valley |
| 5- 6.00 | Redding Basin |
| 5-11.00 | Mohawk Valley |
| 5-12.00 | Sierra Valley |
| 5-13.00 | Upper Lake Valley |
| 5-14.00 | Scott Valley |
| 5-15.00 | Kelseyville Valley |
| 5-31.00 | Long Valley |
| 5-16.00 | High Valley |
| 5-17.00 | Burns Valley |
| 5-30.00 | Lower Lake Area |
| 5-18.00 | Coyote Valley |
| 5-19.00 | Caltayomi Valley |
| 5-21.00 | Sacramento Valley |
| 5-21.01 | Tehama County |
| 5-21.02 | Glenn County |
| 5-21.03 | Butte County |
| 5-21.04 | Colusa County |
| 5-21.05 | Sutter County |
| 5-21.06 | Yuba County |
| 5-21.07 | Placer County |
| 5-21.08 | Sacramento County |
| 5-21.09 | Yolo County |
| 5-21.10 | Capay Valley |
| 5-21.11 | Solano County |
| 5-22.00 | San Joaquin Valley |
| 5-22.01 | Mokelumne River Area |
| 5-22.02 | Calaveras River Area |
| 5-22.03 | Farmington-Collegeville Area |
| 5-22.04 | Tracy Area |
| 5-22.05 | South San Joaquin Irrigation District |
| 5-22.06 | Oakdale Irrigation District |
| 5-22.07 | Modesto Irrigation District |
| 5-22.08 | Turlock Irrigation District |
| 5-22.09 | Merced Irrigation District |
| 5-22.10 | El Nido Irrigation District |
| 5-22.11 | Delta-Mendota Area |
| 5-22.12 | Chowchilla Water District |
| 5-22.13 | Madera Irrigation District |
| 5-22.14 | West Chowchilla-Madera Area |
| 5-22.15 | Fresno Irrigation District |
| 5-22.16 | City of Fresno |
| 5-22.17 | Fresno Slough Area |
| 5-22.18 | Consolidated Irrigation District |
| 5-22.19 | Alta Irrigation District |
| 5-22.20 | Lower Kings River Area |
| 5-22.21 | Orange Cove Irrigation District |
| 5-22.22 | Stone Corral Irrigation District |
| 5-22.23 | Ivanhoe Irrigation District |
| 5-22.24 | Kaweah Delta Water Conservation District |
| 5-22.25 | Tulare Irrigation District |
| 5-22.26 | Exeter Irrigation District |
| 5-22.27 | Lindsay-Strathmore Irrigation District |
| 5-22.28 | Lindmore Irrigation District |
| 5-22.29 | Porterville Irrigation District |
| 5-22.30 | Lower Tule River Irrigation District |
| 5-22.31 | Vandalia Irrigation District |
| 5-22.32 | Saucelito Irrigation District |
| 5-22.33 | Pixley Irrigation District |
| 5-22.34 | Alpaugh-Allensworth Area |
| 5-22.35 | Delano-Earlimart Irrigation District |
| 5-22.36 | Southern San Joaquin Municipal Utility District |
| 5-22.37 | North Kern Water Storage District |
| 5-22.38 | Shafter-Wasco Irrigation District |
| 5-22.40 | Kern River Delta Area |
| 5-22.41 | Edison-Maricopa Area |
| 5-22.42 | Buena Vista Water Storage District |
| 5-22.43 | Semitropic Water Storage District |
| 5-22.44 | Arvin-McKittrick Area |
| 5-22.45 | Tulare Lake-Last Hills Area |
| 5-22.46 | Carcoran Irrigation District |
| 5-22.47 | Mendota-Huron Area |
| 5-22.48 | Poso Soil Conservation District |
| 5-22.49 | San Luis Canal Company |
| 5-22.50 | Terra Bella Irrigation District |
| 5-22.52 | Delta Area |

### LANONTAN REGION

| | |
|---|---|
| 6- 1.00 | Surprise Valley |
| 6- 2.00 | Madeline Plains |
| 6- 3.00 | Willow Creek Valley |
| 6- 4.00 | Honey Lake Valley |




STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

**GROUND WATER BASINS OR AREAS IN CENTRAL AND NORTHERN CALIFORNIA**

SCALE OF MILES
20 0 20 40 60

## UKIAH VALLEY (1-15.00)
MENDOCINO COUNTY
WELL 15N/12W-8L1, M.D.B.&M.
GROUND SURFACE ELEVATION 665'




## SANEL VALLEY (1-16.00)
MENDOCINO COUNTY
WELL 13N/11W-18E1, M.D.B.&M.
GROUND SURFACE ELEVATION 490'




## SANTA ROSA VALLEY, SONOMA COUNTY (1-18.00)
SANTA ROSA AREA (1-18.01)
WELL 6N/8W-13R1, M.D.B.&M.
GROUND SURFACE ELEVATION 115'




ELEVATION IN FEET - USC&GS DATUM

----- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS NORTH COASTAL REGION

## UKIAH VALLEY (1-15.00)
MENDOCINO COUNTY
WELL 15N/12W-8L1, M.D.B.&M.
GROUND SURFACE ELEVATION 665'




## SANEL VALLEY (1-16.00)
MENDOCINO COUNTY
WELL 13N/11W-18E1, M.D.B.&M.
GROUND SURFACE ELEVATION 490'




## SANTA ROSA VALLEY, SONOMA COUNTY (1-18.00)
SANTA ROSA AREA (1-18.01)
WELL 6N/8W-13R1, M.D.B.&M.
GROUND SURFACE ELEVATION 115'




ELEVATION IN FEET - USC&GS DATUM

---------- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS NORTH COASTAL REGION

## SMITH RIVER PLAIN (1-1.00)
DEL NORTE COUNTY
WELL 16N/1W-17K1, H B&M
GROUND SURFACE ELEVATION 48'




## SCOTT RIVER VALLEY (1-5.00)
SISKIYOU COUNTY
WELL 43N/9W-24F1, M D B&M
GROUND SURFACE ELEVATION 2735'




## UKIAH VALLEY (1-15.00)
MENDOCINO COUNTY
WELL 15N/12W-8L1, M D B&M
GROUND SURFACE ELEVATION 665'




## SANEL VALLEY (1-16.00)
MENDOCINO COUNTY
WELL 13N/11W-18E1, M D B&M
GROUND SURFACE ELEVATION 490'




## BUTTE VALLEY (1-3.00)
SISKIYOU COUNTY
WELL 46N/1E-6N1, M D B&M
GROUND SURFACE ELEVATION 4242




## EEL RIVER VALLEY (1-10.00)
HUMBOLDT COUNTY
WELL 3N/2W-26R1, H B&M
GROUND SURFACE ELEVATION 20'




## SANTA ROSA VALLEY, SONOMA COUNTY (1-18.00)
SANTA ROSA AREA (1-18.01)
WELL 6N/8W-13R1, M D B&M
GROUND SURFACE ELEVATION 115




## SHASTA VALLEY (1-4.00)
SISKIYOU COUNTY
WELL 44N/5W-34H1, M D B&M
GROUND SURFACE ELEVATION 2637'




## ROUND VALLEY (1-11.00)
MENDOCINO COUNTY
WELL 22N/12W-4B1, M D B&M
GROUND SURFACE ELEVATION 1351




ELEVATION IN FEET — USC&GS DATUM

ELEVATION IN FEET — USC&GS DATUM

---- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS NORTH COASTAL REGION

## LIVERMORE VALLEY (2-10.00)
ALAMEDA COUNTY
WELL 3S/1E-11H1, M.D.B.&M.
GROUND SURFACE ELEVATION 373'




ELEVATION IN FEET — USC&GS DATUM

## ALF MOON BAY TERRACE (2-22.00)
SAN MATEO COUNTY
WELL 5S/5W-29N1, M.D.B.&M.
GROUND SURFACE ELEVATION 46'




----- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS SAN FRANCISCO BAY REGION

## LIVERMORE VALLEY (2-10.00)
ALAMEDA COUNTY
WELL 3S/1E-11H1, M D B & M.
GROUND SURFACE ELEVATION 373'




ELEVATION IN FEET — USC&GS DATUM

## ALF MOON BAY TERRACE (2-22.00)
SAN MATEO COUNTY
WELL 5S/5W-29N1, M D B & M.
GROUND SURFACE ELEVATION 46'




----- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS SAN FRANCISCO BAY REGION

PETALUMA VALLEY (2-100)
SONOMA COUNTY
WELL 5N/7W-20B2, MDB&M
GROUND SURFACE ELEVATION 41




SUISUN-FAIRFIELD VALLEY (2-300)
SOLANO COUNTY
WELL 4N/2W-6A1, MDB&M
GROUND SURFACE ELEVATION 35




SANTA CLARA VALLEY (2-900)
SOUTH ALAMEDA COUNTY (2-901) LOWER AQUIFER
WELL 4S/2W-36K1, MDB&M
GROUND SURFACE ELEVATION 59




SANTA CLARA VALLEY (2-900)
NORTH SANTA CLARA COUNTY (2-902)
WELL 7S/1E-31A2, MDB&M
GROUND SURFACE ELEVATION 159




LIVERMORE VALLEY (2-1000)
ALAMEDA COUNTY
WELL 3S/1E-11H1, MDB&M
GROUND SURFACE ELEVATION 373




NAPA VALLEY (2-201)
NAPA COUNTY
WELL 6N/4W-17A1, MDB&M
GROUND SURFACE ELEVATION 67




SONOMA VALLEY (2-202)
SONOMA COUNTY
WELL 5N/5W-28N1, MDB&M
GROUND SURFACE ELEVATION 1




SANTA CLARA VALLEY (2-900)
SOUTH ALAMEDA COUNTY (2-901) UPPER AQUIFER
WELL 4S/1W-29C4, MDB&M
GROUND SURFACE ELEVATION 55




HALF MOON BAY TERRACE (2-2200)
SAN MATEO COUNTY
WELL 5S/5W-29N1, MDB&M
GROUND SURFACE ELEVATION 48




ELEVATION IN FEET — USCBGS DATUM

ELEVATION IN FEET — USCBGS DATUM

----- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS SAN FRANCISCO BAY REGION

Y COUNTY (3-4.00)
(3-4.04)
M.D.B.&M.
ION 277'




Y COUNTY (3-4.00)
A (3-4.05)
D.B.&M
ION 315'




ELEVATION IN FEET — USC&GS DATUM

----- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE.

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS CENTRAL COASTAL REGION

Y COUNTY (3-4.00)
(3-4.04)
M.D.B.&M.
ION 277'




Y COUNTY (3-4.00)
A (3-4.05)
D.B.&M
ION 315'




ELEVATION IN FEET — USC&GS DATUM

---- CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE.

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS CENTRAL COASTAL REGION

PAJARO VALLEY (3-2.00)
MONTEREY COUNTY
WELL 12S/2E-16J1, M.D.B.&M.




GILROY-HOLLISTER VALLEY (3-3.00)
SAN BENITO COUNTY (3-3.02)
WELL 12S/5E-12F1, M.D.B.&M.




GILROY-HOLLISTER VALLEY (3-3.00)
SOUTH SANTA CLARA VALLEY (3-3.01)
WELL 9S/3E-27C2, M.D.B.&M.




SALINAS VALLEY, MONTEREY COUNTY (3-4.00)
PRESSURE AREA-180 FOOT AQUIFER (3-4.01)
WELL 15S/2E-10J1, M.D.B.&M.




SALINAS VALLEY, MONTEREY COUNTY (3-4.00)
PRESSURE AREA-400 FOOT AQUIFER (3-4.01)
WELL 14S/3E-18J1, M.D.B.&M.




SALINAS VALLEY, MONTEREY COUNTY (3-4.00)
EAST SIDE AREA (3-4.02)
WELL 16S/5E-17P1, M.D.B.&M.




SALINAS VALLEY, MONTEREY COUNTY (3-4.00)
FOREBAY AREA (3-4.03)
WELL 17S/5E-11C1, M.D.B.&M.


SALINAS VALLEY, MONTEREY COUNTY (3-4.00)
ARROYO SECO CONE (3-4.04)
WELL 15S/6E-15M1, M.D.B.&M.




SALINAS VALLEY, MONTEREY COUNTY (3-4.00)
UPPER VALLEY AREA (3-4.05)
WELL 19S/7E-10P1, M.D.B.&M.




CARMEL VALLEY (3-7.00)
MONTEREY COUNTY
WELL 16S/1E-25R1, M.D.B.&M.




------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

ELEVATION IN FEET - I.S.B.&S. DATUM

ELEVATION IN FEET - I.S.B.&S. DATUM

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS CENTRAL COASTAL REGION






ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE.

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SACRAMENTO VALLEY CENTRAL VALLEY REGION






ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE.

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING

GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SACRAMENTO VALLEY CENTRAL VALLEY REGION

REDDING BASIN (5-6.00)
SHASTA COUNTY
WELL 29N/5W-18Z, M.D.B.&M.

COLLAYOMI VALLEY (5-19.00)
LAKE COUNTY
WELL 11N/7W-35E1, M.D.B.&M.
GROUND SURFACE

SACRAMENTO VALLEY (5-21.00)
BUTTE COUNTY (5-21.03)
WELL 21N/1W-26N1, M.D.B.&M.
GROUND SURFACE

SACRAMENTO VALLEY (5-21.00)
YUBA COUNTY (5-21.06)
WELLS 14N/5E-33Q1, 14N/5E-30Q1, M.D.B.&M.
GROUND SURFACE
GROUND SURFACE
33Q1
30Q1

SACRAMENTO VALLEY (5-21.00)
SACRAMENTO COUNTY (5-21.08)
WELL 8N/6E-20J1, M.D.B.&M.

SACRAMENTO VALLEY (5-21.00)
TEHAMA COUNTY (5-21.01)
WELL 26N/3W-4M1, M.D.B.&M.

SACRAMENTO VALLEY (5-21.00)
COLUSA COUNTY (5-21.04)
WELL 17N/2W-11N1, M.D.B.&M.
GROUND SURFACE

SACRAMENTO VALLEY (5-21.00)
YOLO COUNTY (5-21.09)
WELL 10N/2E-21N2, M.D.B.&M.
GROUND SURFACE

SACRAMENTO VALLEY (5-21.00)
PLACER COUNTY (5-21.07)
WELLS 13N/5E-35M1, 12N/5E-35E2, M.D.B.&M.
GROUND SURFACE
GROUND SURFACE
35M1
35E2

SACRAMENTO VALLEY (5-21.00)
GLENN COUNTY (5-21.02)
WELL 21N/2W-31E1, M.D.B.&M.
GROUND SURFACE
YEAR

SACRAMENTO VALLEY (5-21.00)
SUTTER COUNTY (5-21.05)
WELLS 14N/3E-3P1, 15N/3E-34L1, M.D.B.&M.
GROUND SURFACE
GROUND SURFACE
3P1
34L1
YEAR

SACRAMENTO VALLEY (5-21.00)
SOLANO COUNTY (5-21.11)
WELL 6N/2E-29N1, M.D.B.&M.
GROUND SURFACE
YEAR

ELEVATION IN FEET - U.S.G.S. DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SACRAMENTO VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
FRESNO IRRIGATION DISTRICT (5-22.15)
WELL 13S/19E-9Q1, M.D.B.&M.
GROUND SURFACE ELEVATION 288'




SAN JOAQUIN VALLEY (5-22.00)
CONSOLIDATED IRRIGATION DISTRICT (5-22.18)
WELL 16S/20E-22N1, M.D.B.&M.
GROUND SURFACE ELEVATION 247'




ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN NORTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
FRESNO IRRIGATION DISTRICT (5-22.15)
WELL 13S/19E-9Q1, M.D.B.&M.
GROUND SURFACE ELEVATION 288'




SAN JOAQUIN VALLEY (5-22.00)
CONSOLIDATED IRRIGATION DISTRICT (5-22.18)
WELL 16S/20E-22N1, M.D.B.&M.
GROUND SURFACE ELEVATION 247'




ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN NORTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

ELEVATION IN FEET — USC&GS DATUM

SAN JOAQUIN VALLEY (5-22.00)
MOKELUMNE RIVER AREA (5-22.01)
WELL 3N/7E-10L4, M.D.B.&M.
GROUND SURFACE ELEVATION 73'




SAN JOAQUIN VALLEY (5-22.00)
FARMINGTON-COLLEGEVILLE AREA (5-22.03)
WELL 1N/8E-17D1, M.D.B.&M.
GROUND SURFACE ELEVATION 65'




SAN JOAQUIN VALLEY (5-22.00)
OAKDALE IRRIGATION DISTRICT (5-22.06)
WELL 2S/10E-33J1, M.D.B.&M.
GROUND SURFACE ELEVATION 187'




SAN JOAQUIN VALLEY (5-2
TURLOCK IRRIGATION DISTRICT (5
WELL 5S/9E-3D2, M.D.B.&M.
GROUND SURFACE ELEVATION 75'




SAN JOAQUIN VALLEY (5-22.00)
CALAVERAS RIVER AREA (5-22.02)
WELLS 2N/7E-1R2, 2N/7E-12A1, M.D.B.&M.
GROUND SURFACE ELEVATION 74', 71'




SAN JOAQUIN VALLEY (5-22.00)
TRACY AREA (5-22.04)
WELL 3S/6E-9J1, M.D.B.&M.
GROUND SURFACE ELEVATION 66'




SAN JOAQUIN VALLEY (5-22.00)
MODESTO IRRIGATION DISTRICT (5-22.07)
WELL 3S/8E-22C2, M.D.B.&M.
GROUND SURFACE ELEVATION 64'




SAN JOAQUIN VA
DELTA-MENDOTA AREA
WELL 13S/13E-
GROUND SURFACE



JUIN VALLEY (5-22.00)
RIGATION DISTRICT (5-22.08)
5S/9E-302, M.D.B.&M.
UND SURFACE ELEVATION 70'




SAN JOAQUIN VALLEY (5-22.00)
MERCED IRRIGATION DISTRICT (5-22.09)
WELL 7S/11E-1H1, M.D.B.&M.
GROUND SURFACE ELEVATION 118'




SAN JOAQUIN VALLEY (5-22.00)
DELTA-MENDOTA AREA-SHALLOW ZONE (5-22.11)
WELL 3S/6E-18N1, M.D.B.&M.
GROUND SURFACE ELEVATION 99'




SAN JOAQUIN VALLEY (5-22.00)
FRESNO IRRIGATION DISTRICT (5-22.15)
WELL 13S/19E-9Q1, M.D.B.&M.
GROUND SURFACE ELEVATION 288'




SAN JOAQUIN VALLEY (5-22.00)
CHOWCHILLA WATER DISTRICT (5-22.12)
WELL 10S/15E-23K1, M.D.B.&M.
GROUND SURFACE ELEVATION 184'




SAN JOAQUIN VALLEY (5-22.00)
CONSOLIDATED IRRIGATION DISTRICT (5-22.18)
WELL 16S/20E-22N1, M.D.B.&M.
GROUND SURFACE ELEVATION 247'




SAN JOAQUIN VALLEY (5-22.00)
LTA-MENDOTA AREA-DEEP ZONE (5-22.11)
WELL 13S/13E-15R1, M.D.B.&M.
GROUND SURFACE ELEVATION 232'




SAN JOAQUIN VALLEY (5-22.00)
MADERA IRRIGATION DISTRICT (5-22.13)
WELL 11S/17E-27C1, M.D.B.&M.
GROUND SURFACE ELEVATION 251'




------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

ELEVATION IN FEET — USC&GS DATUM

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN NORTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
LINDSAY-STRATHMORE IRRIGATION DISTRICT (5-22.27)
WELL 20S/27E-6B1, M.D.B.&M.
GROUND SURFACE ELEVATION 372'





6)




------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

ELEVATION IN FEET — USC&GS DATUM

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN NORTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
ALTA IRRIGATION DISTRICT (5-22 19)
WELL 15S/24E-22D1, M D B&M
GROUND SURFACE ELEVATION 388




SAN JOAQUIN VALLEY (5-22.00)
LOWER KINGS RIVER AREA (5-22 20)
WELL 18S/18E-12N2, M D B&M
GROUND SURFACE ELEVATION 221




SAN JOAQUIN VALLEY (5-22.00)
ORANGE COVE IRRIGATION DISTRICT (5-22 21)
WELL 15S/25E-22N1, M D B&M
GROUND SURFACE ELEVATION 485




SAN JOAQUIN VALLEY (5-22.00)
STONE CORRAL IRRIGATION DISTRICT (5-22 22)
WELL 16S/26E-32R1, M D B&M
GROUND SURFACE ELEVATION 409




SAN JOAQUIN VALLEY (5-22.00)
IVANHOE IRRIGATION DISTRICT (5-22 23)
WELL 17S/25E-35M1, M D B&M
GROUND SURFACE ELEVATION 248




SAN JOAQUIN VALLEY (5-22.00)
KAWEAH DELTA WATER CONSERVATION DISTRICT (5-22 24)
WELL 19S/22E-19A2, M D B&M
GROUND SURFACE ELEVATION 235




SAN JOAQUIN VALLEY (5-22.00)
TULARE IRRIGATION DISTRICT (5-22 25)
WELL 20S/23E-9J1, M D B&M
GROUND SURFACE ELEVATION 246




SAN JOAQUIN VALLEY (5-22.00)
EXETER IRRIGATION DISTRICT (5-22 26)
WELL 18S/27E-29D1, M D B&M
GROUND SURFACE ELEVATION 446




SAN JOAQUIN VALLEY (5-22.00)
LINDSAY-STRATHMORE IRRIGATION DISTRICT (5-22 27)
WELL 20S/27E-6B1, M D B&M
GROUND SURFACE ELEVATION 312




ELEVATION IN FEET — USC&GS DATUM

ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN NORTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
NORTH KERN WATER STORAGE DISTRICT (5-22.37)
WELL 27S/25E-22A1, M.D.B.&M.
GROUND SURFACE ELEVATION 392'




ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
NORTH KERN WATER STORAGE DISTRICT (5-22.37)
WELL 27S/25E-22A1, M.D.B.&M.
GROUND SURFACE ELEVATION 392'




ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
LINOMORE IRRIGATION DISTRICT (5-22.28)
WELL 20S/26E-22C2, M.D.B.&M.




SAN JOAQUIN VALLEY (5-22.00)
PORTERVILLE IRRIGATION DISTRICT (5-22.29)
WELL 22S/27E-10R1, M.D.B.&M.




SAN JOAQUIN VALLEY (5-22.00)
LOWER TULE RIVER IRRIGATION DISTRICT (5-22.30)
WELL 21S/28E-10H1, M.D.B.&M.



SAN JOAQUIN VALLEY (5-22.00)
SAUCELITO IRRIGATION DISTRICT (5-22.32)
WELL 23S/26E-2M, 22S/26E-15J1, M.D.B.&M.




SAN JOAQUIN VALLEY (5-22.00)
DELANO-EARLIMART IRRIGATION DISTRICT (5-22.35)
WELL 24S/26E-9Q1, M.D.B.&M.




SAN JOAQUIN VALLEY (5-22.00)
ALPAUGH-ALLENSWORTH AREA (5-22.34)
WELL 24S/23E-21B2, M.D.B.&M.




SAN JOAQUIN VALLEY (5-22.00)
SOUTHERN SAN JOAQUIN MUNICIPAL UTILITY DISTRICT (5-22.36)
WELL 25S/28E-28H2, M.D.B.&M.




SAN JOAQUIN VALLEY (5-22.00)
NORTH KERN WATER STORAGE DISTRICT (5-22.37)
WELL 27S/25E-22A1, M.D.B.&M.




------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
MENDOTA-HURON AREA (5-22.47)
WELL 17S/16E-24R1, M.D.B.&M.
GROUND SURFACE ELEVATION 238'




1965

1965

ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
MENDOTA-HURON AREA (5-22.47)
WELL 17S/16E-24R1, M.D.B.&M.
GROUND SURFACE ELEVATION 238'




ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION

SAN JOAQUIN VALLEY (5-22.00)
SHAFTER-WASCO IRRIGATION DISTRICT (5-22.38)
WELL 27S/24E-35C1, M D B&M
GROUND SURFACE ELEVATION 318




SAN JOAQUIN VALLEY (5-22.00)
KERN RIVER DELTA AREA (5-22.40)
WELL 30S/26E-27A1, M D B&M
GROUND SURFACE ELEVATION 338




SAN JOAQUIN VALLEY (5-22.00)
EDISON-MARICOPA AREA (5-22.41)
WELL 12N/20W-31R1, S B B&M
GROUND SURFACE ELEVATION 283




SAN JOAQUIN VALLEY (5-22.00)
SEMITROPIC WATER STORAGE DISTRICT
DEEP ZONE (5-22.43)
WELL 27S/23E-1R4, M D B&M
GROUND SURFACE ELEVATION 287'




SAN JOAQUIN VALLEY (5-22.00)
SEMITROPIC WATER STORAGE DISTRICT
SHALLOW ZONE (5-22.43)
WELL 27S/23E-1R1, M D B&M
GROUND SURFACE ELEVATION 287'




SAN JOAQUIN VALLEY (5-22.00)
AVENAL-MCKITTRICK AREA (5-22.44)
WELL 25S/19E-20D2, M D B&M
GROUND SURFACE ELEVATION 480'




SAN JOAQUIN VALLEY (5-22.00)
MENDOTA-HURON AREA (5-22.47)
WELL 21S/18E-28M2, M D B&M
GROUND SURFACE ELEVATION 360




SAN JOAQUIN VALLEY (5-22.00)
MENDOTA-HURON AREA (5-22.47)
WELL 17S/16E-24R1, M D B&M
GROUND SURFACE ELEVATION 230




ELEVATION IN FEET — USC&GS DATUM

ELEVATION IN FEET — USC&GS DATUM

------ CONNECTS MEASUREMENTS MADE AT INTERVALS OF A YEAR OR MORE

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF WATER LEVEL IN WELLS IN SOUTHERN SAN JOAQUIN VALLEY CENTRAL VALLEY REGION







HISTORIC
GROUND WATER AREAS

1 MADERA
2 FRESNO
3 CONSOLIDATED
4 FRESNO(2) CONSOLIDATED(3) AND OUTSIDE AREA (4a, 4b, & 4c)
5 CENTERVILLE BOTTOMS
6 ALTA
7 IVANHOE
8 OUTSIDE IVANHOE
9 MILL CREEK
10 TULARE
11 ELK BAYOU
12 LINDSAY-EXETER
13 TULE RIVER
14 LOWER DEER CREEK
15 MIDDLE DEER CREEK
16 DELAND-EARLIMART
17 Mc FARLAND-SHAFTER
18 ROSEDALE
19 ARVIN-EDISON

LEGEND

GROUND WATER LEVEL FALL 1921
GROUND WATER LEVEL FALL 1951
GROUND WATER LEVEL SPRING 1961
GROUND WATER LEVEL SPRING 1962

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL CALIFORNIA, 1961-1962

# MAP OF 19 HISTORIC GROUND WATER AREAS IN SAN JOAQUIN VALLEY AND PROFILES ALONG SECTION A-A' SHOWING GROUND WATER LEVELS IN 1921, 1951, 1961 & 1962

SCALE OF MILES
5 0 5 10







HISTORIC
GROUND WATER AREAS

1 MADERA
2 FRESNO
3 CONSOLIDATED
4 FRESNO(2) CONSOLIDATED(3) AND OUTSIDE AREA (4a, 4b, & 4c)
5 CENTERVILLE BOTTOMS
6 ALTA
7 IVANHOE
8 OUTSIDE IVANHOE
9 MILL CREEK
10 TULARE
11 ELK BAYOU
12 LINDSAY-EXETER
13 TULE RIVER
14 LOWER DEER CREEK
15 MIDDLE DEER CREEK
16 DELANO-EARLIMART
17 Mc FARLAND-SHAFTER
18 ROSEDALE
19 ARVIN-EDISON

LEGEND

GROUND WATER LEVEL FALL 1921
GROUND WATER LEVEL FALL 1951
GROUND WATER LEVEL SPRING 1961
GROUND WATER LEVEL SPRING 1962

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL CALIFORNIA, 1961-1962

# MAP OF 19 HISTORIC GROUND WATER AREAS IN SAN JOAQUIN VALLEY AND PROFILES ALONG SECTION A-A' SHOWING GROUND WATER LEVELS IN 1921, 1951, 1961 & 1962

SCALE OF MILES
5 0 5 10





HISTORIC GROUND WATER AREAS

1 MADERA
2 FRESNO
3 CONSOLIDATED
4 FRESNO(2) CONSOLIDATED(3) AND OUTSIDE AREA (4a, 4b, & 4c)
5 CENTERVILLE BOTTOMS
6 ALTA
7 IVANHOE
8 OUTSIDE IVANHOE
9 MILL CREEK
10 TULARE
11 ELK BAYOU
12 LINDSAY-EXETER
13 TULE RIVER
14 LOWER DEER CREEK
15 MIDDLE DEER CREEK
16 DELANO-EARLIMART
17 McFARLAND-SHAFTER
18 ROSEDALE
19 ARVIN-EDISON

LEGEND

GROUND WATER LEVEL FALL 1921
GROUND WATER LEVEL FALL 1951
GROUND WATER LEVEL SPRING 1961
GROUND WATER LEVEL SPRING 1962

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL CALIFORNIA, 1961-1962

# MAP OF 19 HISTORIC GROUND WATER AREAS IN SAN JOAQUIN VALLEY AND PROFILES ALONG SECTION A-A' SHOWING GROUND WATER LEVELS IN 1921, 1951, 1961 & 1962

SCALE OF MILES

MILL CREEK GROUND WATER AREA
AREA 12825 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 305'




TULARE GROUND WATER AREA
AREA 12107 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 263'




ELK BAYOU GROUND WATER AREA
AREA 67.6 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 295'




ELEVATION IN FEET — USC&GS DATUM

FOR GROUND
OCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1962 IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY

MILL CREEK GROUND WATER AREA
AREA 12825 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 305'




TULARE GROUND WATER AREA
AREA 12107 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 263'




ELK BAYOU GROUND WATER AREA
AREA 67.6 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 295'




ELEVATION IN FEET — USC&GS DATUM

FOR GROUND
OCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1962 IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY

MADERA GROUND WATER AREA
AREA 342.6 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 230'




FRESNO GROUND WATER AREA
AREA 404.0 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 281'




CONSOLIDATED GROUND WATER AREA
AREA 243.0 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 268




FRESNO-CONSOLIDATED OUTSIDE GROUND WATER AREA
AREA 700.11 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 289'
AREA 53.11 SQUARE MILES (OUTSIDE AREA ONLY)
AVERAGE GROUND SURFACE ELEVATION 242'




ELEVATION IN FEET — USC&GS DATUM

CENTERVILLE BOTTOMS GROUND WATER AREA
AREA 18.15 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 583




ALTA GROUND WATER AREA
AREA 190.93 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 331'




IVANHOE GROUND WATER AREA
AREA 17.37 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 383'




OUTSIDE IVANHOE GROUND WATER AREA
AREA 76.65 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 345




MILL CREEK GROUND WATER AREA
AREA 128.25 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 305'




TULARE GROUND WATER AREA
AREA 121.07 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 269'




ELK BAYOU GROUND WATER AREA
AREA 67.6 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 295




ELEVATION IN FEET — USC&GS DATUM

NOTE. SEE PLATE 10 FOR GROUND WATER AREA LOCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1962 IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY

## Mc FARLAND-SHAFTER GROUND WATER AREA

AREA 306.0 SQUARE MILES

AVERAGE GROUND SURFACE ELEVATION 340'




## ARVIN-EDISON GROUND WATER AREA

AREA 205.18 SQUARE MILES

AVERAGE GROUND SURFACE ELEVATION 543'




ELEVATION IN FEET — USC&GS DATUM

FOR GROUND
OCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1962 IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY

## Mc FARLAND-SHAFTER GROUND WATER AREA

AREA 306.0 SQUARE MILES

AVERAGE GROUND SURFACE ELEVATION 340'




## ARVIN-EDISON GROUND WATER AREA

AREA 205.18 SQUARE MILES

AVERAGE GROUND SURFACE ELEVATION 543'




ELEVATION IN FEET — USC&GS DATUM

FOR GROUND
OCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1962 IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY

## LINDSAY-EXETER GROUND WATER AREA

AREA 13643 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 317'



## TULE RIVER GROUND WATER AREA

AREA 1566 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 338



## LOWER DEER CREEK GROUND WATER AREA

AREA 16222 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 297'




## MIDDLE DEER CREEK GROUND WATER AREA

AREA 5428 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 440'




## DELANO-EARLIMART GROUND WATER AREA

AREA 1400 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 371'




## ROSEDALE GROUND WATER AREA

AREA 7888 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 383




## Mc FARLAND-SHAFTER GROUND WATER AREA

AREA 3060 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 340'




## ARVIN-EDISON GROUND WATER AREA

AREA 20518 SQUARE MILES
AVERAGE GROUND SURFACE ELEVATION 343'




ELEVATION IN FEET — USC&GS DATUM

NOTE SEE PLATE 10 FOR GROUND WATER AREA LOCATION

STATE OF CALIFORNIA
THE RESOURCES AGENCY OF CALIFORNIA
DEPARTMENT OF WATER RESOURCES
DIVISION OF RESOURCES PLANNING
GROUND WATER CONDITIONS
IN CENTRAL AND NORTHERN CALIFORNIA, 1961-62

# FLUCTUATION OF AVERAGE WATER LEVEL, 1921 TO 1962 IN 19 GROUND WATER AREAS IN SAN JOAQUIN VALLEY